

Hollybush 2006**Flowers**

| Latin Name | Common Name |
|---------------------------------|--------------------------|
| <i>Achillea millefolium</i> | Yarrow |
| <i>Aegopodium podagraria</i> | Ground-elder |
| <i>Agrimonia eupatoria</i> | Agrimony |
| <i>Ajuga reptans</i> | Bugle |
| <i>Allium ursinum</i> | Ramsons |
| <i>Anagallis arvensis</i> | Scarlet Pimpernel |
| <i>Aphanes arvensis</i> | Parsley Piert |
| <i>Arctium minus</i> | Lesser Burdock |
| <i>Arum maculatum</i> | Lords-and-ladies |
| <i>Bellis perennis</i> | Daisy |
| <i>Bryonia dioica</i> | White Bryony |
| <i>Calystegia sepium</i> | Hedge Bindweed |
| <i>Calystegia sylvatica</i> | Great Bindweed |
| <i>Campanula rotundifolia</i> | Harebell |
| <i>Capsella bursa-pastoris</i> | Shepherd's-purse |
| <i>Cardamine flexuosa</i> | Wavy Bitter-cress |
| <i>Cardamine hirsuta</i> | Hairy Bitter-cress |
| <i>Cardamine pratensis</i> | Cuckooflower |
| <i>Carduus acanthoides</i> | Wetted Thistle |
| <i>Carduus nutans</i> | Musk Thistle |
| <i>Centaurea nigra</i> | Common Knapweed |
| <i>Centaurium erythraea</i> | Common Centaury |
| <i>Cerastium fontanum</i> | Common Mouse-ear |
| <i>Cerastium glomeratum</i> | Sticky Mouse-ear |
| <i>Ceratocarpus claviculata</i> | Climbing Corydalis |
| <i>Chamerion angustifolium</i> | Rosebay Willowherb |
| <i>Circaea lutetiana</i> | Enchanter's-nightshade |
| <i>Cirsium acaule</i> | Dwarf Thistle |
| <i>Cirsium arvense</i> | Creeping Thistle |
| <i>Cirsium palustre</i> | Marsh Thistle |
| <i>Cirsium vulgare</i> | Spear Thistle |
| <i>Clematis vitalba</i> | Traveller's-joy |
| <i>Clinopodium vulgare</i> | Wild Basil |
| <i>Conopodium majus</i> | Pignut |
| <i>Crepis capillaris</i> | Smooth Hawk's-beard |
| <i>Cymbalaria muralis</i> | Ivy-leaved Toadflax |
| <i>Cytisus scoparius</i> | Broom |
| <i>Dactylorhiza fuchsii</i> | Spotted Orchid |
| <i>Dactylorhiza fuchsii</i> | Common Spotted-orchid |
| <i>Digitalis purpurea</i> | Foxglove |
| <i>Epilobium ciliatum</i> | American Willowherb |
| <i>Epilobium hirsutum</i> | Great Willowherb |
| <i>Epilobium montanum</i> | Broad-leaved Willowherb |
| <i>Epilobium parviflorum</i> | Hoary Willowherb |
| <i>Epipactis helleborine</i> | Broad-leaved Helleborine |
| <i>Erodium cicutarium</i> | Common Stork's-bill |
| <i>Erophila verna</i> | Spring Whitlow Grass |
| <i>Euphorbia amygdaloides</i> | Wood Spurge |
| <i>Fallopia sachalinensis</i> | Giant Knotweed |

Flowers

| Latin Name | Common Name |
|----------------------------------|--------------------------------|
| <i>Fragaria vesca</i> | Wild Strawberry |
| <i>Galeopsis tetrahit</i> | Common Hemp-nettle |
| <i>Galium aparine</i> | Cleavers |
| <i>Galium palustre</i> | Common Marsh-bedstraw |
| <i>Galium saxatile</i> | Heath Bedstraw |
| <i>Galium verum</i> | Lady's Bedstraw |
| <i>Geranium dissectum</i> | Cut-leaved Crane's-bill |
| <i>Geranium molle</i> | Dove's foot Crane's-bill |
| <i>Geranium robertianum</i> | Herb Robert |
| <i>Geum urbanum</i> | Wood Avens |
| <i>Glechoma hederacea</i> | Ground Ivy |
| <i>Gnaphalium uliginosum</i> | Marsh Cudweed |
| <i>Hedera helix</i> | Ivy |
| <i>Heracleum sphondylium</i> | Hogweed |
| <i>Hyacinthoides non-scripta</i> | Bluebell |
| <i>Hypericum hirsutum</i> | Hairy St. John's-wort |
| <i>Hypericum maculatum</i> | Imperforate St. John's-wort |
| <i>Hypericum perforatum</i> | Perforate St. John's-wort |
| <i>Hypericum pulchrum</i> | Slender St. John's-wort |
| <i>Hypericum tetrapterum</i> | Square-stalked St. John's-wort |
| <i>Hypochaeris radicata</i> | Cat's-ear |
| <i>Inula conyza</i> | Ploughman's-spikenard |
| <i>Lamiaeum galeobdolon</i> | Yellow Archangel |
| <i>Lamium album</i> | White Dead-nettle |
| <i>Lapsana communis</i> | Nipplewort |
| <i>Lathyrus pratensis</i> | Meadow Vetchling |
| <i>Leontodon autumnalis</i> | Autumn Hawkbit |
| <i>Linaria vulgaris</i> | Yellow Toadflax |
| <i>Lonicera periclymenum</i> | Honeysuckle |
| <i>Lotus corniculatus</i> | Bird's-foot-trefoil |
| <i>Lotus pedunculatus</i> | Greater Bird's-foot-trefoil |
| <i>Lysimachia nemorum</i> | Yellow Pimpernel |
| <i>Malva moschata</i> | Musk-mallow |
| <i>Matricaria discoidea</i> | Pineappleweed |
| <i>Medicago lupulina</i> | Black Medick |
| <i>Mentha aquatica</i> | Water Mint |
| <i>Mercurialis perennis</i> | Dog's Mercury |
| <i>Moehringia trinervia</i> | Three-nerved Sandwort |
| <i>Moenchia erecta</i> | Upright Chickweed |
| <i>Mycelis muralis</i> | Wall Lettuce |
| <i>Myosotis arvensis</i> | Field Forget-me-not |
| <i>Myosotis discolor</i> | Changing Forget-me-not |
| <i>Myosotis laxa</i> | Tufted Forget-me-not |
| <i>Myosotis ramosissima</i> | Spring Forget-me-not |
| <i>Myosotis sylvatica</i> | Wood Forget-me-not |
| <i>Narcissus pseudonarcissus</i> | Wild Daffodil |
| <i>Origanum vulgare</i> | Wild Marjoram |
| <i>Oxalis acetosella</i> | Wood-sorrel |
| <i>Persicaria maculosa</i> | Redshank |
| <i>Pilosella officinarum</i> | Mouse-ear-hawkweed |
| <i>Plantago lanceolata</i> | Ribwort Plantain |

Flowers

| Latin Name | Common Name |
|---------------------------------|--------------------------|
| <i>Plantago major</i> | Greater Plantain |
| <i>Polygonum aviculare</i> | Knotgrass |
| <i>Potentilla anserina</i> | Silverweed |
| <i>Potentilla erecta</i> | Tormentil |
| <i>Potentilla neumanniana</i> | Spring Cinquefoil |
| <i>Potentilla reptans</i> | Creeping Cinquefoil |
| <i>Potentilla sterilis</i> | Barren Strawberry |
| <i>Primula vulgaris</i> | Primrose |
| <i>Prunella vulgaris</i> | Selfheal |
| <i>Ranunculus bulbosus</i> | Bulbous Buttercup |
| <i>Ranunculus ficaria</i> | Lesser Celandine |
| <i>Ranunculus flammula</i> | Lesser Spearwort |
| <i>Ranunculus parviflorus</i> | Small-flowered Buttercup |
| <i>Ranunculus repens</i> | Creeping Buttercup |
| <i>Reseda luteola</i> | Weld |
| <i>Rosa canina</i> | Dog Rose |
| <i>Rumex acetosa</i> | Common Sorrel |
| <i>Rumex acetosella</i> | Sheep's Sorrel |
| <i>Rumex conglomeratus</i> | Clustered Dock |
| <i>Rumex crispus</i> | Curled Dock |
| <i>Rumex obtusifolius</i> | Broad-leaved Dock |
| <i>Rumex sanguineus</i> | Wood Dock |
| <i>Sagina procumbens</i> | Procumbent Pearlwort |
| <i>Scrophularia auriculata</i> | Water Figwort |
| <i>Scrophularia nodosa</i> | Common Figwort |
| <i>Senecio jacobaea</i> | Common Ragwort |
| <i>Senecio vulgaris</i> | Groundsel |
| <i>Silene latifolia</i> | White Campion |
| <i>Sisymbrium officinale</i> | Hedge Mustard |
| <i>Sonchus arvensis</i> | Perennial Sowthistle |
| <i>Sonchus asper</i> | Prickly Sowthistle |
| <i>Sonchus oleraceus</i> | Smooth Sowthistle |
| <i>Stachys sylvatica</i> | Hedge Woundwort |
| <i>Stellaria graminea</i> | Lesser Stitchwort |
| <i>Stellaria holostea</i> | Greater Stitchwort |
| <i>Stellaria uliginosa</i> | Bog Stitchwort |
| <i>Tamus communis</i> | Black Bryony |
| <i>Taraxacum erythrosperma</i> | Lesser Dandelion |
| <i>Taraxacum officinale</i> | Dandelion |
| <i>Teucrium scorodonia</i> | Wood Sage |
| <i>Thymus polytrichus</i> | Wild Thyme |
| <i>Torilis japonica</i> | Upright Hedge-parsley |
| <i>Tragopogon pratensis</i> | Goat's Beard |
| <i>Trifolium dubium</i> | Lesser Trefoil |
| <i>Trifolium pratense</i> | Red Clover |
| <i>Trifolium repens</i> | White Clover |
| <i>Tripleurpsermum inodorum</i> | Scentless Mayweed |
| <i>Tussilago farfara</i> | Colt's-foot |
| <i>Ulex europaeus</i> | Gorse |
| <i>Ulex gallii</i> | Western Gorse |
| <i>Urtica dioica</i> | Common Nettle |

Flowers

| Latin Name | Common Name |
|-------------------------------|------------------------|
| <i>Veronica arvensis</i> | Wall Speedwell |
| <i>Veronica beccabunga</i> | Brooklime |
| <i>Veronica chamaedrys</i> | Germander Speedwell |
| <i>Veronica hederifolia</i> | Ivy-leaved Speedwell |
| <i>Veronica montana</i> | Wood Speedwell |
| <i>Veronica officinalis</i> | Heath Speedwell |
| <i>Veronica persica</i> | Field Speedwell |
| <i>Veronica serpyllifolia</i> | Thyme-leaved Speedwell |
| <i>Vicia sativa</i> | Common Vetch |
| <i>Vicia sepium</i> | Bush Vetch |
| <i>Viola reichenbachiana</i> | Wood Dog-violet |
| <i>Viola riviniana</i> | Common Dog-violet |
| <i>Viscum album</i> | Mistletoe |

Grasses, Sedges, Rushes, Woodrushes and Horsetails

| Latin Name | Common Name |
|---|----------------------|
| <i>Agrostis capillaris</i> | Common Bent |
| <i>Agrostis stolonifera</i> | Creeping Bent |
| <i>Alopecurus pratensis</i> | Meadow Foxtail |
| <i>Anisantha sterilis</i> | Barren Brome |
| <i>Anthoxanthum odoratum</i> | Sweet Vernal-grass |
| <i>Aira praecox</i> | Early Hair-grass |
| <i>Arrhenatherum elatius</i> | False Oat-grass |
| <i>Brachypodium pinnatum</i> | Tor Grass |
| <i>Brachypodium sylvaticum</i> | False Brome |
| <i>Briza media</i> | Quaking Grass |
| <i>Bromus erecta</i> | Upright Brome |
| <i>Bromus hordeaceus ssp.hordeaceus</i> | Soft-brome |
| <i>Carex caryophyllea</i> | Spring Sedge |
| <i>Carex flacca</i> | Glaucous Sedge |
| <i>Carex hirta</i> | Hairy Sedge |
| <i>Carex pendula</i> | Pendulous Sedge |
| <i>Carex remota</i> | Remote Sedge |
| <i>Carex sylvatica</i> | Wood Sedge |
| <i>Cynosurus cristatus</i> | Crested Dog's-tail |
| <i>Dactylis glomerata</i> | Cock's-foot |
| <i>Deschampsia cespitosa</i> | Tufted Hair-grass |
| <i>Deschampsia flexuosa</i> | Wavy Hair-grass |
| <i>Eleocharis palustris</i> | Common Spike Rush |
| <i>Elymus repens</i> | Common Couch |
| <i>Equisetum arvense</i> | Field Horsetail |
| <i>Festuca gigantea</i> | Giant Fescue |
| <i>Festuca ovina</i> | Sheep's Fescue |
| <i>Festuca rubra</i> | Red Fescue |
| <i>Glyceria fluitans</i> | Floating Sweet Grass |
| <i>Holcus lanatus</i> | Yorkshire Fog |
| <i>Holcus mollis</i> | Creeping Soft-grass |
| <i>Juncus acutiflorus</i> | Sharp-flowered Rush |
| <i>Juncus articulatus</i> | Jointed Rush |
| <i>Juncus bufonius</i> | Toad Rush |
| <i>Juncus conglomeratus</i> | Compact Rush |
| <i>Juncus effusus</i> | Soft-rush |
| <i>Juncus inflexus</i> | Hard Rush |
| <i>Lolium perenne</i> | Perennial Rye-grass |
| <i>Luzula campestris</i> | Field Wood-rush |
| <i>Luzula sylvatica</i> | Great Wood-rush |
| <i>Melica uniflora</i> | Wood Melick |
| <i>Phleum bertolonii</i> | Small Timothy |
| <i>Phleum pratense</i> | Timothy |
| <i>Poa annua</i> | Annual Meadow-grass |
| <i>Poa nemoralis</i> | Wood Meadow-grass |
| <i>Poa pratensis</i> | Smooth Meadow-grass |
| <i>Poa trivialis</i> | Rough Meadow-grass |
| <i>Trisetum flavescens</i> | Yellow Oat-grass |
| <i>Typha latifolia</i> | Bulrush |
| <i>Vulpia bromoides</i> | Squirrel tail Fescue |

Birds

| Latin Name | Common Name |
|--------------------------------|----------------------------|
| <i>Accipiter gentilis</i> | Goshawk |
| <i>Aegithalos caudatus</i> | Long Tailed Tit |
| <i>Anas platyrhynchos</i> | Mallard |
| <i>Anthus trivialis</i> | Tree Pipit |
| <i>Apus apus</i> | Swift |
| <i>Branta canadensis</i> | Canada Goose |
| <i>Buteo buteo</i> | Buzzard |
| <i>Carduelis carduelis</i> | Gold Finch |
| <i>Columba oenas</i> | Stock Dove |
| <i>Columba palumbus</i> | Wood Pigeon |
| <i>Corvus corax</i> | Raven |
| <i>Corvus corone corone</i> | Carrion Crow |
| <i>Corvus monedula</i> | Jackdaw |
| <i>Cuculus canorus</i> | Cuckoo |
| <i>Delichon urbica</i> | House Martin |
| <i>Dendrocopos major</i> | Greater Spotted Woodpecker |
| <i>Erithacus rubecula</i> | Robin |
| <i>Ficedula hypoleuca</i> | Pied Flycatcher |
| <i>Fringilla coelebs</i> | Chaffinch |
| <i>Hirundo rustica</i> | Swallow |
| <i>Parus caeruleus</i> | Blue Tit |
| <i>Parus major</i> | Great Tit |
| <i>Parus palustris</i> | Marsh Tit |
| <i>Phasianus colchicus</i> | Pheasant |
| <i>Phoenicurus phoenicurus</i> | Redstart |
| <i>Phylloscopus collybita</i> | Chiff Chaff |
| <i>Phylloscopus trochilis</i> | Willow Warbler |
| <i>Pica pica</i> | Magpie |
| <i>Picus viridis</i> | Green Woodpecker |
| <i>Prunella modularis</i> | Dunnock |
| <i>Regulus regulus</i> | Goldcrest |
| <i>Sitta europaea</i> | Nuthatch |
| <i>Strix aluco</i> | Tawny Owl |
| <i>Sylvia atricapilla</i> | Blackcap |
| <i>Sylvia communis</i> | Whitethroat |
| <i>Troglodytes troglodytes</i> | Wren |
| <i>Turdus merula</i> | Blackbird |
| <i>Turdus philomelos</i> | Song Thrush |

Fungi and other non flowering Plants

| Group | Latin Name | Common Name |
|-------|-----------------------------------|--|
| Fungi | <i>Agaricus arvensis</i> | Horse Mushroom |
| | <i>Agaricus xanthodermus</i> | Yellow Stainer |
| | <i>Armillaria mellea</i> | Honey Fungus |
| | <i>Auricularia auricula-judae</i> | Jews Ear Fungus |
| | <i>Boletus chrysenteron</i> | |
| | <i>Bovista plumbea</i> | |
| | <i>Clitocybe dealbata</i> | |
| | <i>Clitocybe nebularis</i> | Clouded Agaric |
| | <i>Colletotrichum liliaearum</i> | On seeds of <i>Hyacinthoides non-scripta</i> |
| | <i>Collybia dryophila</i> | |
| | <i>Collybia peronata</i> | Wood Woolly Foot |
| | <i>Conocybe tenera</i> | |
| | <i>Coprinus plicatilis</i> | |
| | <i>Cortinarius sp.</i> | |
| | <i>Cystoderma amianthina</i> | |
| | <i>Daldinia concentrica</i> | King Alfred's Cakes |
| | <i>Entoloma serrulatum</i> | |
| | <i>Erysiphe circaeae</i> | On <i>Circaea lutetiana</i> |
| | <i>Flammulina velutipes</i> | Velvet Shank |
| | <i>Ganoderma adspersum</i> | |
| | <i>Ganoderma applanatum</i> | Artist's Fungus |
| | <i>Geastrum triplex</i> | Earth Star |
| | <i>Gymnopilus junonius</i> | |
| | <i>Hebeloma crustuliniforme</i> | Poison Pie |
| | <i>Hygrocybe psittacina</i> | Parrot Wax Cap |
| | <i>Hygrophoropsis aurantiaca</i> | False Chanterelle |
| | <i>Hypholoma fasciculare</i> | Sulphur Tuft |
| | <i>Hypoxylon rubiginosum</i> | |
| | <i>Inonotus hispidus</i> | |
| | <i>Inonotus dryadeus</i> | |
| | <i>Kuehneola uredinis</i> | On Rubus |
| | <i>Lactarius cilicioides</i> | Milk Cap |
| | <i>Lepiota rhacodes</i> | Shaggy Parasol |
| | <i>Lycogala epidendron</i> | Fruiting Slime fungus |
| | <i>Lycoperdon enteridium</i> | Puff-ball |
| | <i>Lycoperdon perlatum</i> | Puff-ball |
| | <i>Lycoperdon pyriforme</i> | Puff-ball |
| | <i>Marasmius ramealis</i> | |
| | <i>Microsphaera alphitoides</i> | Oak Mildew |
| | <i>Mycena galopus</i> | |
| | <i>Mycena haematopus</i> | |
| | <i>Mycena pura</i> | |
| | <i>Nectria cinnabarina</i> | |
| | <i>Paxillus involutus</i> | Brown Rollrim |
| | <i>Pholiota squarrosa</i> | Shaggy Pholiota |
| | <i>Phragmidium violaceum</i> | |
| | <i>Pleurotus ostreatus</i> | Oyster Mushroom |
| | <i>Pleurotus pulmonarius</i> | |
| | <i>Psathyrella conopilea</i> | |
| | <i>Psathyrella lachrymabunda</i> | Weeping Widow |
| | <i>Rhytisma acerinum</i> | |
| | <i>Russula cyanoxantha</i> | Charcoal Burner |

Fungi and other non flowering Plants

| Group | Latin Name | Common Name |
|------------|--|----------------------|
| | <i>Russula nigricans</i> | |
| | <i>Stereum hirsutum</i> | Hairy Stereum |
| | <i>Trametes versicolour</i> | Many-zoned Polypore |
| | | |
| Lichens | <i>Cladonia ciliata var. tenuis</i> | |
| | <i>Cladonia portentosa</i> | |
| | <i>Evernia prunastri</i> | |
| | <i>Parmelia conspersa</i> | |
| | <i>Parmelia sulcata</i> | |
| | <i>Peltigera canina</i> | A Dog Lichen |
| | <i>Peltigera horizontalis</i> | A Dog Lichen |
| | <i>Peltigera lactucifolia</i> | A Dog Lichen |
| | <i>Peltigera membranacea</i> | A Dog Lichen |
| | <i>Xanthoria parietina</i> | |
| | | |
| Mosses | <i>Atrichum undulatum</i> | |
| | <i>Brachythecium rutabulum</i> | |
| | <i>Bryoerythrophyllum recurvirostrum</i> | |
| | <i>Bryum capillare</i> | |
| | <i>Calliergon cuspidatum</i> | |
| | <i>Dicranum scoparium</i> | |
| | <i>Eurynchium praelongum</i> | |
| | <i>Fissidens bryoides</i> | |
| | <i>Fissidens taxifolius</i> | |
| | <i>Hypnum andoi</i> | |
| | <i>Hypnum cupressiforme</i> | |
| | <i>Orthotricum affine</i> | |
| | <i>Orthotricum anomalum</i> | |
| | <i>Orthotricum diaphanum</i> | |
| | <i>Plagiomnium affine</i> | |
| | <i>Plagiomnium rostratum</i> | |
| | <i>Plagiomnium undulatum</i> | |
| | <i>Polytrichum juniperinum</i> | |
| | <i>Polytrichum piliferum</i> | |
| | <i>Rhytidiadelphus squarrosus</i> | |
| | <i>Scleropodium purum</i> | |
| | <i>Thuidium tamariscinum</i> | Tamarisk-leaved Moss |
| | <i>Zygodon viridissimus</i> | |
| | | |
| Liverworts | <i>Conocephalum conicum</i> | |
| | <i>Lophocolea bidentata</i> | |
| | <i>Metzgeria furcata</i> | |
| | <i>Pellia endivifolia</i> | |
| | <i>Porella platyphylla</i> | |
| | | |
| Ferns | <i>Athyrium felix-femina</i> | Lady-fern |
| | <i>Dryopteris carthusiana</i> | Narrow Buckler-fern |
| | <i>Dryopteris dilatata</i> | Broad Buckler-fern |
| | <i>Dryopteris filix-mas</i> | Male-fern |
| | <i>Phyllitis scolopendrium</i> | Hart's-tongue |
| | <i>Pteridium aquilinum</i> | Bracken |

Trees and Shrubs

| Latin Name | Common Name |
|----------------------------|-----------------|
| <i>Acer campestre</i> | Field Maple |
| <i>Acer pseudoplatanus</i> | Sycamore |
| <i>Alnus glutinosa</i> | Alder |
| <i>Betula pendula</i> | Silver Birch |
| <i>Buddleja davidii</i> | Butterfly Bush |
| <i>Corylus avellana</i> | Hazel |
| <i>Crataegus monogyna</i> | Hawthorn |
| <i>Euonymus europaeus</i> | Spindle |
| <i>Fagus sylvatica</i> | Beech |
| <i>Fraxinus excelsior</i> | Ash |
| <i>Ilex aquifolium</i> | Holly |
| <i>Larix kaempferi</i> | Japanese Larch |
| <i>Malus sylvestris</i> | Crab Apple |
| <i>Pinus sylvestris</i> | Scots Pine |
| <i>Populus nigra</i> | Black Poplar |
| <i>Prunus avium</i> | Wild Cherry |
| <i>Prunus spinosa</i> | Blackthorn |
| <i>Quercus robur</i> | Pedunculate Oak |
| <i>Ribes uva-crispa</i> | Gooseberry |
| <i>Rosa arvensis</i> | Field Rose |
| <i>Rosa canina</i> | Dog Rose |
| <i>Rubus fruticosus</i> | Bramble |
| <i>Salix caprea</i> | Goat Willow |
| <i>Sambucus nigra</i> | Elder |
| <i>Sorbus aucuparia</i> | Rowan |
| <i>Ulmus glabra</i> | Wych Elm |
| <i>Ulmus procera</i> | English Elm |

Insects and other Invertebrates

| Group | Latin Name | Common Name |
|-------------|------------------------------------|--------------------------------|
| Insecta | | |
| Lepidoptera | <i>Acronicta alni</i> | Alder moth larva |
| | <i>Adela reaumurella</i> | Golden Longhorn Moth |
| | <i>Maniola jurtina</i> | Meadow Brown |
| | <i>Pararge aegeria</i> | Speckled Wood |
| | <i>Pieris brassicae</i> | Large White |
| | <i>Pieris rapae</i> | Small White |
| | <i>Polyommatus icarus</i> | Common Blue |
| | <i>Timandra griseata</i> | Blood-vein Moth |
| | <i>Tyria jacobaeae</i> | Cinnabar Moth |
| | <i>Vanessa atalanta</i> | Red Admiral |
| | | |
| Diptera | <i>Bibio marci</i> | St. Marks Fly |
| | <i>Chirosia betuleti</i> | Gall on Ferns |
| | <i>Chirosia grossicauda</i> | Gall on Bracken |
| | <i>Dasineura fraxinus</i> | Gall on Ash |
| | <i>Dasineura tortrix</i> | Leaf-tip gall on Hawthorn |
| | <i>Episyrphus balteatus</i> | Migrant Hoverfly |
| | <i>Eriozona syrphoides</i> | Hoverfly – bumble bee mimic |
| | <i>Jaapiella veronicae</i> | Gall on Speedwell |
| | <i>Phytomyza ilicis</i> | Blotch mine on Holly |
| | <i>Urophora jaceana</i> | Picture-winged fly on Knapweed |
| | | |
| Coleoptera | <i>Adalia bipunctata</i> | 2-spot Ladybird |
| | <i>Agriotes acuminatus</i> | Small Click Beetle |
| | <i>Altica palustris</i> | Large Flea Beetle |
| | <i>Anaspis costae</i> | Tumbling Flower Beetle |
| | <i>Anaspis frontalis</i> | Tumbling Flower Beetle |
| | <i>Aphthona euphorbiae</i> | Small Flea Beetle |
| | <i>Athous haemorrhoidalis</i> | Large Click Beetle |
| | <i>Brachypterus glaber</i> | Small Beetle on Nettles |
| | <i>Cantharis rustica</i> | Large Sailor Beetle |
| | <i>Cassida vibex</i> | Tortoise Beetle |
| | <i>Chilocoris renipustulatus</i> | Kidney-spot Ladybird |
| | <i>Cidnorhinus quadrimaculatus</i> | Nettle Weevil |
| | <i>Coccinella 7-punctata</i> | 7 Spot Ladybird |
| | <i>Crepidodera transversa</i> | Flea Beetle on Thistles |
| | <i>Cychrus caraboides</i> | Snail eating Beetle |
| | <i>Dalopius marginatus</i> | Small Click Beetle |
| | <i>Dasytes aeratus</i> | Flower Beetle |
| | <i>Gastrophysa viridula</i> | Dock leaf Beetle |
| | <i>Grammoptera ruficornis</i> | Small Longhorn Beetle |
| | <i>Isomera murina</i> | Flower Beetle |
| | <i>Lagria hirta</i> | Beetle |
| | <i>Lochmaea crataegi</i> | Leaf Beetle on Hawthorn |
| | <i>Magdalis armigera</i> | Local Weevil – Elm branches |
| | <i>Malachius bipustulatus</i> | Flower Beetle |
| | <i>Meligethes aeneus</i> | Pollen Beetle |
| | <i>Meligethes atratus</i> | Pollen Beetle |
| | <i>Meligethes viridescens</i> | Pollen Beetle |
| | <i>Oedemera nobilis</i> | Flower Beetle |
| | <i>Perapion curtirostre</i> | Small False Weevil |

Insects and other Invertebrates

| Group | Latin Name | Common Name |
|-------------|---------------------------------------|-------------------------------|
| | <i>Phyllobius pomaceus</i> | Large Nettle Weevil |
| | <i>Proteinus ovalis</i> | Very Small Staphlinid |
| | <i>Pyrochroa serraticornis</i> | Cardinal Beetle larva |
| | <i>Rhagonycha fulva</i> | Soldier Beetle |
| | <i>Rhagonycha limbata</i> | Cantharid Beetle |
| | <i>Rhagonycha testacea</i> | Cantharid Beetle |
| | <i>Rhynchites aequatus</i> | Attelabid Weevil |
| | <i>Sitona lineatus</i> | Bean Weevil |
| | <i>Stenocorus meridianus</i> | Large Longhorn Beetle |
| | <i>Tachyporus chrysomelinus</i> | Small Rove Beetle |
| | | |
| Hemiptera | <i>Acomporis pygmaeus</i> | Plant Bug |
| | <i>Anthocoris nemoralis nemoralis</i> | Plant Bug |
| | <i>Anthocoris nemorum</i> | Plant Bug |
| | <i>Calocoris alpestris</i> | Large Capsid Bug |
| | <i>Calocoris norvegicus</i> | Capsid Bug |
| | <i>Calocoris stysi</i> | Capsid Bug |
| | <i>Cixius nervosus</i> | Plant Hopper |
| | <i>Dicyphus epilobi</i> | Capsid Bug |
| | <i>Dicyphus stachydis</i> | Capsid bug on Hedge Woundwort |
| | <i>Ditropis pteridis</i> | Plant hopper on Bracken |
| | <i>Drymus sylvaticus</i> | Ground Bug |
| | <i>Eurysa lineata</i> | Small Plant Hopper |
| | <i>Gerris lacustris</i> | Common pondskater |
| | <i>Harpocera thoracica</i> | Capsid Bug |
| | <i>Kleidocerys resedae</i> | Ground Bug |
| | <i>Liocoris tripustulatus</i> | Capsid Bug |
| | <i>Nabis rugosus</i> | Assassin Bug |
| | <i>Palomena prasina</i> | Green Shield Bug |
| | <i>Philaenus spumarius</i> | Common Frog Hopper |
| | <i>Plagiognathus arbustorum</i> | Capsid Bug |
| | <i>Scolopostethus grandis</i> | Ground Bug |
| | <i>Stenodema laevigatum</i> | Capsid Bug |
| | | |
| Hymenoptera | <i>Andricus curvator</i> | Gall on Oak |
| | <i>Andricus fecundator</i> | Artichoke Gall on Oak |
| | <i>Biorhiza pallida</i> | Oak-apple Gall |
| | <i>Bombus lapidarius</i> | Large Red Tailed Bumble Bee |
| | <i>Lasius flavus</i> | Yellow Meadow Ant |
| | <i>Lasius niger</i> | Small Black Ant |
| | <i>Myrmica rubra</i> | Red Ant |
| | <i>Neuroterus anthracinus</i> | Oyster Gall on Oak |
| | <i>Pontania bridgmanii</i> | Gall on Sallows |
| | <i>Vespa crabro</i> | Hornet |
| | <i>Vespula vulgaris</i> | Common Wasp |
| | | |
| Neuroptera | <i>Sympherobius pygmaeus</i> | Brown Lacewing |
| | | |
| Odonata | <i>Enallagma cyathigerum</i> | Common Blue Damselfly |
| | | |
| Orthoptera | <i>Chorthippus brunneus</i> | Field Grasshopper |
| | <i>Chorthippus parallelus</i> | Meadow Grasshopper |

Insects and other Invertebrates

| Group | Latin Name | Common Name |
|---------------------|---------------------------------|------------------------------|
| | <i>Leptophyes punctatissima</i> | Spotted Bush Cricket |
| | <i>Pholidoptera griseoptera</i> | Dark Bush Cricket |
| | <i>Tetrix undulata</i> | Ground Hopper |
| | | |
| Mecoptera | <i>Panorpa germanica</i> | Scorpion Fly |
| | | |
| Other Invertebrates | | |
| Acari | <i>Aceria cephaloneus</i> | Gall on Sycamore |
| | <i>Aceria machrochelus</i> | Gall on Field Maple |
| | <i>Aceria pseudoplatani</i> | Erinium Gall on Acer spp. |
| | <i>Aceria ulmicola</i> | Mite gall on Elm Leaf |
| | <i>Eriophyes prunispinosae</i> | Gall on Sloe leaves |
| | <i>Phytoptus avellanae</i> | Big Bud Gall on Hazel |
| | | |
| Isopoda | <i>Oniscus asellus</i> | Wood Louse |
| | <i>Philoscia muscorum</i> | Wood Louse |
| | <i>Porcellio scaber</i> | Wood Louse |
| | <i>Trichoniscus pusillus</i> | Small Wood Louse |
| | | |
| Diplopoda | <i>Cylindroiulus punctatus</i> | Blunt-tailed Snake Millipede |
| | <i>Julus scandinavicus</i> | Millipede |
| | <i>Ophiulus pilosus</i> | Millipede |
| | | |
| | | |
| Chilopoda | <i>Geophilus carpophagus</i> | Centipede |
| | <i>Lithobius forficatus</i> | Centipede |
| | <i>Lithobius variegatus</i> | Old woodland Centipede |
| | | |
| Dermaptera | <i>Forficula auricularia</i> | Earwig |
| | | |
| Araneae | <i>Enoplagantha ovata</i> | Spider |
| | <i>Meta mengei</i> | Spider |
| | <i>Pisaura mirabilis</i> | Spider |
| | <i>Tetragnatha montana</i> | Spider |
| | | |
| Collembola | <i>Orchesella cincta</i> | Springtail |
| | <i>Tomocerus longicornis</i> | Large Springtail |
| | | |
| Opiliones | <i>Dicranopalpus ramosus</i> | Harvestman |
| | <i>Leiobunum rotundum</i> | Harvestman |
| | <i>Rilaena triangularis</i> | Harvestman |
| | | |
| Mollusca | <i>Aegopinella nitidula</i> | Smooth Glass Snail |
| | <i>Arion ater</i> | Great Black Slug |
| | <i>Arion silvaticus</i> | Silver Slug |
| | <i>Arion subfuscus</i> | Forest or Dusky Slug |
| | <i>Cepaea nemoralis</i> | Brown-lipped Banded Snail |
| | <i>Clausilia bidentata</i> | Door Snail |
| | <i>Deroceras carvanae</i> | Carvana's Slug |
| | <i>Deroceras laeve</i> | Marsh Slug |
| | <i>Discus rotundatus</i> | Rounded Snail |
| | <i>Limax cinereoniger</i> | Ash-black Slug |

Insects and other Invertebrates

| Group | Latin Name | Common Name |
|-------|----------------------------|--|
| | <i>Limax tenellus</i> | Slender Slug- ancient woodland species |
| | <i>Oxychilus alliarius</i> | Garlic Glass Snail |
| | <i>Oxychilus cellarius</i> | Cellar Glass Snail |
| | <i>Trichia hispida</i> | Hairy Snail |
| | <i>Vitrea crystalline</i> | Small Glass Snail |