

Flowering Plants

Key: **COCKW** Cockshoot Wood, **MEAD** Meadow, **BERRW** Berrington Wood

* Nationally Rare

Latin Name	Common Name	Location		
		COCKW	MEAD	BERRW
<i>Achillea millefolium</i>	Yarrow		√	
<i>Adoxa moschatellina</i>	Town-hall Clock	√		
<i>Ajuga reptans</i>	Bugle		√	√
<i>Alliaria petiolata</i>	Garlic Mustard	√		√
<i>Anemone nemorosa</i>	Wood Anemone	√	√	√
<i>Angelica sylvestris</i>	Wild Angelica			√
<i>Aphanes arvensis</i>	Parsley Piert		√	
<i>Arctium minus</i>	Lesser Burdock		√	√
<i>Arum maculatum</i>	Lords-and-Ladies	√	√	√
<i>Bellis perennis</i>	Daisy		√	
<i>Campanula rotundifolia</i>	Harebell		√	
<i>Cardamine flexuosa</i>	Wavy Bitter-cress			√
<i>Cardamine hirsuta</i>	Hairy Bitter-cress		√	
<i>Cardamine pratensis</i>	Cuckooflower		√	
<i>Centaureum erythraea</i>	Common Centaury		√	
<i>Cerastium fontanum</i>	Common Mouse-ear	√	√	
<i>Cerastium glomeratum</i>	Sticky Mouse-ear		√	
<i>Chamerion angustifolium</i>	Rosebay Willowherb	√		√
<i>Circaea lutetiana</i>	Enchanter's-nightshade	√		√
<i>Cirsium arvense</i>	Creeping Thistle	√	√	
<i>Cirsium palustre</i>	Marsh Thistle	√	√	√
<i>Cirsium vulgare</i>	Spear Thistle		√	
<i>Clematis vitalba</i>	Traveller's-joy			√
<i>Conopodium majus</i>	Pignut	√	√	
<i>Crepis capillaris</i>	Smooth Hawk's-beard	√	√	
<i>Digitalis purpurea</i>	Foxglove	√		√
<i>Epilobium lanceolatum</i>	Spear-leaved Willowherb			√
<i>Epilobium montanum</i>	Broad-leaved Willowherb		√	√
<i>Epilobium palustre</i>	Marsh Willowherb		√	
<i>Erophila verna</i>	Common Whitlowgrass		√	
<i>Euphorbia amygdaloides</i>	Wood Spurge			√
<i>Fragaria vesca</i>	Wild Strawberry			√
<i>Galeopsis tetrahit</i>	Common Hemp-nettle	√		√
<i>Galium aparine</i>	Cleavers	√	√	√
<i>Galium verum</i>	Ladies Bedstraw		√	
<i>Geranium molle</i>	Dove's-foot Crane's-bill			
<i>Geranium robertianum</i>	Herb Robert	√	√	√
<i>Geum urbanum</i>	Wood Avens	√		√
<i>Glechoma hederacea</i>	Ground Ivy	√		√
<i>Hedera helix</i>	Ivy			√
<i>Heracleum sphondylium</i>	Hogweed	√	√	√
<i>Humulus lupulus</i>	Hop			√
<i>Hyacinthoides non-scripta</i>	Bluebell	√	√	√
<i>Hypericum hirsutum</i>	Hairy St John's-wort	√		
<i>Hypericum montanum</i>	Pale St John's-wort		√	
<i>Hypericum perforatum</i>	Perforate St John's-wort	√		
<i>Hypochaeris radicata</i>	Cat's-ear		√	
<i>Lamium galeobdolon</i>	Yellow Archangel	√		√
<i>Lapsana communis</i>	Nipplewort	√		√
<i>Lathyrus linifolius</i>	Bitter-vetch		√	

Ledbury Naturalists Field Surveys 2009 - Hope End

Latin Name	Common Name	Location		
		COCKW	MEAD	BERRW
<i>Lathyrus pratensis</i>	Meadow Vetchling		√	
<i>Leontodon autumnalis</i>	Autumn Hawkbit		√	
<i>Leontodon hispidus</i>	Rough Hawkbit		√	
<i>Lonicera periclymenum</i>	Honeysuckle			√
<i>Lotus corniculatus</i>	Bird's-foot-trefoil		√	
<i>Lysimachia nemorum</i>	Yellow Pimpernel		√	√
<i>Malva moschata</i>	Musk Mallow	√		
<i>Medicago lupulina</i>	Black Medick		√	
<i>Mentha arvensis</i>	Corn Mint			√
<i>Mercurialis perennis</i>	Dog's Mercury	√	√	√
<i>Moehringia trinerva</i>	Three-nerved Sandwort			√
<i>Mycelis muralis</i>	Wall Lettuce			√
<i>Narcissus pseudonarcissus</i>	Wild Daffodil	√	√	√
<i>Ophioglossum vulgatum</i>	Adder's-tongue		√	
<i>Oxalis acetosella</i>	Wood-sorrel	√		√
<i>Pedicularis sylvatica</i>	Lousewort		√	
<i>Pilosella officinarum</i>	Mouse-ear Hawkweed		√	
<i>Plantago lanceolata</i>	Ribwort Plantain		√	
<i>Plantago major</i>	Greater Plantain		√	√
<i>Polygala vulgaris</i>	Common Milkwort		√	
<i>Polygonum aviculare</i>	Knotgrass	√		
<i>Potentilla erecta</i>	Tormantil		√	
<i>Potentilla reptans</i>	Creeping Cinquefoil		√	
<i>Potentilla sterilis</i>	Barren Strawberry	√	√	√
<i>Primula veris</i>	Cowslip		√	
<i>Primula vulgaris</i>	Primrose	√		√
<i>Prunella vulgaris</i>	Selfheal		√	√
<i>Ranunculus acris</i>	Meadow Buttercup		√	
<i>Ranunculus auricomus</i>	Goldilocks Buttercup		√	
<i>Ranunculus bulbosus</i>	Bulbous Buttercup		√	
<i>Ranunculus ficaria</i>	Lesser Celandine	√	√	√
<i>Ranunculus repens</i>	Creeping Buttercup	√	√	√
<i>Rumex acetosa</i>	Common Sorrel	√	√	
<i>Rumex acetosella</i>	Sheep's Sorrel		√	
<i>Rumex conglomeratus</i>	Clustered Dock			√
<i>Rumex obtusifolia</i>	Broad-leaved Dock		√	√
<i>Rumex sanguineus</i>	Wood Dock	√		√
<i>Scrophularia nodosa</i>	Common Figwort	√		√
<i>Senecio jacobaea</i>	Ragwort	√	√	
<i>Silene dioica x latifolia</i>	Pink Campion	√		√
<i>Solanum dulcamara</i>	Bittersweet			√
<i>Stachys sylvatica</i>	Hedge Woundwort	√		√
<i>Stellaria graminea</i>	Lesser Stitchwort		√	√
<i>Stellaria holostea</i>	Greater Stitchwort	√		
<i>Stellaria media</i>	Common Chickweed	√	√	√
<i>Tamus communis</i>	Black Bryony			√
<i>Taraxacum laevigatum agg.</i>	Lesser Dandelion		√	
<i>Taraxacum officinale</i>	Dandelion	√	√	√
<i>Teucrium scorodonia</i>	Wood Sage			√
<i>Thymus polytrichus</i>	Wild Thyme		√	
<i>Torilis japonica</i>	Upright Hedge-parsley	√		
<i>Trifolium dubium</i>	Lesser Trefoil	√	√	
<i>Trifolium micranthum</i>	Slender Trefoil		√	
<i>Trifolium pratense</i>	Red Clover		√	

Ledbury Naturalists Field Surveys 2009 - Hope End

Latin Name	Common Name	Location		
		COCKW	MEAD	BERRW
<i>Trifolium repens</i>	White Clover	√	√	
<i>Urtica dioica</i>	Stinging Nettle	√	√	√
<i>Urtica urens</i>	Small Nettle		√	
<i>Valerianella eriocarpa</i>	Hairy-fruited Cornsalad		√	
<i>Veronica arvensis</i>	Wall Speedwell		√	
<i>Veronica beccabunga</i>	Brooklime			√
<i>Veronica chamaedrys</i>	Germander Speedwell	√	√	
<i>Veronica hederifolia</i>	Ivy-leaved Speedwell	√		
<i>Veronica montana</i>	Wood Speedwell			√
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell		√	
<i>Vicia sepium</i>	Bush Vetch	√		√
<i>Vicia sylvatica</i>	Wood Vetch			√
<i>Viola reichenbachiana</i>	Early Dog-violet	√	√	√
<i>Viola riviniana</i>	Common Dog-violet	√	√	√

Grasses, Sedges and Rushes

Group	Latin Name	Common Name	Location		
			COCKW	MEAD	BERRW
Grasses	<i>Agrostis capillaris</i>	Common Bent	√	√	
	<i>Agrostis stolonifera</i>	Creeping Bent	√		
	<i>Alopecurus pratensis</i>	Meadow Foxtail		√	
	<i>Anisantha sterilis</i>	Barren Brome		√	
	<i>Anthoxanthum odoratum</i>	Sweet Vernal-grass	√	√	
	<i>Arrhenatherum elatius</i>	False Oat-grass	√	√	
	<i>Brachypodium sylvaticum</i>	False Brome	√		√
	<i>Briza media</i>	Quaking-grass		√	
	<i>Bromus hordaceus</i>	Soft Brome		√	
	<i>Cynosurus cristatus</i>	Crested Dog's-tail	√	√	
	<i>Dactylis glomerata</i>	Cocksfoot	√	√	
	<i>Deschampsia cespitosa</i>	Tufted Hair-grass		√	√
	<i>Festuca arundinacea</i>	Tall Fescue	√		
	<i>Festuca gigantea</i>	Giant Fescue	√		√
	<i>Festuca ovina</i>	Sheep's Fescue		√	
	<i>Festuca rubra</i>	Red Fescue		√	
	<i>Holcus lanatus</i>	Yorkshire Fog	√	√	
	<i>Holcus mollis</i>	Creeping soft-grass			√
	<i>Hordeum secalinum</i>	Meadow Barley		√	
	<i>Lolium perenne</i>	Perennial Ryegrass	√	√	
	<i>Phleum pratense</i>	Timothy	√	√	
	<i>Poa annua</i>	Annual Meadow-grass	√	√	
	<i>Poa trivialis</i>	Rough Stalked Meadow-grass	√		√
<i>Trisetum flavescens</i>	Yellow Oatgrass		√		
Rushes	<i>Juncus bufonius</i>	Toad Rush			√
	<i>Juncus effusus</i>	Soft Rush		√	√
Woodrushes	<i>Luzula campestris</i>	Field Wood-rush		√	
	<i>Luzula pilosa</i>	Hairy Wood-rush	√		√
Sedges	<i>Carex caryophyllea</i>	Spring Sedge		√	
	<i>Carex flacca</i>	Glaucous Sedge		√	
	<i>Carex sylvatica</i>	Wood Sedge			√

Fungi and other non flowering Plants

Group	Latin Name	Common Name	Location		
			COCKW	MEAD	BERRW
Fungi	<i>Armillaria mellea</i>	Honey Fungus		√	
	<i>Auricularia auricula-judae</i>	Jelly Ear			√
	<i>Bolbitius vitellinus</i>			√	
	<i>Bovista plumbea</i>	Puffball	√		
	<i>Calloria neglecta</i>			√	
	<i>Clavaria vermicularis</i>	White Spindles		√	
	<i>Clavulinopsis helvola</i>			√	
	<i>Clitocybe gibba</i>			√	
	<i>Clitocybe infundibuliformis</i>	Common Funnel Cap		√	
	<i>Colletotrichum liliacearum</i>		√		
	<i>Collybia fusipes</i>		√	√	
	<i>Cystoderma amianthinum</i>			√	
	<i>Dadaeleopsis confragosa</i>	Blushing Bracket			√
	<i>Daldinia concentrica</i>	King Alfred's Cakes			√
	<i>Epichloe typhina</i>	Choke grass		√	
	<i>Ganoderma adpersum</i>				√
	<i>Gymnosporangium clavariiforme</i>	Rust on Hawthorn leaf		√	
	<i>Hygrocybe calyptriformis</i>			√	
	<i>Hygrocybe ceracea</i>			√	
	<i>Hygrocybe conica</i>	Blackening Waxcap		√	
	<i>Hygrocybe virginea</i>	Snowy Waxcap		√	
	<i>Hypholoma fasciculare</i>	Sulphur Tuft			√
	<i>Hypoxylon fuscum</i>	on Hazel			√
	<i>Laetiporus sulphureus</i>	Chicken of the Woods		√	
	<i>Leptosphaeria acuta</i>			√	
	<i>Lycoperdon perlatum</i>			√	
	<i>Lycoperdon pyriforme</i>	Stump Puff-ball			√
	<i>Marasmius rotula</i>		√		
	<i>Microsphaera alphitoides</i>	Oak Mildew		√	√
	<i>Mollisia cinerea</i>			√	
	<i>Mycena pura</i>				√
	<i>Paneolus sphinctrinus</i>			√	
	<i>Phallus impudicus</i>	Stinkhorn			√
	<i>Phoma samararum</i>				√
	<i>Phragmidium violaceum</i>		√		
	<i>Piptoporus betulinus</i>	Birch Polypore		√	
	<i>Pleurotus ostreatus</i>	Oyster Mushroom			√
	<i>Pleurotus pulmonarius</i>				√
	<i>Pluteus cervinus</i>				√
	<i>Polyporus squamosus</i>	Dryad's Saddle		√	
	<i>Psathyrella candolleana</i>			√	
	<i>Psilocybe semilanceata</i>	Magic Mushroom/Liberty cap		√	
	<i>Ramularia rubella</i>			√	
	<i>Rhopoglyphus filicinus</i>			√	√
	<i>Rhytisma acerinum</i>	Tar Spot on Sycamore		√	√
	<i>Russula atropurpurea</i>		√		
	<i>Russula nigricans</i>				√
	<i>Russula ochroleuca</i>				√
	<i>Stereum hirsutum</i>	Hairy Stereum		√	√
	<i>Stropharia aeruginosa</i>	Verdigris Toadstool		√	
	<i>Trametes versicolor</i>	Many-zoned Polypore			√

Ledbury Naturalists Field Surveys 2009 - Hope End

Group	Latin Name	Common Name	Location		
			COCKW	MEAD	BERRW
Mosses					
Pleurocarps	<i>Brachythecium rutabulum</i>		√		√
	<i>Calliergonella cuspidata</i>	(widespread)		√	
	<i>Cryphea heteromalla</i>				√
	<i>Eurhynchium praelongum</i>		√		√
	<i>Eurhynchium striatum</i>				√
	<i>Hypnum andoi</i>				√
	<i>Hypnum cupressiforme</i>		√		√
	<i>Plagiothecium denticulatum</i>				√
	<i>Plagiothecium nemorale</i>				√
	<i>Pseudoscleropodium purum</i>				√
	<i>Rhytidiadelphus squarrosus</i>	(widespread)			√
	Acrocarps	<i>Atrichum undulatum</i>			
<i>Dicranella heteromalla</i>					√
<i>Fissidens bryoides</i>					√
<i>Fissidens taxifolius</i>					√
<i>Mnium hornum</i>					√
<i>Orthotrichum affine</i>					√
<i>Orthotrichum diaphanum</i>					√
<i>Plagiomnium undulatum</i>					√
<i>Ulota crispa</i>					√
<i>Zygodon viridissimus</i>			√		
Liverworts	<i>Calypogeia fissa</i>				√
	<i>Lophocolea bidentata</i>				√
	<i>Lophocolea heterophylla</i>				√
	<i>Metzgeria furcata</i>				√
	<i>Pellia endivifolia</i>				√
Ferns	<i>Asplenium scolopendrium</i>	Hart's Tongue			√
	<i>Athyrium filix-femina</i>	Lady Fern			√
	<i>Blechnum spicant</i>	Hard Fern			√
	<i>Dryopteris affinis</i>	Scaly Male Fern			√
	<i>Dryopteris dilatata</i>	Broad Buckler Fern	√		√
	<i>Dryopteris filix-mas</i>	Male Fern			√
	<i>Pteridium aquilinum</i>	Bracken	√	√	√

Trees and Shrubs

Latin Name	Common Name	Location		
		COCKW	MEAD	BERRW
<i>Acer campestre</i>	Field Maple	√	√	
<i>Acer pseudoplatanus</i>	Sycamore		√	√
<i>Betula pendula</i>	Silver Birch		√	√
<i>Carpinus betulus</i>	Hornbeam	√		
<i>Castanea sativa</i>	Sweet Chestnut	√	√	√
<i>Corylus avellana</i>	Hazel		√	√
<i>Crataegus monogyna</i>	Hawthorn	√	√	√
<i>Cytisus scoparius</i>	Broom	√		
<i>Euonymus europaeus</i>	Spindle		√	
<i>Fagus sylvatica</i>	Beech	√		√
<i>Fraxinus excelsior</i>	Ash	√	√	√
<i>Ilex aquifolium</i>	Holly	√	√	√
<i>Larix kaempferi</i>	Japanese Larch			√
<i>Picea abies</i>	Norway Spruce			√
<i>Pinus sylvestris</i>	Scots Pine		√	
<i>Prunus avium</i>	Cherry	√	√	√
<i>Prunus laurocerasus</i>	Cherry Laurel			√
<i>Prunus spinosa</i>	Blackthorn	√		
<i>Pseudotsuga menziesii</i>	Douglas Fir			√
<i>Quercus robur</i>	Pedunculate Oak	√	√	
<i>Rosa canina</i>	Dog Rose	√		
<i>Rubus fruticosus</i>	Bramble	√	√	√
<i>Rubus idaeus</i>	Raspberry			√
<i>Salix caprea</i>	Goat Willow		√	√
<i>Sambucus nigra</i>	Elder	√	√	√
<i>Taxus baccata</i>	Yew (seedling)	√		√
<i>Tilia sp.</i>	Lime (hybrid)	√		
<i>Ulmus glabra</i>	Wych Elm	√	√	√
<i>Viscum album</i>	Mistletoe			√

Birds

Latin Name	Common Name	Notes
<i>Acanthis flammea</i>	Redpoll	
<i>Accipiter nisus</i>	Sparrowhawk	
<i>Aegithalos caudatus</i>	Long Tailed Tit	
<i>Alectoris rufa</i>	Red-legged Partridge	
<i>Ardea cinerea</i>	Heron	
<i>Athene noctua</i>	Little Owl	
<i>Buteo buteo</i>	Buzzard	
<i>Carduelis carduelis</i>	Goldfinch	
<i>Carduelis spinus</i>	Siskin	
<i>Certhia familiaris</i>	Treecreeper	
<i>Columba palumbus</i>	Wood Pigeon	
<i>Corvus corax</i>	Raven	
<i>Corvus corone</i>	Carrion Crow	
<i>Corvus monedula</i>	Jackdaw	
<i>Cuculus canorus</i>	Cuckoo	
<i>Dendrocopos major</i>	Great Spotted Woodpecker	
<i>Dendrocopos minor</i>	Lesser Spotted Woodpecker	In garden
<i>Erithacus rubecula</i>	Robin	
<i>Falco tinnunculus</i>	Kestrel	
<i>Fringilla coelebs</i>	Chaffinch	
<i>Garrulus glandarius</i>	Jay	
<i>Hirundo rustica</i>	Swallow	Flying over
<i>Muscicapa striata</i>	Spotted Flycatcher	In garden
<i>Parus ater</i>	Coal Tit	
<i>Parus caeruleus</i>	Blue Tit	
<i>Parus major</i>	Great Tit	
<i>Parus palustris</i>	Marsh Tit	
<i>Phasianus colchicus</i>	Pheasant	
<i>Phylloscopus collybita</i>	Chiff Chaff	
<i>Pica pica</i>	Magpie	
<i>Picus viridis</i>	Green Woodpecker	
<i>Prunella modularis</i>	Dunnock	
<i>Regulus regulus</i>	Goldcrest	
<i>Scolopax rusticola</i>	Woodcock	In Cockshoot
<i>Sitta europaea</i>	Nuthatch	
<i>Strix aluco</i>	Tawny Owl	
<i>Sylvia atricapilla</i>	Blackcap	
<i>Troglodytes troglodytes</i>	Wren	
<i>Turdus iliacus</i>	Redwing	
<i>Turdus merula</i>	Blackbird	
<i>Turdus philomelos</i>	Song Thrush	
<i>Turdus pilaris</i>	Fieldfare	
<i>Turdus viscivorus</i>	Mistle Thrush	
<i>Tyto alba</i>	Barn Owl	
<i>Vanellus vanellus</i>	Lapwing	Flying over

Insects, other Invertebrates and Vertebrates

Group	Latin Name	Common Name	Location		
			COCKW	MEAD	BERRW
Lepidoptera	<i>Acleris emargana</i>			√	
	<i>Agapeta hamana</i>			√	
	<i>Aglais urticae</i>	Small Tortoiseshell		√	
	<i>Agriopis marginaria</i>	Dotted Border Moth	√		
	<i>Agriphila tristella</i>			√	
	<i>Anthocharis cardamines</i>	Orange tip		√	√
	<i>Camptogramma bilineata</i>	Yellow Shell Moth		√	
	<i>Coleophora acuminata</i>	(on <i>Luzula campestris</i>)		√	
	<i>Epirrhoe alternata</i>	Common Carpet Moth		√	
	<i>Inachis io</i>	Peacock		√	
	<i>Lycaena phlaeas</i>	Small Copper		√	
	<i>Maniola jurtina</i>	Meadow Brown		√	
	<i>Melanargia galathea</i>	Marbled White		√	
	<i>Pararge aegeria</i>	Speckled Wood			√
	<i>Pieris brassicae</i>	Large White		√	
	<i>Pieris napi</i>	Green-veined White		√	
	<i>Pieris rapae</i>	Small White		√	
	<i>Plusia gamma</i>	Silver Y		√	
	<i>Rivula sericealis</i>	Straw Dot Moth		√	
	<i>Stigmella aurella</i>	Leaf Mine on Bramble	√		√
	<i>Thymelicus sylvestris</i>	Small Skipper		√	
	<i>Vanessa atalanta</i>	Red Admiral		√	
	<i>Vanessa cardui</i>	Painted Lady		√	
<i>Zygaena filipendula</i>	Six-spot Burnet		√		
Diptera	<i>Iteomyia capreae</i>	Gall on Willow			√
	<i>Phytomyza ilicis</i>	Leaf mine on holly	√		
	<i>Phytomyza lonicerae</i>	Leaf mine on Honeysuckle	√	√	√
	<i>Phytomyza lappae</i>	Leaf mine on Burdock	√		
	<i>Ragio scolopaceus</i>	Snipe Fly		√	
Coleoptera	<i>Adalia 10-punctata</i>	10-spot Ladybird	√		
	<i>Agriotes acuminatus</i>	Click Beetle	√		
	<i>Agriotes pallidulus</i>	Small Click Beetle			√
	<i>Anaspis frontalis</i>	Tumbling Flower Beetle	√		√
	<i>Anotylus rugosus</i>	Small Rove Beetle	√	√	
	<i>Anotylus sculpturatus</i>	Small Rove Beetle		√	
	<i>Athous bicolor</i>	Click Beetle		√	
	<i>Athous haemorrhoidalis</i>	Click Beetle	√		
	<i>Bembidion quadrimaculatum</i>	Small Ground Beetle		√	
	<i>Brachypterus glaber</i>	Black Beetle on Nettles	√		
	<i>Byturus ochraceus</i>	Bramble feeding Beetle	√		
	<i>Calvia 14-guttata</i>	Cream-spot Ladybird	√	√	
	<i>Carabus violaceus</i>	Violet Ground Beetle	√		
	<i>Catops fuliginosus</i>	Small Carrion Beetle	√		
	<i>Ceratapion onopordi</i>	Small Weevil on thistles		√	
	<i>Cercyon haemorrhoidalis</i>	Small Dung Beetle		√	
	<i>Ceutorhynchus erisimi</i>	Small Weevil		√	
	<i>Coccinella 7-punctata</i>	7-spot Ladybird		√	
<i>Curculio venosus</i>	Nut Weevil on Oaks		√		

Ledbury Naturalists Field Surveys 2009 - Hope End

Group	Latin Name	Common Name	Location		
			COCKW	MEAD	BERRW
	<i>Leistus marginatus</i>	Ground Beetle	√		
	<i>Malachius bipustulatus</i>	Malachite Beetle		√	
	<i>Malthinus flaveolus</i>	Small Soldier Beetle	√		
	<i>Malthodes minimus</i>	Small Soldier Beetle	√		
	<i>Meligethes aeneus</i>	Common Pollen Beetle	√	√	
	<i>Meligethes viridescens</i>	Pollen Beetle	√		
	<i>Notiophilus biguttatus</i>	Small Ground Beetle	√		
	<i>Oulema melanopa/rufocyanea</i>	Small Leaf Beetle		√	
	<i>Perapion violaceum</i>	Small Weevil on Dock		√	
	<i>Phyllobius calcaratus</i>	Weevil		√	
	<i>Phyllobius pomaceus</i>	Nettle Weevil		√	
	<i>Propylea 14-punctata</i>	14-spot Ladybird			√
	<i>Protapion nigrirarse</i>	Small Weevil		√	
	<i>Proteinus macropterus</i>	Small Rove Beetle		√	
	<i>Psylliodes napi</i>	Flea Beetle		√	
	<i>Pterostichus nigrita</i>	Ground Beetle		√	
	<i>Rhagonycha fulva</i>	Soldier Beetle		√	
	<i>Rhamphus oxycanthae</i>	Very Small Flea Weevil		√	
	<i>Stenus clavicornis</i>	Rove Beetle	√		
	<i>Stenus nanus</i>	Small Rove Beetle		√	
	<i>Strangalia melanura</i>	Longhorn Beetle	√		
	<i>Subcoccinella 24-punctata</i>	24-spot Ladybird	√		
	<i>Tachyporus chrysomelinus</i>	Small Rove Beetle		√	√
Hemiptera	<i>Acanthosoma haemorrhoidale</i>	Hawthorn Sheild Bug		√	
	<i>Anthocoris nemorum</i>	Common flowerbug	√		
	<i>Aphrophora alni</i>	Large Froghopper	√	√	
	<i>Calocoris alpestris</i>	Capsid Bug on Nettles			√
	<i>Calocoris stysi</i>	Capsid Bug		√	
	<i>Cixius cunicularis</i>	Lace-winged Planthopper	√		
	<i>Eupteryx aurata</i>	Leafhopper	√		
	<i>Harpocera thoracica</i>	Plant Bug on oak		√	
	<i>Heterotoma merioptera</i>	Capsid Bug		√	√
	<i>Himacerus apterus</i>	Tree Damsel bug	√	√	√
	<i>Leptopterna dolobrata</i>	Meadow Bug		√	
	<i>Liocoris tripustulatus</i>	Plant Bug on Nettles		√	
	<i>Nabis rugosus</i>	Common Damsel Bug	√	√	
	<i>Notostira elongata</i>	Grass Bug		√	
	<i>Pentatoma rufipes</i>	Forest Bug		√	
	<i>Philaenus spumarius</i>	Common Frog Hopper	√	√	
	<i>Psallus perrisi/wagneri</i>	Capsid Bug on Oak	√		
	<i>Psylla peregrina</i>	Psyllid		√	
	<i>Stenodema laevigatum</i>	Grass Bug		√	
Neuroptera	<i>Micromus variegatus</i>	Small brown Lacewing			√
Hymenoptera	<i>Aglaostigma aucupariae</i>	Sawfly		√	
	<i>Andrena praecox</i>	Solitary Bee		√	
	<i>Andricus fecundator</i>	Artichoke gall on Oak	√		
	<i>Andricus kollari</i>	Marble Gall causer on Oak		√	√
	<i>Apis mellifera</i>	Honey Bee		√	
	<i>Bombus lapidaris</i>	Red-tailed Bumble Bee		√	

Ledbury Naturalists Field Surveys 2009 - Hope End

Group	Latin Name	Common Name	Location		
			COCKW	MEAD	BERRW
	<i>Bombus pascuorum</i>	Common Carder Bee		√	√
	<i>Bombus terrestris</i>	Buff-tailed Bumble Bee	√	√	
	<i>Macrophyla annulata</i>	Sawfly		√	
	<i>Myrmica ruginodis</i>	Red Ant	√	√	
	<i>Neuroterus numismalis</i>	Silk Button Spangle Gall	√		
	<i>Neuroterus quercusbaccarum</i>	Currant Gall on Oak Catkins		√	
	<i>Tenthredo arcuata</i>	Sawfly		√	
	<i>Trichiosoma tibialis</i>	Hawthorn Sawfly		√	
	<i>Vespula vulgaris</i>	Wasp		√	√
Opiliones	<i>Dicranopalpus ramosus</i>	Harvestman	√		
	<i>Oligolophus tridens</i>	Harvestman		√	
	<i>Opilio parietinus</i>	Harvestman			√
	<i>Phalangium opilio</i>	Harvestman	√	√	√
	<i>Rilaena triangularis</i>	Harvestman			√
Odonata	<i>Aeshna cyanea</i>	Southern Hawker			√
Orthoptera	<i>Chorthippus brunneus</i>	Field Grasshopper		√	
	<i>Chorthippus parallelus</i>	Meadow Grasshopper		√	
	<i>Leptophyes punctatissima</i>	Spotted Bush Cricket	√		
Mecoptera	<i>Panorpa communis</i>	Scorpion Fly		√	
Acari	<i>Phyllocoptes goniothorax</i>	Mite Gall on Hawthorn		√	
Psocoptera	<i>Peripsocus phaeopterus</i>	Booklouse		√	
Dermaptera	<i>Forficula auricularia</i>	Earwig		√	
Isopoda	<i>Oniscus asellus</i>	Wood Louse		√	√
	<i>Philoscia muscorum</i>	Wood Louse	√	√	
	<i>Porcellio scaber</i>	Wood Louse	√	√	
Diplopoda	<i>Cylindroiulus punctatus</i>	Club-tailed Millipede		√	
	<i>Polydesmus denticulatus</i>	Flat-back Millipede		√	
	<i>Tachypodoiulus niger</i>	Snake Millipede	√		
Chilopoda	<i>Strigamia crassipes</i>	Centipede			√
Araneae	<i>Araneus diadematus</i>	Cross Spider		√	√
	<i>Enoplognatha ovata</i>	Spider		√	
	<i>Meta menzei</i>	Spider			√
	<i>Meta segmentata</i>	Spider			√
	<i>Tetragnatha montana</i>	Spider		√	
Collembola	<i>Orchesella villosa</i>	Springtail			√
Mollusca	<i>Arion subfuscus</i>	Dusky Slug	√	√	√
	<i>Cepaea hortensis</i>	White-lipped Banded Snail	√		
	<i>Cepaea nemoralis</i>	Brown-lipped Banded Snail	√	√	√
	<i>Clausilia bidentata</i>				√

Ledbury Naturalists Field Surveys 2009 - Hope End

Group	Latin Name	Common Name	Location		
			COCKW	MEAD	BERRW
	<i>Cochliocopa lubricella</i>	Snail			√
	<i>Derocerus reticulatum</i>	Netted Slug		√	
	<i>Discus rotundatus</i>	Rounded Snail		√	
	<i>Limax maximus</i>	Great Grey Slug	√	√	
	<i>Oxychilus cellarius</i>	Cellar Glass Snail	√		√
	<i>Trichia hispida</i>	Hairy Snail		√	
	<i>Trichia striolata</i>	Snail			√
	<i>Zonitoides nitidus</i>	Snail			√
Mammalia	<i>Dama dama</i>	Fallow Deer		√	
	<i>Erinaceus europaeus</i>	Hedgehog		√	
	<i>Lepus europaeus</i>	Brown Hare		√	
	<i>Meles meles</i>	Badger			√
	<i>Muntiacus muntjak</i>	Muntjac		√	
	<i>Muscardinus avellanarius</i>	Dormouse	√		√
	<i>Oryctolagus cuniculus</i>	Rabbit	√	√	√
	<i>Talpa europaea</i>	Mole	√	√	
	<i>Vulpes vulpes</i>	Fox			√
Reptilia	<i>Natrix natrix</i>	Grass Snake		√	
	<i>Vipera berus</i>	Adder (in garden)		√	

Lepidoptera – Recorded by Michael Harper 2009

Name	Author	Notes
<i>Eriocrania subpurpurella</i>	Haw.	Mines and Moths on oak
<i>Stigmella aurella</i>	Fabr.	Mines on <i>Rubus</i> spp.
<i>Hepialus lupulinus</i>	L.	One moth in May
<i>Tischeria ekebladella</i>	Bjerk.	Mines on <i>Quercus</i> Spp.
<i>Zygaena filipendula</i>	L.	Six-spot Burnet in tall grassland (1)
<i>Lyonetia clerkella</i>	L.	Moths and mines in <i>Rosaceous</i> shrubs
<i>Phyllonorycter harrisella</i>	L.	Moths on <i>Quercus</i> in June
<i>Phyllonorycter quercifoliella</i>	Zell.	Moths on <i>Quercus</i> in June
<i>Phyllonorycter maestingella</i>	Mull	Mines in <i>Fagus</i> in September/October
<i>Anthophila fabriciana</i>	L.	Moths/ larvae on <i>Urtica</i>
<i>Glyphipterix simpliciella</i>	Stt.	Moths/larvae on rough grassland
<i>Argyresthia goedartella</i>	L.	Moths in <i>Betula</i> in garden in July
<i>Yponomeuta cagnagella</i>	Hb.	Moths in Gardens
<i>Yponomeuta malinellus</i>	Zell.	Moths in Gardens
<i>Nemophora degeerella</i>	L.	1 moth in park in June
<i>Adela reamurella</i>	L.	2 moths in park in June
<i>Coleophora murinipermella</i>	Dup.	30 moths found at 5.00 -6.00 pm amongst <i>Luzula campestris</i> on 06/06/09
<i>Endrosis sarcitrella</i>	L.	White Shouldered Clothes on 26/07/09
<i>Carcina quercana</i>	Fabr.	Several in garden shrubs on 26/07/09
<i>Cnephasia stephensina</i>	Doubl.	1 moth
<i>Cnephasia asseclana</i>	D.&S.	1 moth
<i>Olethreutes lacunana</i>	D.&S.	1 moth
<i>Agriphila straminella</i>	D.&S.	6 common "crambid" Grass moths with very low numbers
<i>Agriphila tristella</i>	D.&S.	20 common "crambid" Grass moths
<i>Chrysoteuchia culmella</i>	L.	2 Common "crambid" Grass moths
<i>Crambus lathoniellus</i>	ZK.	2 Common "crambid" Grass moths
<i>Dipleurina lecustrata</i>	Panz.	1 moth
<i>Scoparia ambigualis</i>	Treit	1 moth
<i>Pyreusta aurata</i>	Scop.	1 moth
<i>Depara falcataria</i>	L.	Pebble Hook-tip (3)
<i>Xanthorhoe spadiecaria</i>	D.&S.	Red Twin-spot Carpet
<i>Camptogramma biliniata</i>	L.	Yellow Shell on 18/08/09
<i>Chloroclysta truncata</i>	Hufn.	Common Marbled Carpet (3) 18/08/09
<i>Chloroclysta siterata</i>	Hufn.	Red-green Carpet (1) 18/08/09
<i>Hydriomena furcata</i>	Thumb.	July high flier (1) 26/07/09
<i>Operophtera brumata</i>	L.	Winter moth on Oak (2 larvae) 30/05/09
<i>Eupithecia vulgata</i>	Haw.	Common Pug (1) 30/05/09
<i>Xanthorhoe designata</i>	Hufn.	Flame Carpet (1) 30/05/09
<i>Chloroclystis v-ata</i>	Haw.	1 moth 04/07/09
<i>Thera britannica</i>	Turn.	Spruce Carpet (1) 30/05/09
<i>Biston betularia</i>	L.	Peppered Moth 1 normal form 30/05/09
<i>Erannis defoliaria</i>	Cl.	Mottled Umber 1 larva on Hazel 30/05/09
<i>Xanthorhoe montanata</i>	D.&S.	Silver-ground Carpet (3) at dusk
<i>Odontopera bidentata</i>	Cl.	Scalloped Hazel (1) 30/05/09
<i>Alcis repandata</i>		Mottled Beauty (1)
<i>Campaea margaritata</i>	L.	Light Emerald (1) 29/09/09
<i>Lomographa temerata</i>	D.&S.	Clouded Silver (1) 30/09/09
<i>Lethoe populi</i>	L.	Poplar Hawkmoth (2) 30/05/09
<i>Ptilodon capucina</i>	L.	Coxcomb Prominent (1) 26/07/09
<i>Eligmodonta zizac</i>	L.	Pebble Prominent (1) 29/07/09
<i>Pheosia gnoma</i>	Fabr.	Lesser Swallow Prominent (1) 29/07/09
<i>Eilema deplana</i>	Esp.	Buff Footman (5)
<i>Eilema lurideola</i>	ZK.	Common Footman (1)

Ledbury Naturalists Field Surveys 2009 - Hope End

Name	Author	Notes
<i>Eilema griseola</i>	Hubn.	Dingy Footman (1) 26/07/09
<i>Eilema complana</i>	L.	Scarce Footman (3) 26/07/09
<i>Phragmatobia fuliginosa</i>	L.	Ruby Tiger (1) 26/07/09
<i>Lymantria monacha</i>	L.	Black Arches (1) 26/07/09
<i>Spilosoma lubricipeda</i>	L.	White Ermine (3) 30/05/09
<i>Spilosoma luteum</i>	Hufn.	Buff Ermine (6) 30/05/09
<i>Agrotis exclamationis</i>	L.	Hart and Dart (1) 30/05/09
<i>Calliteara pudibunda</i>	L.	Pale Tussock (3) 30/05/09
<i>Ochropleura plecta</i>	L.	Flame Shoulder (1) 30/05/09
<i>Noctua pronuba</i>	L.	Large Yellow Underwing (3) 29/09/09
<i>Noctua comes</i>	Hb.	Lesser Yellow Underwing (1) 29/09/09
<i>Xestia c-nigrum</i>	L.	Setaceous Hebrew Character (1) 29/09/09
<i>Diarsia mendica</i>	Fabr.	Ingrailed Clay (2) 29/09/09
<i>Diarsia rubi</i>	View.	Small Square-spot (2) 30/05/09
<i>Xestia xanthographa</i>	D.&S.	Square-spot Rustic (1) 18/08/09
<i>Mythimna comma</i>	L.	Shoulder-striped Wainscot (2) 30/05/09
<i>Aporophyla lutulenta</i>	D.&S.	Deep Brown Dart (1) 28/09/09 An uncommon species
<i>Dryobototes eremita</i>	Fabr.	Brindled Green (2) 28/09/09 - Oak feeder.
<i>Omphaloscelis lunosa</i>	Haw.	Lunar Underwing (7) 28/09/09
<i>Apamea sordens</i>	Hufn.	Rustic Shoulder-knot (1) Scarce species – on grassland
<i>Cosmia trepezina</i>	L.	Dunbar. Polyphagus and often carnivorous to other lepidopterous larvae
<i>Apamea scolopacina</i>	Esp.	Slender Brindle (3)
<i>Oligia strigilis</i>	L.	Marbled Minor (1) 30/05/09
<i>Charanyca trigrammica</i>	Hufn.	Treble Lines (4) 30/05/09
<i>Hoplodrina alsines</i>	Brahm.	The Uncertain (3) 27/07/09
<i>Hoplodrina blanda</i>	D.&S.	The Rustic (1) 26/07/09
<i>Mesapamea secalis/secalella</i>	L.	Complex group (2) 26/07/09
<i>Diachrysia chrysitis</i>	L.	Burnished Brass (1) 29/09/09
<i>Abrostola triplasia</i>	L.	Spectacle
<i>Autographa gamma</i>	L.	Silver Y
<i>Laspeyria flexula</i>	D.&S.	Beautiful Hook-tip (1) 26/07/09
<i>Rivula sericealis</i>	Scop.	Straw Dot (18) over parkland grass in daytime
<i>Hypenodes proboscidalis</i>	L.	Snout (3) 29/09/09