

## Flowering Plants

**Key:** **Orch** (Orchard), **GP** (Gravel Pit), **Med** (Meadow),

\* Nationally Rare

Latin Name	Common Name	Location		
		Orch	GP	Med
<i>Adoxa moschatellina</i>	Town-hall Clock		√	√
<i>Aegopodium podagraria</i>	Ground Elder		√	
<i>Agrimonia eupatoria</i>	Agrimony		√	√
<i>Ajuga reptans</i>	Bugle		√	
<i>Alchemilla filicaulis ssp. vestita</i>	Lady's Mantle			√
<i>Alliaria petiolata</i>	Garlic Mustard	√	√	√
<i>Anchusa officinalis</i>	Alkanet			√
<i>Anemone nemorosa</i>	Wood Anemone		√	
<i>Anthriscus sylvestris</i>	Cow Parsley	√	√	√
<i>Arctium lappa</i>	Greater Burdock			√
<i>Arctium minus</i>	Lesser Burdock		√	
<i>Arum maculatum</i>	Lords-and-Ladies	√	√	√
<i>Bellis perennis</i>	Daisy	√	√	√
<i>Bryonia dioica</i>	White Bryony	√		
<i>Caltha palustris</i>	Marsh-marigold			√
<i>Calystegia sepium</i>	Hedge Bindweed			√
<i>Capsella bursa-pastoris</i>	Shepherd's-purse	√		
<i>Cardamine flexuosa</i>	Wavy Bitter-cress	√		
<i>Cardamine pratensis</i>	Cuckooflower	√	√	√
<i>Centaurea nigra</i>	Common Knapweed			√
<i>Centaureum erythraea</i>	Common Centaury			√
<i>Cerastium fontanum</i>	Common Mouse-ear	√		√
<i>Cerastium glomeratum</i>	Sticky Mouse-ear	√		
<i>Chamerion angustifolium</i>	Rosebay Willowherb			√
<i>Circaea lutetiana</i>	Enchanter's-nightshade		√	
<i>Cirsium arvense</i>	Creeping Thistle	√		√
<i>Cirsium palustre</i>	Marsh Thistle	√		
<i>Cirsium vulgare</i>	Spear Thistle	√		√
<i>Conopodium majus</i>	Pignut			√
<i>Convolvulus arvensis</i>	Field Bindweed			√
<i>Crepis capillaris</i>	Smooth Hawk's-beard			√
<i>Dactylorhiza fuchsii</i>	Common Spotted-orchid			√
<i>Epilobium hirsutum</i>	Great Willowherb			√
<i>Epipactis helleborine</i>	Broad-leaved Helleborine		√	
<i>Filipendula ulmaria</i>	Meadowsweet			√
<i>Galium aparine</i>	Cleavers	√	√	√
<i>Galium mollugo</i>	Hedge Bedstraw			√
<i>Geranium dissectum</i>	Cut-leaved Crane's-bill	√	√	√
<i>Geranium molle</i>	Dove's-foot Crane's-bill	√	√	
<i>Geranium robertianum</i>	Herb Robert	√	√	
<i>Geum urbanum</i>	Wood Avens	√	√	
<i>Glechoma hederacea</i>	Ground Ivy		√	
<i>Hedera helix</i>	Ivy	√	√	√
<i>Heracleum sphondylium</i>	Hogweed		√	√
<i>Hyacinthoides non-scripta</i>	Bluebell		√	
<i>Hypochaeris radicata</i>	Cat's-ear	√		√
<i>Lamiaeum galeobdolon</i>	Yellow Archangel			√
<i>Lamium album</i>	White Dead-nettle	√	√	

Ledbury Naturalists Field Surveys 2008 - Old Country

Latin Name	Common Name	Location		
		Orch	GP	Med
<i>Lamium purpureum</i>	Red Dead-nettle	√	√	
<i>Lapsana communis</i>	Nipplewort		√	
<i>Lathyrus pratensis</i>	Meadow Vetchling		√	√
<i>Leontodon autumnalis</i>	Autumn Hawkbit			√
<i>Leucanthemum vulgare</i>	Oxeye Daisy			√
<i>Lonicera periclymenum</i>	Honeysuckle		√	√
<i>Lotus corniculatus</i>	Bird's-foot-trefoil			√
<i>Medicago lupulina</i>	Black Medick	√	√	√
<i>Mercurialis perennis</i>	Dog's Mercury		√	
<i>Moehringia trinerva</i>	Three-nerved Sandwort		√	
<i>Myosotis arvensis</i>	Field Forget-me-not		√	√
<i>Myosotis discolor</i>	Changing Forget-me-not			√
<i>Myosotis sylvatica</i>	Wood Forget-me-not			√
<i>Plantago lanceolata</i>	Ribwort Plantain	√	√	√
<i>Plantago major</i>	Greater Plantain	√		√
<i>Polygonum aviculare</i>	Knotgrass	√		
<i>Potentilla anserina</i>	Silverweed			√
<i>Potentilla reptans</i>	Creeping Cinquefoil	√		√
<i>Primula veris</i>	Cowslip	√		
<i>Primula vulgaris</i>	Primrose			√
<i>Prunella vulgaris</i>	Selfheal	√	√	√
<i>Ranunculus acris</i>	Meadow Buttercup	√		√
<i>Ranunculus auricomus</i>	Goldilocks Buttercup		√	√
<i>Ranunculus bulbosus</i>	Bulbous Buttercup			√
<i>Ranunculus ficaria</i>	Lesser Celandine	√	√	√
<i>Ranunculus repens</i>	Creeping Buttercup	√	√	√
<i>Ranunculus sceleratus</i>	Celery-leaved Buttercup			√
<i>Rumex acetosa</i>	Common Sorrel			√
<i>Rumex conglomeratus</i>	Clustered Dock			√
<i>Rumex crispus</i>	Curled Dock			√
<i>Rumex obtusifolia</i>	Broad-leaved Dock		√	√
<i>Senecio jacobaea</i>	Ragwort		√	√
<i>Senecio vulgaris</i>	Groundsel	√		√
<i>Silene dioica x latifolia</i>	Pink Champion		√	
<i>Solanum dulcamara</i>	Bittersweet		√	
<i>Sonchus oleraceus</i>	Smooth Sowthistle	√		
<i>Stachys sylvatica</i>	Hedge Woundwort		√	√
<i>Stellaria graminea</i>	Lesser Stitchwort	√		
<i>Stellaria holostea</i>	Greater Stitchwort		√	
<i>Stellaria media</i>	Common Chickweed	√		√
<i>Stellaria neglecta</i>	Greater Chickweed			√
<i>Stellaria uliginosa</i>	Bog Stitchwort			√
<i>Taraxacum officinale</i>	Dandelion	√	√	√
<i>Torilis japonica</i>	Upright Hedge-parsley			√
<i>Tragopogon pratensis</i>	Goat's-beard			√
<i>Trifolium dubium</i>	Lesser Trefoil	√		√
<i>Trifolium pratense</i>	Red Clover		√	√
<i>Trifolium repens</i>	White Clover	√	√	√
<i>Urtica dioica</i>	Stinging Nettle	√	√	√
<i>Veronica arvensis</i>	Wall Speedwell			√
<i>Veronica chamaedrys</i>	Germander Speedwell	√	√	√
<i>Veronica filiformis</i>	Slender Speedwell	√		√
<i>Veronica hederifolia</i>	Ivy-leaved Speedwell		√	√

Ledbury Naturalists Field Surveys 2008 - Old Country

Latin Name	Common Name	Location		
		Orch	GP	Med
<i>Veronica montana</i>	Wood Speedwell		√	√
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell	√		√
<i>Vicia sativa ssp.segetalis</i>	Common Vetch			√
<i>Vicia sepium</i>	Bush Vetch			√
<i>Vicia tetrasperma</i>	Smooth Tare		√	
<i>Viola reichenbachiana</i>	Early Dog-violet	√		
<i>Viola riviniana</i>	Common Dog-violet		√	

## Grasses, Sedges and Rushes

Group	Latin Name	Common Name	Location		
			Orch	GP	Med
Grasses	<i>Agropyron canina</i>	Bearded Couch			√
	<i>Agrostis capillaris</i>	Common Bent			√
	<i>Agrostis stolonifera</i>	Creeping Bent	√		√
	<i>Alopecurus pratensis</i>	Meadow Foxtail	√		
	<i>Anisantha sterilis</i>	Barren Brome		√	√
	<i>Anthoxanthum odoratum</i>	Sweet Vernal-grass	√	√	√
	<i>Arrhenatherum elatius</i>	False Oat-grass			√
	<i>Brachypodium sylvaticum</i>	False Brome		√	
	<i>Bromus hordaceus</i>	Soft Brome	√		√
	<i>Cynosurus cristatus</i>	Crested Dog's-tail	√		√
	<i>Dactylis glomerata</i>	Cocksfoot	√	√	√
	<i>Deschampsia cespitosa</i>	Tufted Hair-grass	√		
	<i>Festuca rubra</i>	Red Fescue	√		√
	<i>Holcus lanatus</i>	Yorkshire Fog	√	√	√
	<i>Lolium perenne</i>	Perennial Ryegrass	√		√
	<i>Phleum pratense</i>	Timothy			√
	<i>Poa annua</i>	Annual Meadow-grass	√		
	<i>Poa pratensis</i>	Smooth Meadow-grass			√
	<i>Poa trivialis</i>	Rough Stalked Meadow-grass	√	√	√
	<i>Trisetum flavescens</i>	Yellow Oatgrass			√
Rushes	<i>Juncus effusus</i>	Soft Rush	√	√	√
	<i>Juncus inflexus</i>	Hard Rush		√	√
Woodrushes	<i>Luzula campestris</i>	Wood-rush	√		√
Sedges	<i>Carex flacca</i>	Glaucous Sedge			√
	<i>Carex hirta</i>	Hairy Sedge		√	

## Fungi and other non flowering Plants

Group	Latin Name	Common Name	Location		
			Orch	GP	Med
Fungi	<i>Agaricus silvicola</i>	Wood Mushroom		√	
	<i>Armillaria mellea</i>	Honey Fungus		√	
	<i>Auricularia auricula-judae</i>	Jelly Ear		√	
	<i>Bolbitius titubans</i>		√		√
	<i>Bovista plumbea</i>			√	
	<i>Calloria neglecta</i>			√	
	<i>Calocera viscosa</i>	Yellow Stagshorn		√	
	<i>Calocybe gambosa</i>	St. George's Mushroom		√	√
	<i>Chlorociboria aeruginascens</i>	Green Wood-cup		√	
	<i>Clavaria vermicularis</i>	White Spindles			√
	<i>Clavulina cinerea</i>			√	
	<i>Clavulina cristata</i>			√	
	<i>Clavulinopsis laeticolor</i>			√	
	<i>Clitocybe geotropa</i>			√	
	<i>Clitopilus prunulus</i>	The Miller		√	
	<i>Collybia butyracea</i>	Butter Cap			√
	<i>Collybia dryophila</i>		√	√	
	<i>Coprinus comatus</i>	Shaggy Ink-cap		√	
	<i>Coprinus leioccephalus</i>	Japanese Umbrella		√	
	<i>Coprinus micaceus</i>	Glistening Inkcap	√		
	<i>Coprinus plicatilis</i>	Japanese Umbrella	√		
	<i>Coprobria granulata</i>				√
	<i>Crepidotus mollis</i>		√		
	<i>Crepidotus variabilis</i>			√	
	<i>Dacrymyces stillatus</i>			√	
	<i>Dadaeleopsis confragosa</i>	Blushing Bracket		√	
	<i>Daldinia concentrica</i>	King Alfred's Cakes		√	
	<i>Disciotis venosa</i>	Bleach Cup		√	
	<i>Exidia glandulosa</i>	Witches' Butter		√	
	<i>Ganoderma adspersum</i>			√	
	<i>Hapalopilus rutilans</i>			√	
	<i>Helvella crispa</i>			√	
	<i>Humaria hemisphaerica</i>	Glazed Cup		√	
	<i>Hygrocybe conica</i>	Blackening Waxcap			√
	<i>Hygrocybe virginea</i>	Snowy Waxcap			√
	<i>Hymenochaete rubiginosa</i>			√	
	<i>Hypholoma fasciculare</i>	Sulphur Tuft	√	√	
	<i>Hypoxylon fuscum</i>	on Hazel		√	
	<i>Illosporopsis christiansenii</i>			√	
	<i>Inocybe geophylla</i>		√	√	
	<i>Inocybe geophylla var. lilacina</i>			√	
	<i>Inonotus hispidus</i>	Felted Bracket	√		
	<i>Laccaria amethystea</i>	Amethyst Deceiver		√	
	<i>Laccaria laccata</i>	The Deceiver	√	√	√
	<i>Lacrymaria lacrymabunda</i>	Weeping Widow	√		
	<i>Lactarius piperatus</i>	Peppery Milk-cap		√	
	<i>Laetiporus sulphureus</i>	Chicken of the Woods	√		
	<i>Lagermannia gigantia</i>	Giant Puffball		√	
	<i>Lepiota cristata</i>			√	
	<i>Leptosphaeria acuta</i>			√	
	<i>Lycogala epidendrum</i>		√	√	

Ledbury Naturalists Field Surveys 2008 - Old Country

Group	Latin Name	Common Name	Location		
			Orch	GP	Med
	<i>Lycoperdon perlatum</i>			√	
	<i>Lycoperdon pyriforme</i>	Stump Puff-ball		√	
	<i>Macrolepiota rhacodes</i>	Shaggy Parasol	√		
	<i>Marasmius ramealis</i>			√	
	<i>Marasmius rotula</i>			√	
	<i>Melampsora populnea</i>			√	
	<i>Melanoleuca melaleuca</i>			√	
	<i>Microsphaera alphitoides</i>	Oak Mildew			√
	<i>Mitrophora semilibera</i>	Semifree Morel		√	
	<i>Mycena acicula</i>			√	
	<i>Mycena galericulata</i>			√	
	<i>Mycena polygramma</i>			√	
	<i>Mycena pura</i>			√	
	<i>Paneolus ater</i>		√		
	<i>Paneolus campanulatus</i>				√
	<i>Paneolus sphinctrinus</i>			√	
	<i>Parasphaeosphaeria rusci</i>			√	
	<i>Phallus impudicus</i>	Stinkhorn		√	
	<i>Phellinus ferreus</i>			√	
	<i>Pholiota squarrosa</i>	Shaggy Pholiota	√		
	<i>Pleurotus cornucopiae</i>			√	
	<i>Pluteus romellii</i>			√	
	<i>Pluteus salicinus</i>			√	
	<i>Polyporus durus</i>	Leather Polypore	√		
	<i>Polyporus varius</i>		√		
	<i>Postia subcaesia</i>	Blueing Bracket		√	
	<i>Psathyrella candolleana</i>			√	
	<i>Psathyrella spadicea</i>			√	
	<i>Psathyrella spadiceogrisa</i>			√	
	<i>Psilocybe semilanceata</i>	Magic Mushroom/Liberty cap	√		√
	<i>Puccinia adoxae</i>			√	
	<i>Puccinia circaeae</i>			√	
	<i>Ramularia ari</i>		√		√
	<i>Ramularia rubella</i>		√		
	<i>Reticularia lycoperdon</i>		√	√	
	<i>Russula atropurpurea</i>		√		
	<i>Sarcoscypha coccinea</i>	Scarlet Elf-cup		√	
	<i>Schizopora paradoxa</i>			√	
	<i>Scleroderma areolatum</i>	Earth ball		√	
	<i>Scleroderma verrucosum</i>	Earth ball		√	
	<i>Scutellina scutellata</i>	Eyeshair Fungus		√	
	<i>Stephensia bombycina**</i>	False Truffle		√	
	<i>Stereum hirsutum</i>	Hairy Stereum	√		
	<i>Stropharia aeruginosa</i>	Verdigris Toadstool		√	
	<i>Tazzetta cupularis</i>			√	
	<i>Trametes gibbosa</i>			√	
	<i>Trametes versicolour</i>	Many-zoned Polypore	√		
	<i>Tremella mesenterica</i>	Yellow Brain Fungus		√	
	<i>Tricholoma sulphureum</i>	Coal Gas Toadstool		√	
	<i>Tyromyces stipticus</i>			√	
	<i>Verpa conica</i>	Thimble Morel		√	
	<i>Xylaria hypoxylon</i>	Candle-snuff Fungus		√	

Ledbury Naturalists Field Surveys 2008 - Old Country

Group	Latin Name	Common Name	Location		
			Orch	GP	Med
Myxomycetes	<i>Arcyria cinerea</i>	Cultured from apple bark	√		
	<i>Arcyria pomiformis</i>	Cultured from apple bark	√		
	<i>Licea operculata</i>	Cultured from apple bark	√		
	<i>Paradiacheopsis fimbriata</i>	Cultured from apple bark	√		
	<i>Paradiacheopsis solitaria</i>	Cultured from apple bark	√		
	<i>Perichaena chrysosperma</i>	Cultured from apple bark	√		
Micro-fungi	<i>Coprinus stercoreus</i>	Cultivated on herbivore dung	√		
	<i>Coprobria granulosa</i>	Cultivated on herbivore dung	√		
	<i>Pilobolus crystallinus</i>	Cultivated on herbivore dung	√		
Mosses					
Pleurocarps	<i>Amblystegium serpens</i>			√	√
	<i>Brachythecium rutabulum</i>				√
	<i>Brachythecium serpens</i>			√	
	<i>Cryphea heteromalla</i>			√	
	<i>Eurhynchium praelongum</i>		√	√	√
	<i>Homalothecium sericeum</i>			√	
	<i>Hypnum adoii</i>			√	
	<i>Hypnum cupressiforme</i>		√	√	
	<i>Hypnum resupinatum</i>		√		√
	<i>Oxyrrhynchium hians</i>			√	
	<i>Plagiothecium curvifolium</i>			√	
	<i>Plagiothecium denticulatum</i>			√	
	<i>Plagiothecium nemorale</i>			√	
	<i>Plagiothecium succulentum</i>			√	
	<i>Rhyncostegium confertum</i>		√	√	√
Acrocarps	<i>Atrichium undulatum</i>			√	
	<i>Bryum capillare</i>			√	
	<i>Bryum laevifilum</i>		√		
	<i>Campylopus flexuosus</i>		√		
	<i>Campylopus introflexus</i>		√		
	<i>Dicranoweissia cirrata</i>		√	√	
	<i>Fissidens taxifolius</i>		√	√	
	<i>Orthotrichum affine</i>		√	√	
	<i>Orthotrichum diaphanum</i>		√	√	
	<i>Plagiomnium undulatum</i>			√	
	<i>Ulota crispa</i>		√	√	
Liverworts	<i>Frullania dilatata</i>		√		
	<i>Metzgeria furcata</i>		√	√	
Ferns	<i>Phyllitis scolopendrium</i>	Hart's-tongue		√	
	<i>Dryopteris dilatata</i>	Broad Buckler-fern		√	
	<i>Dryopteris filix-mas</i>	Male-fern		√	
	<i>Polypodium vulgare</i>	Common Polypody	√		
	<i>Pteridium aquilinum</i>	Bracken		√	

## Lichens – Recorded by Joy Ricketts

### Collection sites

Site 1. Brick capping on basic stone wall	SO 726447
Site 2. Orchard number 1	SO 728444
Site 3. Gravel Pits. Poplar trees	SO 733445
Site 4. Line of mature oaks in field	SO 780447

BLS No.	Lichen Species	Site 1	Site 2	Site 3	Site 4
69	Arthonia radiata			√	
212	Buellia punctata	√	√		
247	Caloplaca citrina	√			
259	Caloplaca flavescens	√			
297	Candelariella reflexa			√	√
440	Collema crispum	√			
491	Diploicia canescens	√	√	√	
511	Evernia prunastri			√	√
987	Flavoparmelia caperata			√	√
521	Fuscidea lightfootii		√		
582	Hypogymnia physodes		√		
627	Lecanora albescens	√			
635	Lecanora campestris	√			
639	Lecanora chlarotera		√	√	√
643	Lecanora conizaeoides		√		
649	Lecanora expallens		√	√	√
661	Lecanora muralis	√			
797	Lecidella elaeochroma		√	√	
803	Lecidella stigmatea	√			
1020	Melanelia subaurifera		√	√	
1022	Parmelia sulcata		√	√	√
1034	Parmeliopsis ambigua		√		
1090	Pertusaria amara		√		
1087	Pertusaria pertusa				√
1107	Phaeophyscia orbicularis		√	√	
1109	Phlyctis argena		√	√	√
1112	Physcia adscendens	√	√		
1113	Physcia aipolia		√	√	
1120	Physcia tenella		√	√	
1127	Physconia grisea		√		
1168	Porina aenea			√	
1021	Punctelia subrudecta		√		
1989	Punctelia ulophylla		√	√	√
1234	Ramalina farinacea		√	√	√
1471	Usnea subfloridana		√		
1820	Verrucaria fuscella	√			
1507	Verrucaria muralis	√			
1526	Xanthoria calcicola	√			
1527	Xanthoria candelaria				√
1530	Xanthoria parietina		√		√
1531	Xanthoria polytropa		√	√	
Algae	Nostoc	√			



## Trees and Shrubs

Latin Name	Common Name	Location		
		Orch	GP	Med
<i>Acer campestre</i>	Field Maple	√	√	
<i>Alnus glutinosa</i>	Alder		√	√
<i>Cornus sanguinea</i>	Dogwood	√	√	√
<i>Corylus avellana</i>	Hazel	√		
<i>Crataegus monogyna</i>	Hawthorn	√	√	
<i>Euonymus europaeus</i>	Spindle			√
<i>Fraxinus excelsior</i>	Ash	√	√	
<i>Hedera helix</i>	Ivy	√	√	
<i>Ilex aquifolium</i>	Holly	√	√	
<i>Ligustrum vulgare</i>	Privet		√	
<i>Malus sylvestris</i>	Crab Apple	√	√	
<i>Populus * canadensis.</i>	Hybrid Black Poplar		√	
<i>Populus alba</i>	White Poplar		√	
<i>Populus nigra "italica"</i>	Poplar	√		
<i>Prunus avium</i>	Wild Cherry			√
<i>Prunus spinosa</i>	Blackthorn	√	√	
<i>Pyrus communis</i>	Pear	√		
<i>Quercus robur</i>	Pedunculate Oak	√	√	√
<i>Ribes rubrum</i>	Red Currant		√	
<i>Ribes uva-crispa</i>	Gooseberry			√
<i>Rosa arvensis</i>	Field Rose		√	√
<i>Rosa canina</i>	Dog Rose			√
<i>Rubus fruticosus</i>	Bramble		√	√
<i>Salix alba</i>	White Willow	√	√	√
<i>Salix caprea</i>	Goat Willow	√	√	
<i>Sambucus nigra</i>	Elder		√	
<i>Taxus baccata</i>	Yew		√	
<i>Ulmus glabra</i>	Wych Elm		√	√

**Birds**

Latin Name	Common Name	Gen	Pool
<i>Accipiter nisus</i>	Sparrowhawk	√	
<i>Aegithalos caudatus</i>	Long Tailed Tit	√	
<i>Anas platyrhynchos</i>	Mallard	√	
<i>Ardea cinerea</i>	Heron	√	
<i>Aythya fuligula</i>	Tufted Duck	√	
<i>Branta canadensis</i>	Canada Goose		√
<i>Buteo buteo</i>	Buzzard	√	
<i>Carduelis carduelis</i>	Goldfinch	√	
<i>Carduelis spinus</i>	Siskin	√	
<i>Certhia familiaris</i>	Treecreeper	√	
<i>Columba palumbus</i>	Wood Pigeon	√	
<i>Corvus corax</i>	Raven	√	
<i>Corvus corone</i>	Carrion Crow	√	
<i>Corvus frugilegus</i>	Rook	√	
<i>Corvus monedula</i>	Jackdaw	√	
<i>Cucllus canorus</i>	Cuckoo	√	
<i>Cygnus olor</i>	Mute Swan		√
<i>Delichon urbica</i>	House Martin		√
<i>Dendrocopos major</i>	Great Spotted Woodpecker	√	
<i>Emberiza schoeniclus</i>	Reed Bunting		√
<i>Erithacus rubecula</i>	Robin	√	
<i>Falco tinnunculus</i>	Kestrel	√	
<i>Fringilla coelebs</i>	Chaffinch	√	
<i>Fulica atra</i>	Coot		√
<i>Gallinula chloropus</i>	Moorhen	√	
<i>Garrulus glandarius</i>	Jay	√	
<i>Hirundo rustica</i>	Swallow	√	√
<i>Larus fuscus</i>	Lesser Black-backed Gull		√
<i>Muscicapa striata</i>	Spotted Flycatcher	√	
<i>Parus caeruleus</i>	Blue Tit	√	
<i>Parus major</i>	Great Tit	√	
<i>Phasianus colchicus</i>	Pheasant	√	
<i>Phylloscopus collybita</i>	Chiff Chaff	√	
<i>Phylloscopus trochilus</i>	Willow Warbler	√	
<i>Pica pica</i>	Magpie	√	
<i>Picus viridis</i>	Green Woodpecker	√	
<i>Prunella modularis</i>	Dunnock	√	
<i>Regulus regulus</i>	Goldcrest	√	
<i>Riparia riparia</i>	Sand Martin		√
<i>Sitta europaea</i>	Nuthatch	√	
<i>Sylvia atricapilla</i>	Blackcap	√	
<i>Sylvia borin</i>	Garden Warbler	√	
<i>Tachybaptus ruficollis</i>	Little Grebe		√
<i>Troglodytes troglodytes</i>	Wren	√	
<i>Turdus iliacus</i>	Redwing	√	
<i>Turdus merula</i>	Blackbird	√	
<i>Turdus philomelos</i>	Song Thrush	√	
<i>Turdus pilaris</i>	Fieldfare	√	
<i>Turdus viscivorus</i>	Mistle Thrush	√	

## Insects, other Invertebrates and Vertebrates

Group	Latin Name	Common Name	Location		
			Orch	GP	Med
Lepidoptera	<i>Acleris emargana</i>		√		
	<i>Agapeta hamana</i>				√
	<i>Anthocharis cardamines</i>	Orange tip	√		
	<i>Anthophila fabriciana</i>	Nettle-tap			√
	<i>Aphantopus hyperantus</i>	Ringlet			√
	<i>Camptogramma bilineata</i>	Yellow Shell Moth			√
	<i>Celypha lacunana</i>				√
	<i>Chrysoteuchia culmella</i>				√
	<i>Crambus perlella</i>				√
	<i>Lyonetia clerkella</i>	Leaf mine on Apple		√	
	<i>Maniola jurtina</i>	Meadow Brown		√	√
	<i>Nemophora degeerella</i>	Brown Longhorn Moth			
	<i>Noctua pronuba</i>	Large Yellow-underwing			√
	<i>Pararge aegeria</i>	Speckled Wood		√	
	<i>Phyllonorycter coryli</i>	Leaf Miner – Nut Leaf Blister Moth			√
	<i>Pieris brassicae</i>	Large White			√
	<i>Pieris napi</i>	Green-veined White			√
	<i>Pieris rapae</i>	Small White			√
	<i>Polygonia c-album</i>	Comma		√	√
	<i>Pyronia tithonus</i>	Gatekeeper			√
	<i>Rivula sericealis</i>	Straw Dot Moth			√
	<i>Stigmella aurella</i>	Leaf Mine on Bramble			√
	<i>Xanthorhoe spadicearia</i>	Red twin-spot Carpet Moth			√
Diptera	<i>Chloromyia formosa</i>	Soldierfly	√		
	<i>Dasineura ulmaria</i>	Gall on Meadowsweet			√
	<i>Dasineura urticae</i>	Gall on Common Nettle	√	√	
	<i>Episyrphus balteatus</i>	Migrant Hoverfly	√		
	<i>Helophilus pendulus</i>	Hoverfly	√		√
	<i>Iteomyia capreae</i>	Gall on Willow	√		
	<i>Iteomyia major</i>	Gall on Willow			
	<i>Jaapiella veronicae</i>	Gall on Speedwell	√	√	
	<i>Myathropa florea</i>	Hoverfly			√
	<i>Phasia hemiptera</i>	Large parasitic Fly			√
	<i>Phytomyza ilicis</i>	Leaf mine on holly		√	
	<i>Phytomyza spondylii</i>	Gall on Hogweed			√
	<i>Platycheirus clypeatus</i>	Hoverfly			√
	<i>Rhagio tringarius</i>	Snipe Fly		√	
	<i>Rhingia campestris</i>	Hoverfly			√
	<i>Tachina fera</i>	Parasitic Fly			√
Coleoptera	<i>Adalia 10-punctata</i>	10-spot Ladybird		√	
	<i>Agabus guttatus</i>	Water Beetle		√	
	<i>Agriotes acuminatus</i>	Click Beetle	√		
	<i>Anaspis maculata</i>	Tumbling Flower Beetle	√	√	√
	<i>Anaspis rufilabris</i>	Flower Beetle			√
	<i>Anthonomus pomorum</i>	Apple Blossom Weevil	√		
	<i>Apoderus coryli</i>	Hazel leaf-roller Weevil			√
	<i>Athous bicolor</i>	Click Beetle	√		
	<i>Athous haemorrhoidalis</i>	Click Beetle	√	√	√

Ledbury Naturalists Field Surveys 2008 - Old Country

Group	Latin Name	Common Name	Location		
			Orch	GP	Med
	<i>Barypeithes pellucidus</i>	Hairy Spider Weevil		√	
	<i>Brachypterus glaber</i>	Black Beetle on Nettles	√	√	√
	<i>Bruchus loti</i>	Small Seed Beetle			√
	<i>Byturus ochraceus</i>	Bramble feeding Beetle		√	
	<i>Calvia 14-guttata</i>	Cream-spot Ladybird			√
	<i>Cantharis cryptica</i>	Soldier Beetle			√
	<i>Cantharis decipens</i>	Soldier Beetle		√	√
	<i>Carabus violaceus</i>	Violet Ground Beetle	√		
	<i>Cassida rubiginosa</i>	Tortoise Beetle on Nettles	√		
	<i>Chalcoides aurata</i>	Flea Beetle on Willows			√
	<i>Chalcoides aurea</i>	Weevil on Willow	√		
	<i>Chalcoides plutus</i>	Flea Beetle on Willows	√		
	<i>Cidnorhinus quadrimaculatus</i>	Weevil on Nettles	√	√	
	<i>Clytus arietis</i>	Wasp Beetle			√
	<i>Coccinella 7-punctata</i>	7-spot Ladybird	√		
	<i>Corticarina fuscula</i>	Small Litter Beetle		√	
	<i>Dasytes aeratus</i>	Flower Beetle	√	√	√
	<i>Dromius linearis</i>	Small Ground Beetle		√	
	<i>Galerucella lineola</i>	Leaf Beetle	√		
	<i>Gastrophysa viridula</i>	Green Dock Beetle		√	
	<i>Gnorimus nobilis*</i>	Noble Chafer Beetle	√		
	<i>Grammoptera ruficornis</i>	Small Longhorn Beetle	√		√
	<i>Harmonia axyridis</i>	Harlequin Beetle			√
	<i>Hemicoelus fulvicornis</i>	Wood-boring Beetle	√	√	
	<i>Ixapion variegatum</i>	Small Weevil	√		
	<i>Kibuna minuta</i>	Small Click Beetle			√
	<i>Malachius bipustulatus</i>	Malachite Beetle	√		√
	<i>Malthodes marginatus</i>	Small Soldier Beetle	√	√	√
	<i>Malthodes minimus</i>	Small Soldier Beetle		√	
	<i>Microcara testacea</i>	Beetle of wet places		√	
	<i>Nebria brevicollis</i>	Ground Beetle	√	√	√
	<i>Otiorhynchus singularis</i>	Raspberry Weevil			
	<i>Perapion hydrolapathi</i>	Small Weevil on Dock		√	√
	<i>Philonthus marginatus</i>	Rove Beetle	√		
	<i>Phratora vitellinae</i>	Leaf Beetle on Willows		√	
	<i>Phyllobius pomaceus</i>	Nettle Weevil			√
	<i>Phyllobius roboretanus</i>	Small Green Nettle Weevil			√
	<i>Pirapion immune</i>	Small Weevil		√	
	<i>Polydrosus cervinus</i>	Weevil		√	
	<i>Propylea 14-punctata</i>	14-spot Ladybird			√
	<i>Protapion fulvipes</i>	Small Weevil		√	
	<i>Protapion nigritarse</i>	Small Weevil		√	√
	<i>Psylliodes napi</i>	Flea Beetle		√	
	<i>Pterostichus niger</i>	Large Black Ground beetle	√		
	<i>Rhagonycha fulva</i>	Soldier Beetle	√		
	<i>Rhynchites aequatus</i>	Apple Fruit Rhynchites			√
	<i>Rhynocyllus conicus *</i>	Weevil on Thistles	√		
	<i>Scolytus mali</i>	Large Fruit bark Beetle	√		
	<i>Silvanus unidentatus</i>	Small dead bark Beetle	√		
	<i>Sitona humeralis</i>	Broad-nosed Weevil	√		
	<i>Sitona lepidus</i>	Broad-nosed Weevil			√
	<i>Sphaeridium scarabaeoides</i>	Beetle of cow dung			√

Ledbury Naturalists Field Surveys 2008 - Old Country

Group	Latin Name	Common Name	Location		
			Orch	GP	Med
	<i>Sphaeroderma testaceum</i>	Flea Beetle	√	√	
	<i>Tachyporus chrysomelinus</i>	Small Rove Beetle			√
	<i>Tachyporus obtusus</i>	Small Rove Beetle		√	
	<i>Trichosirocalus troglodytes</i>	Small Weevil on plantains			√
Hemiptera	<i>Adarrus multimotoatus</i>	Leaf Hopper		√	
	<i>Agallia consobrina</i>	Leaf Hopper		√	
	<i>Anthocoris nemorum</i>	Common flower Bug	√	√	√
	<i>Aphrodes makarovi</i>	Leaf Hopper		√	
	<i>Aphrophora alni</i>	Large Froghopper			√
	<i>Aphrophora salicina</i>	Large Froghopper		√	
	<i>Calocoris norvegicus</i>	Capsid Bug			√
	<i>Calocoris stysi</i>	Capsid Bug		√	√
	<i>Campyloneura virgula</i>	Capsid Bug		√	√
	<i>Capsus ater</i>	Capsid Bug	√		
	<i>Coreus marginatus</i>	Squash bug			√
	<i>Deraeocoris lutescens</i>	Capsid Bug	√		
	<i>Deraeocoris ruber</i>	Capsid Bug	√	√	
	<i>Eupteryx aurata</i>	Leafhopper	√	√	√
	<i>Harpocera thoracica</i>	Plant Bug on oak		√	√
	<i>Heterotoma meriopterum</i>	Capsid Bug	√	√	√
	<i>Himacerus apterus</i>	Tree Damsel bug	√	√	√
	<i>Hydrometra stagnorum</i>	Water-measurer		√	
	<i>Leptopterna dolobrata</i>	Meadow Bug			√
	<i>Liocoris tripustulatus</i>	Plant Bug on Nettles	√	√	
	<i>Lygocoris contaminatus</i>	Capsid Bug	√		
	<i>Lygocoris pabulinus</i>	Capsid Bug		√	√
	<i>Nabis rugosus</i>	Common Damson Bug	√		
	<i>Palomena prasina</i>	Green Shield Bug			√
	<i>Pemphigus spirothecae</i>	Aphid Gall on Poplar	√		
	<i>Pentatoma rufipes</i>	Forest Bug			√
	<i>Philaenus spumarius</i>	Common Frog Hopper	√	√	√
	<i>Pinalitus cervinus</i>	Plant Bug			√
	<i>Pinalitus viscicola</i> *	Capsid Bug	√		
	<i>Plagiognathus arbustorum</i>	Capsid Bug	√		√
	<i>Psallodema fieberi</i>	Capsid Bug		√	
	<i>Psallus perrisi</i>	Capsid Bug on Oak		√	
	<i>Psylla foersteri</i>	Psyllid on Alder	√		
	<i>Psylla mali</i>	Psyllid on Apple	√		
	<i>Stenodema holsatum</i>	Capsid Bug			√
	<i>Stenotus binotatus</i>	Timothy Grass Bug	√	√	√
Hymenoptera	<i>Amblyteles armatorius</i>	Ichneumon Fly			√
	<i>Andricus kollari</i>	Marble Gall causer on Oak		√	
	<i>Apethymus braccatus</i>	Sawfly (larva)			√
	<i>Apis mellifera</i>	Honey Bee	√		
	<i>Bombus hortorum</i>	Small Garden Bumble Bee	√		√
	<i>Bombus pascuorum</i>	Common Carder Bee			√
	<i>Lasius flavus</i>	Yellow Meadow Ant	√		
	<i>Lasius niger</i>	Black Ant	√	√	
	<i>Lasius platythorax</i>	Small Black Ant	√		
	<i>Myrmica rubra</i>	Red Ant	√	√	

Ledbury Naturalists Field Surveys 2008 - Old Country

Group	Latin Name	Common Name	Location		
			Orch	GP	Med
	<i>Neuroterus albipes</i>	Smooth Spangle Gall on Oak	√		
	<i>Neuroterus anthracinus</i>	Oyster Gall on Oak			√
	<i>Ophion ventricosus</i>	Ichneumon Fly		√	
	<i>Pontania proxima</i>	Leaf Gall on White Willow			√
	<i>Vespa crabro</i>	Hornet			√
	<i>Vespula vulgaris</i>	Wasp	√		
Opiliones	<i>Dicranopalpus ramosus</i>	Harvestman	√	√	√
	<i>Leiobunum blackwalli</i>	Harvestman		√	
	<i>Leiobunum rotundum</i>	Harvestman		√	√
	<i>Mitopus morio</i>	Harvestman			√
	<i>Nemastoma bimaculatum</i>	Harvestman		√	
	<i>Oligolophus tridens</i>	Harvestman	√		√
Odonata	<i>Aeshna cyanea</i>	Southern Hawker			√
	<i>Coenagrion puella</i>	Azure Damselfly			√
	<i>Enallagma cyathigerum</i>	Common Blue Damselfly	√		√
	<i>Ischnura elegans</i>	Blue-tailed Damselfly			√
	<i>Libellula depressa</i>	Broad-bodied Chaser			√
	<i>Platycnemis pennipes</i>	White-legged Damselfly			√
	<i>Sympetrum striolatum</i>	Common Darter			√
Orthoptera	<i>Chorthippus parallelus</i>	Meadow Grasshopper	√		√
	<i>Leptophyes punctatissima</i>	Spotted Bush Cricket	√		√
	<i>Pholidoptera griseoaptera</i>	Dark Bush Cricket			√
	<i>Tetrix subulata</i>	Groundhopper			√
Mecoptera	<i>Panorpa communis</i>	Scorpion Fly		√	
	<i>Panorpa germanica</i>	Scorpion Fly			√
Acari	<i>Acalitus brevitarsus</i>	Erineum gall on Alder			√
	<i>Aceria aceracampestris</i>	Gall on Field Maple leaf			√
	<i>Aceria macrochelus</i>	Gall on Field Maple leaf			√
	<i>Eriophyes inangulis</i>	Gall on Alder leaves			√
	<i>Eriophyes laevis</i>	Gall on Alder			√
	<i>Phyllocoptes goniothorax</i>	Mite Gall on Hawthorn		√	√
	<i>Phytoptus avellanae</i>	Big Bud Gall on Hazel			√
Dermoptera	<i>Forficula auricularia</i>	Earwig		√	√
Isopoda	<i>Armadillidium vulgare</i>	Wood Louse		√	
	<i>Philoscia muscorum</i>	Wood Louse		√	
	<i>Trichoniscus pusillus</i>	Wood Louse	√		
Diplopoda	<i>Cylindroiulus punctatus</i>	Club-tailed Millipede	√		
	<i>Tachypodoiulus niger</i>	Snake Millipede		√	√
Chilopoda	<i>Lithobius forficatus</i>	Centipede	√		
Araneae	<i>Agelena labyrinthica</i>	Funnel-web Spider	√		√
	<i>Araneus diadematus</i>	Cross Spider			√
	<i>Araneus quadratus</i>	Spider			√

Ledbury Naturalists Field Surveys 2008 - Old Country

Group	Latin Name	Common Name	Location		
			Orch	GP	Med
	<i>Gonyglidium rufipes</i>	Spider		√	
	<i>Hypomma comutum</i>	Spider	√		
	<i>Lepthyphantes insignis</i>	Spider	√		
	<i>Lepthyphantes tenuis</i>	Spider	√		
	<i>Metellina mengei</i>	Spider			√
	<i>Milleriana inerrans</i>	Spider	√		
	<i>Misumena vatia</i>	Crab Spider		√	
	<i>Neriene peltata</i>	Spider		√	
	<i>Ostearius melanopygius</i>	Spider	√		
	<i>Pachygnatha clercki</i>	Spider			√
	<i>Pachygnatha degeeri</i>	Spider	√		
	<i>Pardosa prativaga</i>	Spider	√		
	<i>Pardosa pullata</i>	Spider	√		
	<i>Pisaura mirabilis</i>	Tent Spider	√		√
	<i>Tetragnatha montana</i>	Spider			√
	<i>Trochosa terricola</i>	Spider	√		
Collembola	<i>Orchesella cincta</i>	Springtail	√	√	
	<i>Sminthurus viridis</i>	Springtail	√		
	<i>Tomocerus longicornis</i>	Springtail	√	√	
Mollusca	<i>Aegopinella nitidula</i>	Smooth Glass Snail		√	
	<i>Arion ater rufus</i>	Large Red Slug	√	√	
	<i>Cepaea hortensis</i>	White-lipped Banded Snail		√	√
	<i>Cepaea nemoralis</i>	Brown-lipped Banded Snail			√
	<i>Derocerus reticulatum</i>	Netted Slug	√		
	<i>Discus rotundatus</i>	Rounded Snail	√		
	<i>Helix aspera</i>	Common Garden Snail	√	√	
	<i>Limax maximus</i>	Great Grey Slug	√		
	<i>Monacha cantiana</i>	Kentish Snail		√	√
	<i>Nesovitrea hammonis</i>	Clear Glass Snail			√
	<i>Oxychilus cellarius</i>	Cellar Glass Snail		√	
	<i>Succinia putris</i>	Amber Snail			√
	<i>Trichia hispida</i>	Hairy Snail	√	√	
Amphibia	<i>Bufo bufo</i>	Common Toad	√		
	<i>Rana temporaria</i>	Frog			√
	<i>Triturus vulgaris</i>	Smooth Newt		√	
Mammalia	<i>Capreolus capreolus</i>	Roe Deer			√
	<i>Meles meles</i>	Badger		√	
	<i>Microtus agrestis</i>	Field Vole			√
	<i>Muntiacus muntjak</i>	Muntjac			√
	<i>Oryctolagus cuniculus</i>	Rabbit		√	
	<i>Sorex araneus</i>	Common Shrew		√	
	<i>Talpa europaea</i>	Mole	√	√	

**Lepidoptera – Recorded by Michael Harper 27<sup>th</sup> March – 21<sup>st</sup> July**

Name	Attribution	Notes
<b>Microlepidoptera</b>		
<i>Stigmella trimaculella</i>	Haworth	5 Vacated mines from leaves of <i>Populus nigra</i>
<i>Stigmella aurella</i>	Fabricius	Vacated mines in March on <i>Rubus spp.</i>
<i>Tischeria marginata</i>	Haworth	Tenanted mines on <i>Rubus fruticosus</i>
<i>Lyonetia clerkella</i>	Linnaeus	Larvae, mines Moths on <i>Malus</i> cultivars, also on <i>Crataegus</i> , and <i>Prunus spinosa</i>
<i>Phyllonorycter nicellii</i>	Stainton	1 moth seen in orchard but near <i>Corylus</i> May 19th
<i>Phyllocnistis unipunctella</i>	Stephens	Mines tenanted in <i>Populus</i> in July
<i>Anthophila fabriciana</i>	Linnaeus	Moths, 2 larvae on <i>Urtica</i> March/July
<i>Synanthedon myopaeformis</i>	Esper	Red Belted Clearwing. Pupal exuvia in <i>Malus</i> trunk 21 July
<i>Phyllonorycter blancardella</i>	Fabricius	Mines in <i>Malus</i> leaves 21 July
<i>Yponomeuta malinellus</i>	Zeller	4 mines in branches of <i>Malus</i> trees, July + 2 moths
<i>Phyllonorycter corylifoliella</i>	Hubner	4 vacated mines on <i>Malus</i>
<i>Callisto denticulella</i>	Thunberg	4 larval mines on <i>Malus</i> leaves
<i>Anacamptis populella</i>	Clerck	Moths at rest in July on <i>Populus spp.</i>
<i>Cnephasia asseclana</i>	Dennis&Schiffermuller	Moths flying in July
<i>Gypsonoma dealbana</i>	Frolich	Moths flying in July
<i>Epinotia tenerana</i>	Dennis&Schiffermuller.	Larva in <i>Corylus</i>
<i>Argyresthia curvella</i>	Linnaeus	3 moths in July on <i>Malus</i>
<i>Crambus lathoniellus</i>	Zincken	4 Common "crambid" Grass moths
<b>Macrolepidoptera</b>		
<i>Operophtera brumata</i>	Linnaeus	25 larvae on broad leaved trees in May
<i>Opisthograptis luteolata</i>	Linnaeus	1 moth in orchard in May
<i>Epirrita pilutata</i>	Dennis&Schiffermuller	3 larvae on <i>Quercus</i>
<i>Apocheima pilosaria</i>	Dennis&Schiffermuller	5 larvae on various shrubs
<i>Agropis aurantiaria</i>	Hubner	3 larvae on various shrubs
<i>Agropis marginaria</i>	Fabricius	4 larvae
<i>Erannis defoliaria</i>	Clerck	5 larvae on <i>Corylus</i>
<i>Orthosia gothica</i>		2 larvae on <i>Salix</i>
<i>Orthosia incerta</i>		1 moth at rest on Brick wall in March