

Flowering Plants

Latin Name	Common Name	Location		
		Gen	6&8	3&4
<i>Aegopodium podagraria</i>	Ground Elder	√		
<i>Agrimonia eupatoria</i>	Agrimony	√		
<i>Agrimonia procera</i>	Fragrant Agrimony	√		
<i>Ajuga reptans</i>	Bugle	√	√	√
<i>Anagallis arvensis</i>	Scarlet Pimpernel	√		
<i>Anagallis tenella</i>	Bog Pimpernel		√	√
<i>Anemone nemorosa</i>	Wood Anemone	√		√
<i>Angelica sylvestris</i>	Wild Angelica	√		
<i>Aquilegia vulgaris</i>	Columbine			√
<i>Arctium lappae</i>	Greater Burdock	√		
<i>Arctium minus</i>	Lesser Burdock	√		
<i>Artemisia vulgaris</i>	Mugwort	√		
<i>Bellis perennis</i>	Daisy	√		
<i>Blackstonia perfoliata</i>	Yellow-wort	√		
<i>Calluna vulgaris</i>	Heather	√		√
<i>Calystegia sepium</i>	Hedge Bindweed	√		
<i>Cardamine flexuosa</i>	Wavy Bitter-cress			√
<i>Cardamine pratensis</i>	Cuckooflower	√		
<i>Centaurea nigra</i>	Common Knapweed	√		
<i>Centaureum erythraea</i>	Common Centaury	√	√	
<i>Cerastium fontanum</i>	Common Mouse-ear	√		
<i>Chamerion angustifolium</i>	Rosebay Willowherb	√		
<i>Cirsium arvense</i>	Creeping Thistle	√		
<i>Cirsium palustre</i>	Marsh Thistle	√	√	√
<i>Cirsium vulgare</i>	Spear Thistle	√		
<i>Clematis vitalba</i>	Traveller's-joy	√		
<i>Convallaria majalis</i>	Lily-of-the-valley	√		
<i>Crepis capillaris</i>	Smooth Hawk's-beard	√		
<i>Dactylorhiza fuchsii</i>	Common Spotted-orchid	√		√
<i>Daphne laureola</i>	Spurge Laurel			√
<i>Digitalis purpurea</i>	Foxglove	√		
<i>Dipsacus fullonum</i>	Wild Teasel	√		
<i>Epilobium ciliatum</i>	American Willowherb		√	
<i>Epilobium hirsutum</i>	Great Willowherb	√		
<i>Epilobium montanum</i>	Broad-leaved Willowherb	√		
<i>Epilobium parviflorum</i>	Hoary Willowherb	√		
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	√		
<i>Epipactis palustris</i>	Marsh Helleborine			√
<i>Eupatorium cannabinum</i>	Hemp Agrimony	√	√	√
<i>Euphorbia amygdaloides</i>	Wood Spurge	√	√	√
<i>Euphrasia officinalis</i>	Eyebright	√		
<i>Filipendula ulmaria</i>	Meadowsweet	√		√
<i>Fragaria vesca</i>	Wild Strawberry	√		
<i>Galium aparine</i>	Cleavers	√		
<i>Galium palustre</i>	Common Marsh-bedstraw	√		√
<i>Geranium dissectum</i>	Cut-leaved Crane's-bill	√		
<i>Geranium robertianum</i>	Herb Robert	√		
<i>Geum urbanum</i>	Herb Bennet	√		
<i>Glechoma hederacea</i>	Ground Ivy	√		
<i>Gnaphalium uliginosum</i>	Marsh Cudweed	√		

Ledbury Naturalists Field Surveys 2007 - Queens Wood

Latin Name	Common Name	Location		
		Gen	6&8	3&4
<i>Hedera helix</i>	Ivy	√	√	√
<i>Heracleum sphondylium</i>	Hogweed	√		
<i>Hieracium sp.</i>	Hawkweed	√		
<i>Hyacinthoides non-scripta</i>	Bluebell	√		
<i>Hypericum hirsutum</i>	Hairy St. John's-wort	√		
<i>Hypericum maculatum</i>	Imperforate St. John's-wort	√		
<i>Hypericum perforatum</i>	Perforate St. John's-wort	√		
<i>Hypericum pulchrum</i>	Slender St. John's-wort	√	√	
<i>Hypericum tetrapterum</i>	Square-stalked St. John's-wort			√
<i>Hypochaeris radicata</i>	Cat's-ear	√		
<i>Iris pseudacorus</i>	Yellow Iris	√		
<i>Lamiastrum galeobdolon</i>	Yellow Archangel			√
<i>Lapsana communis</i>	Nipplewort	√		
<i>Lathyrus pratensis</i>	Meadow Vetchling	√		
<i>Lathyrus linifolius</i>	Bitter-vetch	√		
<i>Leontodon autumnalis</i>	Autumn Hawkbit	√		
<i>Leucanthemum vulgare</i>	Oxeye Daisy	√		
<i>Linum bienne</i>	Pale Flax	√		
<i>Lonicera periclymenum</i>	Honeysuckle	√	√	√
<i>Lotus corniculatus</i>	Bird's-foot-trefoil	√		
<i>Lysimachia nemorum</i>	Yellow Pimpernel	√		√
<i>Malva moschata</i>	Musk Mallow	√		
<i>Medicago lupulina</i>	Black Medick	√		
<i>Melampyrum pratense</i>	Cow-wheat	√	√	
<i>Melilotus altissimus</i>	Tall Melilot	√		
<i>Mentha aquatica</i>	Water Mint	√		√
<i>Mentha arvensis</i>	Corn Mint	√	√	
<i>Mercurialis perennis</i>	Dog's Mercury	√		
<i>Myosotis arvensis</i>	Field Forget-me-not	√		
<i>Myosotis sylvatica</i>	Wood Forget-me-not	√		
<i>Narcissus pseudonarcissus</i>	Wild Daffodil	√	√	
<i>Odontites verna</i>	Red Bartsia	√		
<i>Paris quadrifolia</i>	Herb Paris		√	
<i>Plantago lanceolata</i>	Ribwort Plantain	√		
<i>Plantago major</i>	Greater Plantain	√		
<i>Polygala vulgaris</i>	Common Milkwort			√
<i>Polygonum aviculare</i>	Knotgrass	√		
<i>Potentilla anserina</i>	Silverweed	√		
<i>Potentilla erecta</i>	Tormentil	√		√
<i>Potentilla reptans</i>	Creeping Cinquefoil	√		
<i>Potentilla sterilis</i>	Barren Strawberry	√		
<i>Primula vulgaris</i>	Primrose	√	√	√
<i>Prunella vulgaris</i>	Selfheal	√		
<i>Pulicaria dysenterica</i>	Common Fleabane	√		
<i>Ranunculus acris</i>	Meadow Buttercup	√		
<i>Ranunculus ficaria</i>	Lesser Celandine	√		√
<i>Ranunculus flammula</i>	Lesser Spearwort	√		
<i>Ranunculus repens</i>	Creeping Buttercup	√		
<i>Rumex sanguineus</i>	Wood Dock	√		
<i>Scrophularia nodosa</i>	Common Figwort	√		√
<i>Senecio erucifolius</i>	Hoary Ragwort	√		
<i>Senecio jacobaea</i>	Ragwort	√	√	
<i>Solanum dulcamara</i>	Bittersweet	√		

Ledbury Naturalists Field Surveys 2007 - Queens Wood

Latin Name	Common Name	Location		
		Gen	6&8	3&4
<i>Solidago virgaurea</i>	Goldenrod		√	
<i>Sonchus arvensis</i>	Perennial Sowthistle	√		
<i>Sonchus oleraceus</i>	Smooth Sowthistle	√		
<i>Stachys officinalis</i>	Betony	√	√	√
<i>Stachys sylvatica</i>	Hedge Woundwort	√		
<i>Stellaria holostea</i>	Greater Stitchwort	√		
<i>Stellaria media</i>	Common Chickweed	√		
<i>Succisa pratensis</i>	Devil's-bit Scabious	√		√
<i>Tamus communis</i>	Black Bryony	√	√	
<i>Taraxacum officinale</i>	Dandelion	√		
<i>Teucrium scorodonia</i>	Wood Sage	√	√	√
<i>Torilis japonica</i>	Upright Hedge-parsley	√		
<i>Trifolium dubium</i>	Lesser Trefoil	√		
<i>Trifolium pratense</i>	Red Clover	√		
<i>Trifolium repens</i>	White Clover	√		
<i>Tussilago farfara</i>	Coltsfoot	√		
<i>Urtica dioica</i>	Stinging Nettle	√		
<i>Vaccinium myrtillus</i>	Bilberry	√	√	√
<i>Valeriana dioica</i>	Marsh Valerian			√
<i>Veronica officinalis</i>	Heath Speedwell	√		
<i>Vicia sepium</i>	Bush Vetch	√		
<i>Viola reichenbachiana</i>	Wood Dog Violet	√		√
<i>Viola riviniana</i>	Common Dog-violet	√	√	√

Grasses, Horsetails, Sedges and Rushes

Group	Latin Name	Common Name	Location		
			Gen	6&8	3&4
Grasses	<i>Agrostis capillaris</i>	Common Bent	√		
	<i>Agrostis stolonifera</i>	Creeping Bent	√		
	<i>Anisantha sterilis</i>	Barren Brome	√		
	<i>Anthoxanthum odoratum</i>	Sweet Vernal-grass	√		
	<i>Arrhenatherum elatius</i>	False Oat-grass	√		
	<i>Brachypodium sylvaticum</i>	False Brome	√		
	<i>Dactylis glomerata</i>	Cocksfoot	√		
	<i>Deschampsia cespitosa</i>	Tufted Hair-grass	√	√	
	<i>Festuca gigantea</i>	Giant Fescue	√		
	<i>Holcus lanatus</i>	Yorkshire Fog	√		
	<i>Holcus mollis</i>	Creeping Soft-grass	√		
	<i>Molina caerulea</i>	Purple Moor-grass	√		√
	<i>Poa annua</i>	Annual Meadow-grass	√		
	<i>Poa nemoralis</i>	Wood Meadow-grass	√		
	<i>Poa trivialis</i>	Rough Stalked Meadow-grass	√		
	<i>Calamagrostis epigejos</i>	Wood Small-reed			√
Horsetails	<i>Equisetum arvense</i>	Field Horsetail		√	
	<i>Equisetum palustre</i>	Marsh Horsetail	√	√	√
Rushes	<i>Juncus acutiflorus</i>	Sharp-flowered Rush			√
	<i>Juncus articulatus</i>	Jointed Rush	√	√	√
	<i>Juncus bulbosus</i>	Bulbous Rush	√	√	
	<i>Juncus conglomeratus</i>	Compact Rush	√		√
	<i>Juncus effusus</i>	Soft Rush	√	√	√
	<i>Juncus inflexus</i>	Hard Rush	√	√	√
	<i>Juncus tenuis</i>	Slender Rush	√		
Woodrushes	<i>Luzula multiflora</i>	Heath wood-rush	√	√	
	<i>Luzula sylvatica</i>	Great Wood-rush	√		√
Sedges	<i>Carex viridula subsp. Oedocarpa</i>	Common Yellow Sedge	√		
	<i>Carex flacca</i>	Glaucous Sedge	√	√	√
	<i>Carex pallescens</i>	Pale Sedge	√	√	
	<i>Carex panicea</i>	Carnation Sedge	√		√
	<i>Carex pendula</i>	Pendulous Sedge	√	√	√
	<i>Carex pulicaris</i>	Flea Sedge		√	
	<i>Carex remota</i>	Remote Sedge	√		

Fungi and other non flowering Plants

Group	Latin Name	Common Name	Location		
			Gen	6&8	3&4
Fungi	<i>Agaricus silvaticus</i>	Wood Mushroom			
	<i>Amanita citrina</i>	False Death Cap		√	
	<i>Amanita muscaria</i>	Fly Agaric		√	
	<i>Amanita rubescens</i>	The Blusher			√
	<i>Amanita spissa</i>		√		
	<i>Bolitus chrysenteron</i>	Red-cracked Boletus	√		
	<i>Calocera viscosa</i>			√	
	<i>Collybia butyracea</i>	Butter Cap	√		
	<i>Hebeloma sacchariolens</i>		√		
	<i>Hypoholoma fasciculare</i>	Sulphur Tuft		√	
	<i>Hypoxylon fuscum</i>	on Hazel	√		
	<i>Hypoxylon multiforme</i>	on Birch			√
	<i>Laccaria amethystea</i>	Amethyst Deceiver	√		
	<i>Lactarius deterrimus</i>	Milk Cap	√		
	<i>Lactarius torminosus</i>	Milk Cap	√		
	<i>Microsphaera alphitoides</i>	Oak Mildew	√	√	
	<i>Nectria cinnabarina</i>	Coral Spot		√	
	<i>Russula foetens</i>		√		
	<i>Russula nigricans</i>		√		
	<i>Russula ochroleuca</i>		√	√	
	<i>Stereum hirsutum</i>	Hairy Stereum	√		√
	<i>Trametes versicolour</i>	Many-zoned Polypore	√		
	<i>Tricholoma saponaceum</i>	Soap Tricholoma	√		
	<i>Xylaria hypoxylon</i>	Candle-snuff Fungus		√	
Lichens	<i>Cladonia polydactyla</i>		√		
	<i>Parmelia sulcata</i>		√		
	<i>Physcia adscendens</i>		√		
	<i>Xanthoria parietina</i>		√		
Mosses	<i>Atrichum undulatum</i>			√	
	<i>Brachythecium rutabulum</i>			√	
	<i>Campylopus introflexus</i>				√
	<i>Campylopus paradoxus</i>			√	
	<i>Cirriphyllum piliferum</i>			√	
	<i>Ctenidium molluscum</i>			√	
	<i>Dicranella heteromalla</i>		√		
	<i>Eurynchium praelongum</i>			√	
	<i>Eurynchium striatum</i>			√	
	<i>Fissidens bryoides</i>			√	
	<i>Fissidens taxifolius</i>		√	√	
	<i>Hypnum cupressiforme</i>		√	√	
	<i>Plagiothecium succulentum</i>			√	
	<i>Polytrichum formosum</i>			√	
	<i>Pseudotaxiphyllum elegans</i>		√		
	<i>Rhytidiadelphus squarrosus</i>			√	
	<i>Scleropodium purum</i>			√	
	<i>Thuidium tamariscinum</i>	Tamarisk-leaved Moss	√	√	
	<i>Weissia controversa</i>			√	

Ledbury Naturalists Field Surveys 2007 - Queens Wood

Group	Latin Name	Common Name	Location		
			Gen	6&8	3&4
Liverworts	<i>Lophocolea bidentata</i>			√	
	<i>Lophocolea heterophylla</i>			√	
	<i>Fossombronia pulsilla</i>			√	
	<i>Pellia endivifolia</i>	Thallose Liverwort		√	
Ferns	<i>Athyrium filix-femina</i>	Lady-fern	√		
	<i>Blechnum spicant</i>	Hard Fern	√	√	√
	<i>Dryopteris affinis</i>	Scaly Male-fern		√	
	<i>Dryopteris carthusiana</i>	Narrow Buckler-fern		√	
	<i>Dryopteris dilatata</i>	Broad Buckler-fern	√	√	
	<i>Dryopteris filix-mas</i>	Male-fern	√		
	<i>Pteridium aquilinum</i>	Bracken	√	√	√

Trees and Shrubs

Latin Name	Common Name	Location		
		Gen	6&8	3&4
<i>Acer campestre</i>	Field Maple	√		
<i>Alnus glutinosa</i>	Alder	√	√	√
<i>Alnus incana</i>	Grey Alder	√		
<i>Betula pendula</i>	Silver Birch	√	√	√
<i>Betula pubescens</i>	Downy Birch			√
<i>Carpinus betulus</i>	Hornbeam	√		
<i>Castanea sativa</i>	Sweet Chestnut	√		
<i>Cornus sanguinea</i>	Dogwood	√		
<i>Corylus avellana</i>	Hazel	√	√	√
<i>Crataegus monogyna</i>	Hawthorn	√	√	√
<i>Cytisus scoparius</i>	Broom	√	√	√
<i>Euonymus europaeus</i>	Spindle	√		
<i>Fagus sylvatica</i>	Beech	√	√	√
<i>Frangula alnus</i>	Alder Buckthorn	√	√	
<i>Fraxinus excelsior</i>	Ash	√	√	√
<i>Hedera helix</i>	Ivy	√	√	√
<i>Ilex aquifolium</i>	Holly	√	√	√
<i>Larix kaempferi</i>	Japanese Larch	√	√	
<i>Ligustrum vulgare</i>	Privet	√	√	√
<i>Malus sp.</i>	Spiny Apple		√	√
<i>Picea abies</i>	Norway Spruce	√		
<i>Pinus nigra</i>	Black Pine			√
<i>Pinus sylvestris</i>	Scots Pine	√		√
<i>Populus tremula</i>	Aspen			√
<i>Prunus avium</i>	Wild Cherry	√		
<i>Prunus spinosa</i>	Blackthorn	√	√	√
<i>Pseudotsuga menziesii</i>	Douglas Fir	√		
<i>Quercus petraea</i>	Sessile Oak	√		√
<i>Quercus robur</i>	Pedunculate Oak	√		√
<i>Rosa arvensis</i>	Field Rose	√		√
<i>Rosa canina</i>	Dog Rose	√		√
<i>Rubus fruticosus</i>	Bramble	√	√	√
<i>Salix caprea</i>	Goat Willow	√	√	√
<i>Sambucus nigra</i>	Elder	√		√
<i>Sorbus aucuparia</i>	Rowan	√	√	√
<i>Sorbus torminalis</i>	Wild Service Tree	√	√	
<i>Taxus baccata</i>	Yew	√	√	√
<i>Tilia cordata</i>	Small-leaved Lime	√	√	
<i>Ulex europaeus</i>	Gorse	√	√	√
<i>Ulex galii</i>	Western Gorse			√
<i>Ulmus glabra</i>	Wych Elm	√		
<i>Viburnum opulus</i>	Guelder Rose	√	√	√

Birds

Latin Name	Common Name	2007
<i>Accipiter nisus</i>	Sparrowhawk	√
<i>Aegithalos caudatus</i>	Long Tailed Tit	√
<i>Aix galericulata</i>	Mandarin	√
<i>Branta canadensis</i>	Canada Goose	√
<i>Buteo buteo</i>	Buzzard	√
<i>Carduelis carduelis</i>	Goldfinch	√
<i>Carduelis chloris</i>	Greenfinch	√
<i>Carduelis flammea</i>	Redpoll	√
<i>Certhia familiaris</i>	Treecreeper	√
<i>Columba palumbus</i>	Wood Pigeon	√
<i>Corvus corax</i>	Raven	√
<i>Corvus corone corone</i>	Carrion Crow	√
<i>Corvus monedula</i>	Jackdaw	√
<i>Dendrocopos major</i>	Greater Spotted Woodpecker	√
<i>Erithacus rubeculata</i>	Robin	√
<i>Falco tinnunculus</i>	Kestrel	√
<i>Fringilla coelebs</i>	Chaffinch	√
<i>Fulica atra</i>	Coot	v
<i>Garrulus glandarius</i>	Jay	√
<i>Motacilla alba</i>	Pied Wagtail	√
<i>Parus caeruleus</i>	Blue Tit	√
<i>Parus major</i>	Great Tit	√
<i>Phylloscopus collybita</i>	Chiff Chaff	√
<i>Phylloscopus trochilus</i>	Willow Warbler	√
<i>Pica pica</i>	Magpie	√
<i>Picus viridis</i>	Green Woodpecker	√
<i>Prunella modularis</i>	Dunnock	√
<i>Pyrrhula pyrrhula</i>	Bullfinch	√
<i>Regulus regulus</i>	Goldcrest	√
<i>Scolopax rusticola</i>	Woodcock	√
<i>Sitta europaea</i>	Nuthatch	√
<i>Streptopelia decaocto</i>	Collared Dove	√
<i>Strix aluco</i>	Tawny Owl	√
<i>Sylvia atricapilla</i>	Blackcap	√
<i>Sylvia borin</i>	Garden Warbler	√
<i>Troglodytes troglodytes</i>	Wren	√
<i>Turdus iliacus</i>	Redwing	√
<i>Turdus merula</i>	Blackbird	√
<i>Turdus philomelos</i>	Song Thrush	√
<i>Turdus pilaris</i>	Fieldfare	√
<i>Turdus viscivorus</i>	Mistle Thrush	√

Historic Records

<i>Alcedo atthis</i>	Kingfisher	1 in 2006
<i>Anas platyrhynchos</i>	Mallard	2005-2008
<i>Carduelis spinus</i>	Siskin	1990-2004
<i>Cuculus canorus</i>	Cuckoo	last heard 2006
<i>Gallinula chloropus</i>	Moorhen	1985-2006
<i>Loxia curvirostra</i>	Crossbill	1980-2004
<i>Luscinia megarhynchos</i>	Nightingale	2005 one singing male
<i>Phylloscopus sibilatrix</i>	Wood Warbler	1960s, oak plantation

Insects and other Invertebrates

Group	Latin Name	Common Name	Location		
			Gen	6&8	3&4
Lepidoptera	<i>Anthocharis cardamines</i>	Orange tip	√		
	<i>Aphantopus hyperantus</i>	Ringlet		√	
	<i>Gonepteryx rhamni</i>	Brimstone	√		
	<i>Inachis io</i>	Peacock	√		
	<i>Maniola jurtina</i>	Meadow Brown	√		
	<i>Nemophora degeerella</i>	Brown Longhorn Moth		√	
	<i>Pararge aegeria</i>	Speckled Wood	√	√	
	<i>Petrophora chlorosata</i>	Brown Silver-line Moth		√	
	<i>Pieris napi</i>	Green-veined White	√		
	<i>Polygonia c-album</i>	Comma	√		
	<i>Psuedopanthera macularia</i>	Speckled Yellow Moth	√	√	
	<i>Vanessa atalanta</i>	Red Admiral	√		
	Diptera	<i>Chirosia grossicauda</i>	Gall on Bracken	√	
<i>Dasineura pustulans</i>		Gall on Meadowsweet	√		
<i>Dasineura ulmaria</i>		Gall on Meadowsweet	√		
<i>Dasineura urticae</i>		Gall on Common Nettle	√		
<i>Episyrphus balteatus</i>		Migrant Hoverfly		√	
<i>Eristalis pertinax</i>		Hoverfly	√		
<i>Hartigiola annulipes</i>		Gall on Beech leaves	√		
<i>Iteomyia capreae</i>		Gall on Willow	√		
<i>Iteomyia major</i>		Gall on Willow	√		
<i>Macrodiplosis pustulans</i>		Gall on oak leaf	√		
<i>Melanostoma scalare</i>		Hoverfly	√		
<i>Philaenus spumarius</i>		Cuckoo-spit insect	√		
<i>Phytomyza lappae</i>		Leaf mine on Burdock	√		
<i>Phytomyza Ionicerae</i>		Leaf mine in Honeysuckle	√		√
<i>Plemeliella betulicola</i>		Gall on Birch leaf midrib	√		
<i>Rhabdophaga cinerearum</i>		Rosette Gall on willow	√		
<i>Sphaerophora scripta</i>		Hoverfly	√		
<i>Taxomyia taxi</i>		Artichoke gall on yew	√		
<i>Wachtliella caricis</i>		Gall on <i>Carex pendula</i>	√	√	
Coleoptera	<i>Abax parallelepipedus</i>	Large Ground Beetle	√		
	<i>Agriotes acuminatus</i>	Click Beetle	√		
	<i>Anaspis maculata</i>	Tumbling Flower Beetle	√	√	
	<i>Anaspis regimbarti</i>	Tumbling Flower Beetle		√	
	<i>Anoplus plantaris</i>	Weevil		√	
	<i>Anthonomus rubi</i>	Weevil	√		
	<i>Aphidecta oblitterata</i>	Larch Ladybird		√	
	<i>Brachypterus urticae</i>	Small pollen feeder on Nettles	√		
	<i>Byturus tomentosus</i>	Raspberry Beetle		√	
	<i>Cantharis cryptica</i>	Soldier Beetle	√		
	<i>Chaetcnema concinna</i>	Flea Beetle		√	
	<i>Chalcoides aurea</i>	Weevil on willow			
	<i>Chilocorus renipustulatus</i>	Kidney-spot Ladybird		√	
	<i>Cionus scrophulariae</i>	Weevil on Figwort	√		
	<i>Clytus arietis</i>	Wasp Beetle	√		
	<i>Dalopius marginatus</i>	Small click Beetle	√		
<i>Denticollis linearis</i>	Click Beetle		√		

Ledbury Naturalists Field Surveys 2007 - Queens Wood

Group	Latin Name	Common Name	Location		
			Gen	6&8	3&4
	<i>Grammoptera ruficornis</i>	Small Longhorn Beetle	√	√	
	<i>Malachius bipustulatus</i>	Flower Beetle		√	
	<i>Malthodes minimus</i>	Small Soldier Beetle	√		
	<i>Melanotus villosus</i>	Large Click Beetle	√		
	<i>Meligethes viridescens</i>	Pollen Beetle		√	
	<i>Otiorhynchus singularis</i>	Raspberry Weevil	√		
	<i>Phyllobius argentatus</i>	Weevil	√		
	<i>Phyllobius pyri</i>	Weevil		√	
	<i>Polydrosus cervinus</i>	Weevil		√	
	<i>Propylea 14-punctata</i>	14 Spot Ladybird		√	
	<i>Pterostichus madidus</i>	Ground Beetle	√		
	<i>Rhagonycha lignosa</i>	Cantharid Beetle		√	
	<i>Rhyzobius litura</i>	Small Ladybird	√		
	<i>Scaphidium quadrimaculatum</i>	Fungus beetle		√	
	<i>Sitona humeralis</i>	A Broad-nosed Weevil			√
	<i>Stenus pallipes</i>	Small Rove Beetle			√
Hemiptera	<i>Aelia acuminata</i>	Bishop's Mitre Bug		√	
	<i>Anthocoris nemorum</i>	Common flower Bug	√		
	<i>Cicadella viridis</i>	Leafhopper	√		
	<i>Craspedolepta sonchi</i>	Jumping Plant Louse		√	
	<i>Cymus melanocephalus</i>	Ground Bug	√		
	<i>Dolycoris baccarum</i>	Sloe Bug	√		
	<i>Elasmostethus interstinctus</i>	Birch Shieldbug	√		
	<i>Elasmucha grisea</i>	Parent Bug	√		
	<i>Kleidocerys resedae</i>	Ground Bug			√
	<i>Lygocoris pabulinus</i>	Capsid Bug	√		
	<i>Lygocoris lucorum</i>	Capsid Bug	√		
	<i>Nabicaula limbata</i>	Marsh Damsel Bug	√		
	<i>Nabis rugosus</i>	Common Damson Bug	√		
	<i>Neophilaenus campestris</i>	Froghopper	√		
	<i>Palomena prasina</i>	Green Shield Bug	√		
	<i>Philaenus spumarius</i>	Common Frog Hopper	√		
	<i>Plagiognathus arbustorum</i>	Capsid Bug		√	
	<i>Stenodema laevigatum</i>	Capsid Bug	√		
	<i>Tachycixius pilosus</i>	Lace-winged planthopper	√	√	
	<i>Trioza remota</i>	Psyllid gall on oak leaves	√	√	
Hymenoptera	<i>Andricus fecundator</i>	Artichoke Gall on Oak twig	√		
	<i>Andricus kollari</i>	Marble Gall causer on Oak	√		√
	<i>Biorhiza pallida</i>	Oak Apple Gall	√		
	<i>Cynips disticha</i>	Gall on oak leaf	√		
	<i>Cynips divisia</i>	Red current Gall on Oak leaf	√		
	<i>Cynips longiventris</i>	Gall on oak leaf	√		
	<i>Cynips quercusfolii</i>	Gall on Oak leaves	√		
	<i>Formica rufa</i>	Ant	√	√	√
	<i>Lasius alienus</i>	Ant			√
	<i>Lasius brunneus</i>	Ant		√	
	<i>Leptothorax acervorum</i>	Small Ant	√		
	<i>Myrmica ruginodis</i>	Red Ant	√	√	√
	<i>Neuroterus albipes</i>	Smooth Spangle Gall on Oak	√		
	<i>Neuroterus anthracinus</i>	Oyster Gall on Oak	√		

Ledbury Naturalists Field Surveys 2007 - Queens Wood

Group	Latin Name	Common Name	Location		
			Gen	6&8	3&4
	<i>Vespa crabo</i>	Hornet		√	
Opiliones	<i>Oligolophus tridens</i>	Harvestman	√		
	<i>Opilio parietinus</i>	Harvestman	√		
Orthoptera	<i>Chorthippus parallelus</i>	Meadow Grasshopper	√		
	<i>Leptophyes punctatissima</i>	Spotted Bush Cricket	√	√	
	<i>Meconema thalassinum</i>	Oak Bush Cricket		√	
Thysanura	<i>Dilta hibernica</i>	Bristletail	√		√
Mecoptera	<i>Panorpa germanica</i>	Scorpion Fly	√	√	
Acari	<i>Acalitus brevitarsus</i>	Erineum gall on Alder	√		
	<i>Aceria machrochelus</i>	Gall on Field Maple leaf	√		
	<i>Eriophyes inangulis</i>	Gall on Alder leaves	√		
	<i>Eriophyes laevis</i>	Gall on Alder	√		
	<i>Eriophyes torminalis</i>	Gall on Wild Service tree	√		
	<i>Phytoptus avellanae</i>	Big Bud Gall on Hazel	√		
Isopoda	<i>Oniscus asellus</i>	Wood Louse	√	√	
	<i>Porcellio scaber</i>	Wood Louse	√	√	√
Diplopoda	<i>Cylindroiulus punctatus</i>	Club-tailed Millipede	√	√	√
	<i>Glomeris marginata</i>	Pill Millipede	√		√
	<i>Polydesmus angustus</i>	Flat-back Millipede	√		
	<i>Tachypodoiulus niger</i>	Snake Millipede	√		
Chilopoda	<i>Geophilus carpophagus</i>	Centipede			√
	<i>Lithobius forficatus</i>	Centipede	√	√	√
	<i>Lithobius variegatus</i>	Centipede	√		
Araneae	<i>Araniella cucurbitina</i>	Spider		√	
	<i>Areneus diadematus</i>	Cross Spider	√	√	
	<i>Enoplagnatha ovata</i>	Spider	√	√	
	<i>Metellina mendei</i>	Spider	√		√
	<i>Micrommata virescens</i>	Spider	√		
	<i>Misumena vatia</i>	Crab Spider			√
	<i>Paediscura pallens</i>	Spider	√	√	
	<i>Pisaura mirabilis</i>	Tent Spider	√		
	<i>Tetragnatha extensa</i>	Spider	√	√	
Collembola	<i>Orchesella cincta</i>	Springtail	√		
	<i>Tomocerus longicornis</i>	Springtail	√		√
Opiliones	<i>Leiobunum rotundum</i>	Harvestman	√		
	<i>Megabunus diadema</i>	Harvestman		√	
	<i>Mitopus morio</i>	Harvestman	√		
	<i>Rilaena triangularis</i>	Harvestman	√	√	
Mollusca	<i>Arion ater</i>	Large Black Slug	√	√	√

Ledbury Naturalists Field Surveys 2007 - Queens Wood

Group	Latin Name	Common Name	Location		
			Gen	6&8	3&4
	<i>Arion ater rufus</i>	Large Red Slug	√		
	<i>Arion subfuscus</i>	Forest or Dusky Slug	√		
	<i>Cepaea nemoralis</i>	Brown-lipped Banded Snail			√
	<i>Discus rotundatus</i>	Rounded Snail	√		√
	<i>Limax cinereoniger</i>	Ash-black Slug	√		
	<i>Monacha cantiana</i>	Kentish Snail	√		
	<i>Nesovitrea hammonis</i>		√		
	<i>Oxychilus cellarius</i>	Cellar Glass Snail	√		
	<i>Oxychilus draparnaldi</i>		√		
	<i>Trichia hispida</i>	Hairy Snail	√		
	<i>Trichia striolata</i>	Strawberry Snail	√		