

Flowering Plants

Key:

* Nationally Rare

Latin Name	Common Name	Notes
<i>Achillea ptarmica</i>	Sneezewort	
<i>Aegopodium podagraria</i>	Ground Elder	
<i>Agrimonia eupatoria</i>	Agrimony	
<i>Ajuga reptans</i>	Bugle	
<i>Alliaria petiolata</i>	Garlic Mustard	
<i>Allium ursinum</i>	Ramsons	
<i>Anemone nemorosa</i>	Wood Anemone	
<i>Angelica sylvestris</i>	Wild Angelica	
<i>Arctium minus</i>	Lesser Burdock	
<i>Arum maculatum</i>	Lords-and-Ladies	
<i>Bellis perennis</i>	Daisy	
<i>Caltha palustris</i>	Marsh-marigold	
<i>Cardamine flexuosa</i>	Wavy Bitter-cress	
<i>Cardamine hirsuta</i>	Hairy Bittercress	
<i>Cardamine pratensis</i>	Cuckooflower	
<i>Centaurea nigra</i>	Common Knapweed	
<i>Cerastium fontanum</i>	Common Mouse-ear	
<i>Chamerion angustifolium</i>	Rosebay Willowherb	
<i>Chrysosplenium oppositifolium</i>	Golden Saxifrage	
<i>Circaea lutetiana</i>	Enchanter's-nightshade	
<i>Cirsium arvense</i>	Creeping Thistle	
<i>Cirsium palustre</i>	Marsh Thistle	
<i>Clematis vitalba</i>	Traveller's-joy	
<i>Colchicum autumnale</i> *	Meadow Saffron	
<i>Conopodium majus</i>	Pignut	
<i>Crepis capillaris</i>	Smooth Hawk's-beard	
<i>Dactylorhiza fuchsii</i>	Common Spotted-orchid	
<i>Epilobium hirsutum</i>	Great Willowherb	
<i>Epilobium montanum</i>	Broad-leaved Willowherb	
<i>Epilobium parviflorum</i>	Hoary willowherb	
<i>Euphorbia amygdaloides</i>	Wood Spurge	
<i>Euphorbia peplus</i>	Petty Spurge	
<i>Filipendula ulmaria</i>	Meadowsweet	
<i>Galium aparine</i>	Cleavers	
<i>Galium odoratum</i>	Woodruff	
<i>Galium palustre</i>	Marsh Bedstraw	
<i>Galium verum</i>	Lady's Bedstraw	
<i>Geranium robertianum</i>	Herb Robert	
<i>Geum urbanum</i>	Wood Avens	
<i>Glechoma hederacea</i>	Ground Ivy	
<i>Hedera helix</i>	Ivy	
<i>Heracleum sphondylium</i>	Hogweed	
<i>Hieracium sp.</i>	Hawkweed	
<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Hypericum hirsutum</i>	Hairy St.John's Wort	
<i>Hypericum perforatum</i>	Perforate St. John's Wort	
<i>Impatiens glandulifera</i>	Himalayan Balsam	Needs control
<i>Iris pseudacorus</i>	Yellow Iris	

Ledbury Naturalists Field Surveys 2010 - Purlieu

Latin Name	Common Name	Notes
<i>Lamiasstrum galeobdolon</i>	Yellow Archangel	
<i>Lapsana communis</i>	Nipplewort	
<i>Lathraea squamaria</i>	Toothwort	
<i>Lathyrus pratensis</i>	Meadow Vetchling	
<i>Lathyrus linifolius</i>	Bitter Vetchling	
<i>Leontodon autumnalis</i>	Autumn Hawkbit	
<i>Leontodon hispidus</i>	Rough Hawkbit	
<i>Leucojum aestivum</i>	Summer Snowflake	garden escape
<i>Linum catharticum</i>	Fairy Flax	
<i>Lonicera periclymenum</i>	Honeysuckle	
<i>Lotus corniculatus</i>	Bird's-foot-trefoil	
<i>Lotus pedunculatus</i>	Greater Birdsfoot Trefoil	
<i>Lysimachia nemorum</i>	Yellow Pimpernel	
<i>Lysimachia nummularia</i>	Creeping Jenny	
<i>Mentha aquatica</i>	Water Mint	
<i>Mentha arvensis</i>	Corn Mint	
<i>Mercurialis perennis</i>	Dog's Mercury	
<i>Mycelis muralis</i>	Wall Lettuce	
<i>Myosotis discolor</i>	Changing Forget-me-not	
<i>Oxalis acetosella</i>	Wood-sorrel	
<i>Oxalis corniculata</i>	Creeping Wood-sorrel	garden escape
<i>Paris quadriflora</i>	Herb Paris	
<i>Plantago lanceolata</i>	Ribwort Plantain	
<i>Plantago major</i>	Greater Plantain	
<i>Polygonum aviculare</i>	Knotgrass	
<i>Potentill sterilis</i>	Barren Strawberry	
<i>Potentilla anserina</i>	Silverweed	
<i>Potentilla reptans</i>	Creeping Cinquefoil	
<i>Primula veris</i>	Cowslip	
<i>Primula vulgaris</i>	Primrose	
<i>Prunella vulgaris</i>	Selfheal	
<i>Pulicaria dysenterica</i>	Common Fleabane	
<i>Ranunculus flammula</i>	Lesser Spearwort	
<i>Ranunculus acris</i>	Meadow Buttercup	
<i>Ranunculus auricomus</i>	Goldilocks Buttercup	
<i>Ranunculus bulbosus</i>	Bulbous Buttercup	
<i>Ranunculus ficaria</i>	Lesser Celandine	
<i>Ranunculus repens</i>	Creeping Buttercup	
<i>Rhinanthus minor</i>	Yellow Rattle	
<i>Rumex acetosa</i>	Common Sorrel	
<i>Rumex conglomeratus</i>	Clustered Dock	
<i>Rumex obtusifolia</i>	Broad-leaved Dock	
<i>Rumex sanguineus</i>	Wood Dock	
<i>Sanicula europaea</i>	Sanicle	
<i>Scrophularia auriculata</i>	Water Figwort	
<i>Scrophularia nodosa</i>	Common Figwort	
<i>Senecio jacobaea</i>	Ragwort	
<i>Stachys sylvatica</i>	Hedge Woundwort	
<i>Stellaria graminea</i>	Lesser Stitchwort	
<i>Stellaria holostea</i>	Greater Stitchwort	
<i>Stellaria media</i>	Common Chickweed	
<i>Stellaria uliginosa</i>	Bog Stitchwort	Top meadow
<i>Tamus communis</i>	Black Bryony	

Ledbury Naturalists Field Surveys 2010 - Purlieu

Latin Name	Common Name	Notes
<i>Taraxacum officinale</i>	Dandelion	
<i>Tellima grandiflora</i>	Fringe Cups	garden escape
<i>Trifolium pratense</i>	Red Clover	
<i>Trifolium repens</i>	White Clover	
<i>Ulex europaea</i>	Gorse	
<i>Urtica dioica</i>	Stinging Nettle	
<i>Veronica beccabunga</i>	Brooklime	
<i>Veronica chamaedrys</i>	Germander Speedwell	
<i>Veronica filiformis</i>	Slender Speedwell	
<i>Veronica hederifolia</i>	Ivy-leaved Speedwell	
<i>Vicia hirsuta</i>	Hairy Tare	
<i>Vicia sativa</i>	Common Vetch	
<i>Vicia sepium</i>	Bush Vetch	
<i>Viola reichenbachiana</i>	Early Dog-violet	
<i>Viola riviniana</i>	Common Dog-violet	

Grasses, Sedges and Rushes

Group	Latin Name	Common Name	Notes
Grasses	<i>Alopecurus pratensis</i>	Meadow Foxtail	
	<i>Anthoxanthum odoratum</i>	Sweet Vernal-grass	
	<i>Arrhenatherum elatius</i>	False Oat-grass	
	<i>Brachypodium sylvaticum</i>	False Brome	
	<i>Briza media</i>	Quaking Grass	
	<i>Bromopsis ramosus</i>	Hairy Brome	
	<i>Cynosurus cristatus</i>	Crested Dog's-tail	
	<i>Dactylis glomerata</i>	Cocksfoot	
	<i>Deschampsia cespitosa</i>	Tufted Hair-grass	
	<i>Festuca ovina</i>	Sheep's Fescue	
	<i>Festuca rubra</i>	Red Fescue	
	<i>Holcus lanatus</i>	Yorkshire Fog	
	<i>Holcus mollis</i>	Creeping Soft-grass	
	<i>Hordeum secalinum</i>	Meadow Barley	
	<i>Lolium perenne</i>	Perennial Ryegrass	
	<i>Poa annua</i>	Annual Meadow-grass	
<i>Poa trivialis</i>	Rough Stalked Meadow-grass		
<i>Trisetum flavescens</i>	Yellow Oatgrass		
Rushes	<i>Juncus articulatus</i>	Jointed Rush	
	<i>Juncus conglomeratus</i>	Compact Rush	
	<i>Juncus effusus</i>	Soft Rush	
	<i>Juncus inflexus</i>	Hard Rush	
Woodrushes	<i>Luzula campestris</i>	Wood-rush	
Sedges	<i>Carex flacca</i>	Glaucous Sedge	
	<i>Carex ovalis</i>	Oval Sedge	
	<i>Carex pallescens</i>	Pale Sedge	uncommon
	<i>Carex remota</i>	Remote Sedge	
	<i>Carex spicata</i>	Spicked Sedge	
	<i>Carex sylvatica</i>	Wood Sedge	
	<i>Cyperus longus</i>	Galingale	planted/naturalised
	<i>Eleocharis palustris</i> agg.	Common Spike-rush	
<i>Schoenoplectus lacustris</i>	Common Club-rush		

Trees and Shrubs

Latin Name	Common Name	Notes
<i>Acer campestre</i>	Field Maple	
<i>Acer sp.</i>	Sugar Maple	
<i>Aesculus hippocastanum</i>	Horse Chestnut	
<i>Alnus glutinosa</i>	Alder	
<i>Betula pendula</i>	Silver Birch	
<i>Castanea sativa</i>	Sweet Chestnut	
<i>Cornus sanguinea</i>	Dogwood	
<i>Corylus avellana</i>	Hazel	
<i>Crataegus monogyna</i>	Hawthorn	
<i>Euonymus europaeus</i>	Spindle	
<i>Fagus sylvatica</i>	Beech	
<i>Fraxinus excelsior</i>	Ash	
<i>Hedera helix</i>	Ivy	
<i>Ilex aquifolium</i>	Holly	
<i>Juglans regia</i>	Walnut	
<i>Malus domestica</i>	Apple	
<i>Malus sylvestris</i>	Crab Apple	
<i>Populus tremula</i>	Aspen	
<i>Prunus avium</i>	Wild Cherry	
<i>Prunus domestica</i>	Wild plum	
<i>Prunus domestica</i>	Damson	
<i>Prunus spinosa</i>	Blackthorn	
<i>Quercus robur</i>	Pedunculate Oak	
<i>Ribes rubrum</i>	Red Currant	
<i>Rosa arvensis</i>	Field Rose	
<i>Rosa canina</i>	Dog Rose	
<i>Rubus fruticosus</i>	Bramble	
<i>Rubus idaeus</i>	Raspberry	
<i>Salix alba</i>	White Willow	
<i>Salix caprea</i>	Goat Willow	
<i>Sambucus nigra</i>	Elder	
<i>Sorbus aucuparia</i>	Mountain Ash	
<i>Taxus baccata</i>	Yew	
<i>Ulex europaea</i>	Gorse	
<i>Ulmus glabra</i>	Wych Elm	
<i>Viburnum opulus</i>	Guelder Rose	

Fungi and other non flowering Plants

Group	Latin Name	Common Name	Notes
Fungi	<i>Armillaria mellea</i>	Honey Fungus	
	<i>Auricularia auricula-judae</i>	Jelly Ear	
	<i>Bolbitius vitellinus</i>		
	<i>Clitocybe geotropa</i>		
	<i>Clitocybe nebularis</i>	Clouded Agaric	
	<i>Colletotrichum liliacearum</i>		on Bluebell scape
	<i>Collybia butyracea</i>	Butter Cap	
	<i>Crepidotus mollis</i>		
	<i>Dadaeleopsis confragosa</i>	Blushing Bracket	
	<i>Daldinia concentrica</i>	King Alfred's Cakes	
	<i>Entoloma rhodopolium</i>		
	<i>Guignardia aesculi</i>		on Horse Chestnut leaves
	<i>Hebeloma crustuliniforme</i>	Poison pie	
	<i>Hygrocybe chloroplana</i>	Waxcap	
	<i>Hygrocybe pratensis</i>		
	<i>Hypholoma fasciculare</i>	Sulphur Tuft	
	<i>Hypoxylon fuscum</i>		on Hazel
	<i>Laccaria laccata</i>	The Deceiver	
	<i>Lactarius subdulcis</i>	Milk-cap	
	<i>Leccinum scabrum</i>		
	<i>Lycoperdon exipuliformis</i>	Puff-ball	
	<i>Lycoperdon perlatum</i>	Puff-ball	
	<i>Macrolepiota procera</i>	Parasol	
	<i>Mucilago crustacea</i>		
	<i>Mycena alcalina</i>		
	<i>Paxillus involutus</i>	Roll Rim	
	<i>Pitoporus betulinus</i>	Razor Strop Fungus	
	<i>Polyporus varius</i>		
	<i>Psathyrella spadiceogrisa</i>	a spring Psathyrella	
	<i>Ramularia rubella</i>	Black spot on Dock leaves	
	<i>Rhopoglyphus filicinus</i>		on dead Bracken petiole
	<i>Rhytisma acerinum</i>	Tar spot	
	<i>Trametes versicolour</i>	Many-zoned Polypore	
	<i>Tricholoma columbetta</i>		
	<i>Xylaria hypoxylon</i>	Candle-snuff Fungus	
Mosses	<i>Brachythecium rutabulum</i>		
	<i>Amblystegium serpens</i>		
	<i>Atrichium undulatum</i>		
	<i>Bryum capillare</i>		
	<i>Calliergonella cuspidata</i>		
	<i>Ceratodon pupureus</i>		
	<i>Dicranella heteromalla</i>		
	<i>Eurhynchium praelongum</i>		
	<i>Eurhynchium striatum</i>		
	<i>Fissidens bryoides</i>		
	<i>Fissidens taxifolius</i>		
	<i>Hypnum andoi</i>		
	<i>Hypnum resputinatum</i>		
	<i>Mnium hornum</i>		
	<i>Orthotrichum affine</i>		
	<i>Orthotrichum diaphanum</i>		

Ledbury Naturalists Field Surveys 2010 - Purlieu

Group	Latin Name	Common Name	Notes
	<i>Oxyrrhynchium hians</i>		
	<i>Plagiomnium rostratum</i>		
	<i>Plagiothecium succulentum</i>		
	<i>Pseudoscleropodium purum</i>		
	<i>Rhizomnium punctatum</i>		
	<i>Rhyncostegium confertum</i>		
	<i>Rhytidiadelphus squarrosus</i>		
	<i>Syntrichia laevipila</i>		
	<i>Thuidium tamariscinum</i>		
	<i>Ulota bruchii</i>		
Alga	<i>Trentepohlia aurea</i>		
Liverworts	<i>Conocephalum conicum</i>		
	<i>Lophocolea heterophylla</i>		
	<i>Metzgeria furcata</i>		
	<i>Pellia endivifolia</i>		
	<i>Radula complanata</i>		
Ferns	<i>Athyrium filix-femina</i>	Lady-fern	
	<i>Dryopteris dilatata</i>	Broad Buckler-fern	
	<i>Dryopteris filix-mas</i>	Male-fern	
	<i>Pteridium aquilinum</i>	Bracken	

Birds

Latin Name	Common Name
<i>Accipiter nisus</i>	Sparrowhawk
<i>Aegithalos caudatus</i>	Long Tailed Tit
<i>Buteo buteo</i>	Buzzard
<i>Certhia familiaris</i>	Treecreeper
<i>Columba oenas</i>	Stock Dove
<i>Columba palumbus</i>	Wood Pigeon
<i>Corvus corax</i>	Raven
<i>Corvus corone</i>	Carrion Crow
<i>Corvus monedula</i>	Jackdaw
<i>Dendrocopos major</i>	Great Spotted Woodpecker
<i>Erithacus rubecula</i>	Robin
<i>Falco tinnunculus</i>	Kestrel
<i>Fringilla coelebs</i>	Chaffinch
<i>Garrulus glandarius</i>	Jay
<i>Hirundo rustica</i>	Swallow
<i>Parus ater</i>	Coal Tit
<i>Parus caeruleus</i>	Blue Tit
<i>Parus major</i>	Great Tit
<i>Phasianus colchicus</i>	Pheasant
<i>Phylloscopus collybita</i>	Chiff Chaff
<i>Pica pica</i>	Magpie
<i>Picus viridis</i>	Green Woodpecker
<i>Prunella modularis</i>	Dunnock
<i>Pyrrhula pyrrhula</i>	Bullfinch
<i>Regulus regulus</i>	Goldcrest
<i>Sitta europaea</i>	Nuthatch
<i>Sylvia atricapilla</i>	Blackcap
<i>Sylvia borin</i>	Garden Warbler
<i>Troglodytes troglodytes</i>	Wren
<i>Turdus merula</i>	Blackbird
<i>Turdus philomelos</i>	Song Thrush

Insects, other Invertebrates and Vertebrates

Group	Latin Name	Common Name	Notes
Lepidoptera	<i>Aglais urticae</i>	Small Tortoiseshell	
	<i>Anthocharis cardamines</i>	Orange tip	
	<i>Autographa gamma</i>	Silver Y Moth	
	<i>Callistege mi</i>	Mother Shipton Moth	
	<i>Cameraria ohridella</i>	Leaf mining moth on Horsechestnut	
	<i>Erynnis tages</i> *	Dingy Skipper	Seen on 21 st May
	<i>Euclidia glyphica</i>	Burnet Companion Moth	
	<i>Gonepteryx rhamni</i>	Brimstone	
	<i>Inachis io</i>	Peacock	
	<i>Lycaena phlaeas</i>	Small Copper	
	<i>Maniola jurtina</i>	Meadow Brown	
	<i>Melanargia galathea</i>	Marbled White	Abundant
	<i>Mythimna comma</i>	Shoulder-striped Wainscot Moth	
	<i>Ochlodes venata</i>	Large Skipper	
	<i>Pararge aegeria</i>	Speckled Wood	
	<i>Perizoma albulata</i>	Grass Rivulet moth	
	<i>Pieris brassicae</i>	Large White	
	<i>Pieris napi</i>	Green-veined White	
	<i>Pieris rapae</i>	Small White	
	<i>Polygonia c-album</i>	Comma	
	<i>Polyommatus icarus</i>	Common Blue	
	<i>Pyronia tithonus</i>	Gatekeeper	
	<i>Rivula sericealis</i>	Straw Dot Moth	
	<i>Stigmella aurella</i>	Leaf Mine on Bramble	
	<i>Thymelicus sylvestris</i>	Small Skipper	
	<i>Vanessa atalanta</i>	Red Admiral	
<i>Xanthorhoe montanata</i>	Silver-ground Carpet Moth		
<i>Zygaena filipendulae</i>	Six-spot Burnet Moth	Abundant	
Diptera	<i>Bombylius major</i>	Beefly	
	<i>Chirosia betuleti</i>	Gall on Lady Fern	
	<i>Chirosia grossicauda</i>	Gall on Bracken	
	<i>Dasineura ulmaria</i>	Gall on Meadowsweet	
	<i>Harmandiola tremulae</i>	Gall on Aspen leaves	
	<i>Iteomyia caprae</i>	Gall on Willow	
	<i>Phytomyza ilicis</i>	Leaf mine on holly	
	<i>Syrphus vitripennis</i>	Hoverfly	
	<i>Urophora cardui</i>	Gall on Thistle	
	<i>Xanthogramma pedissequum</i>	Hoverfly	
Coleoptera	<i>Abax parallelepipedus</i>	Ground Beetle	
	<i>Agriotes acuminatus</i>	Click Beetle	
	<i>Agriotes pallidulus</i>	Click Beetle	
	<i>Altica lythri</i>	Flea Beetle	
	<i>Altica oleracea</i>	Flea Beetle	
	<i>Anaspis frontalis</i>	Tumbling Flower Beetle	
	<i>Anotylus rugosus</i>	Small staphylinid	
	<i>Aridius bifasciatus</i>	Leaf litter Beetle	

Ledbury Naturalists Field Surveys 2010 - Purlieu

Group	Latin Name	Common Name	Notes
	<i>Athous haemorrhoidalis</i>	Click Beetle	
	<i>Brachypterus glaber</i>	Black Beetle on Nettles	
	<i>Calvia 14-guttata</i>	Cream-spot Ladybird	
	<i>Chaetocnema concinna</i>	Flea Beetle	
	<i>Cidnopus aeruginosus</i>	Click Beetle	
	<i>Coccinella 7-punctata</i>	7-spot Ladybird	
	<i>Corticara gibbosa</i>	Very small Plaster Beetle	
	<i>Crepidodera aurea</i>	Flea Beetle on Willows	
	<i>Crepidodera ferruginea</i>	Red Flea Beetle on thistle	
	<i>Crepidodera transversa</i>	Flea Beetle on Thistles	
	<i>Epurea aestiva</i>	Small Flower Beetle	
	<i>Epurea melanocephala</i>	Small Flower Beetle	
	<i>Gabrius nigrutilus</i>	Rove Beetle	
	<i>Gyrohypnus angustatus</i>	Rove Beetle	
	<i>Halyzia 16-guttata</i>	Orange Ladybird	
	<i>Lema cyanella</i>	Leaf Beetle	
	<i>Loricera pilicornis</i>	Ground Beetle	
	<i>Meligethes aeneus</i>	Pollen Beetle	
	<i>Meligethes viridescens</i>	Pollen Beetle	
	<i>Ocypus olens</i>	Devil's Coach Horse	
	<i>Onthophagus joannae</i>	Dung Beetle	
	<i>Oulema lichenis</i>	Leaf Beetle	
	<i>Philonthus addendus</i>	Rove Beetle	
	<i>Phyllobius roboretinus</i>	Small Green Nettle Weevil	
	<i>Pirapion atratum</i>	Small Weevil	
	<i>Plateumaris sericea</i>	Wetland leaf Beetle	
	<i>Platystethus arenarius</i>	Small Staphylinid	
	<i>Propylea 14-punctata</i>	14-spot Ladybird	
	<i>Protapion fulvipes</i>	Small Weevil	
	<i>Protapion trifolii</i>	Small Weevil	
	<i>Psylliodes chrysocephala</i>	Cabbage stem Flea Beetle	
	<i>Pterostichus niger</i>	Large Black Ground beetle	
	<i>Rhagonycha fulva</i>	Common Soldier Beetle	
	<i>Rhagonycha testacea</i>	Soldier Beetle	
	<i>Sitona cylindricollis</i>	Broad-nosed Weevil	
	<i>Sitona hispidulus</i>	Clover Weevil	
	<i>Sitona linearis</i>	Broad-nosed Weevil	
	<i>Sphaeroderma testacea</i>	Flea Beetle	
	<i>Stenus brunnipes</i>	Rove Beetle	
	<i>Subcoccinella 24-punctata</i>	24-spot Ladybird	
	<i>Tachinus signatus</i>	Rove Beetle	
	<i>Tachyporus chrysomelinus</i>	Small Rove Beetle	
	<i>Tachyporus hypnorum</i>	Small Rove Beetle	
	<i>Tachyporus nitidulus</i>	Small Rove Beetle	
	<i>Trichosirocalus troglodytes</i>	Small Weevil on plantains	
Hemiptera	<i>Acanthosoma haemorrhoidale</i>	Shield Bug	
	<i>Acetropis gimmerthali</i>	Capsid Bug	
	<i>Anthocoris nemorum</i>	Common flower Bug	
	<i>Aphrodes bicinctus</i>	Leaf Hopper	

Ledbury Naturalists Field Surveys 2010 - Purlieu

Group	Latin Name	Common Name	Notes
	<i>Aphrophora alni</i>	Large Froghopper	
	<i>Calocoris stysi</i>	Capsid Bug	
	<i>Cicadella viridis</i>	Leaf Hopper	
	<i>Corizus hyacyami</i>	Rhopalid Bug	
	<i>Dolycoris baccarum</i>	Sloe Bug	
	<i>Elasmotethus interstinctus</i>	Birch Shield Bug	
	<i>Eupteryx aurata</i>	Potato Leafhopper	
	<i>Evacanthus interruptus</i>	Leafhopper	
	<i>Harpocera thoracica</i>	Plant Bug on oak	
	<i>Nabicala limbata</i>	Capsid Bug	
	<i>Nabis rugosus</i>	Common Damson Bug	
	<i>Orthotylus marginalis</i>	Capsid Bug	
	<i>Pantilius tunicatus</i>	Large mirid bug on Alder	
	<i>Pentatoma rufipes</i>	Forest Bug	
	<i>Philaenus spumarius</i>	Common Frog Hopper	
	<i>Picromerus bidens</i>	Predatory Shield Bug	
	<i>Plagiognathus arbustorum</i>	Capsid Bug	
	<i>Stenodema laevigatum</i>	Grass Bug	
	<i>Trioza remota</i>	Psyllid gall on Oak	
	<i>Tingis cardui</i>	Lace Bug on Thistles	
Hymenoptera	<i>Andricus fecundator</i>	Artichoke gall on Oak	
	<i>Andricus kollari</i>	Marble Gall causer on Oak	
	<i>Andricus lignicola</i>	Cola-nut gall on Oak	
	<i>Apis mellifera</i>	Honey Bee	
	<i>Bombus hortorum</i>	Small Garden Bumble Bee	
	<i>Bombus lapidarius</i>	Red-tailed Bumble Bee	
	<i>Bombus lucorum</i>	White-tailed Bumble Bee	
	<i>Bombus pascuorum</i>	Common Carder Bee	
	<i>Bombus pratorum</i>	Early Bumble Bee	
	<i>Bombus terrestris</i>	Buff-tailed Bumble Bee	
	<i>Cynips longiventris</i>	Stripped-pea gall on Oak	
	<i>Lasius flavus</i>	Yellow Meadow Ant	
	<i>Neuroterus albipes</i>	Smooth Spangle Gall on Oak	
	<i>Neuroterus anthracinus</i>	Oyster Gall on Oak	
	<i>Neuroterus numismalis</i>	Silk-button spangle gall	
	<i>Neuroterus quercusbaccarum</i>	Common Spangle Gall on Oak	
	<i>Pontania viminalis</i>	Leaf Gall on Willow	
Opiliones	<i>Dicranopalpus ramosus</i>	Harvestman	
	<i>Leiobunum rotundum</i>	Harvestman	
	<i>Opilio saxatilis</i>	Harvestman	
	<i>Paroligolophus agrestis</i>	Harvestman	
Odonata	<i>Aeshna cyanea</i>	Southern Hawker	
	<i>Platycnemis pennipes</i>	White-legged Damselfly	unusual to find away from river system
Orthoptera	<i>Chorthippus parallelus</i>	Meadow Grasshopper	

Ledbury Naturalists Field Surveys 2010 - Purlieu

Group	Latin Name	Common Name	Notes
Mecoptera	<i>Panorpa communis</i>	Scorpion Fly	
Acari	<i>Acalitus brevitarsus</i>	Erineum gall on Alder	
	<i>Aceria aceracampestris</i>	Gall on Field Maple leaf	
	<i>Aceria macrorhyncus</i>	Gall on Field Maple leaf	
	<i>Eriophyes laevis</i>	Gall on Alder	
	<i>Eriophyes sorbi</i>	Gall on Rowan leaves	
	<i>Phyllocoptes populi</i>	Gall on Aspen leaves	
	<i>Phytoptus avellanae</i>	Big Bud Gall on Hazel	
Dermaptera	<i>Forficula auricularia</i>	Earwig	
Isopoda	<i>Glomeris marginata</i>	Pill Wood Louse	
	<i>Oniscus asellus</i>	Wood Louse	
	<i>Porcellio scaber</i>	Wood Louse	
Diplopoda	<i>Cylindroiulus punctatus</i>	Club-tailed Millipede	
	<i>Polydesmus angustus</i>	Flat-backed Millipede	
	<i>Polydesmus denticulatus</i>	Flat-backed Millipede	
Chilopoda	<i>Lithobius forficatus</i>	Centipede	
	<i>Lithobius variegatus</i>	Centipede	
Araneae	<i>Araneus diadematus</i>	Cross Spider	
	<i>Metellina mengei</i>	Spider	
	<i>Paidiscura pallens</i>	Spider	
Collembola	<i>Tomocerus longicornis</i>	Springtail	
Mollusca	<i>Aegopinella nitidula</i>	Smooth Glass Snail	
	<i>Arion ater</i>	Large Black Slug	
	<i>Arion subfuscus</i>	Dusky Slug	
	<i>Balea perversa</i>	Tree Snail	
	<i>Clausilia bidentata</i>	Two-toothed Door Snail	
	<i>Cochlodina laminata</i>	Plaited Door Snail	
	<i>Hygromia limbata</i>	Hedge Snail	
	<i>Trichia hispida</i>	Hairy Snail	
Amphibia	<i>Rana temporaria</i>	Frog	
Mammalia	<i>Capreolus capreolus</i>	Roe Deer	
	<i>Meles meles</i>	Badger	
	<i>Microtus agrestis</i>	Field Vole	
	<i>Muntiacus muntjak</i>	Muntjac	
	<i>Oryctolagus cuniculus</i>	Rabbit	
	<i>Talpa europaea</i>	Mole	