

## Flowering Plants

### AWI Ancient Woodland Indicator plant

Latin Name	Common Name	Notes
<i>Achillea millefolium</i>	Yarrow	
<i>Agrimonia eupatoria</i>	Agrimony	
<i>Ajuga reptans</i>	Bugle	
<i>Anagallis arvensis</i>	Scarlet Pimpernel	
<i>Anemone nemorosa</i>	Wood Anemone	AWI
<i>Angelica sylvestris</i>	Angelica	
<i>Anthriscus sylvestris</i>	Cow Parsley	
<i>Aphanes arvensis</i>	Parsley Piert	
<i>Arctium lappa</i>	Greater Burdock	
<i>Artemisia vulgaris</i>	Mugwort	
<i>Arum maculatum</i>	Lords-and-Ladies	
<i>Bellis perennis</i>	Daisy	
<i>Callitriche stagnalis</i>	Common Water-starwort	in pond
<i>Caltha palustris</i>	Marsh-marigold	
<i>Calystegia sepium</i>	Hedge Bindweed	
<i>Capsella bursa-pastoris</i>	Shepherd's-purse	
<i>Cardamine flexuosa</i>	Wavy Bitter-cress	
<i>Cardamine hirsuta</i>	Hairy Bittercress	
<i>Cardamine pratensis</i>	Cuckooflower	
<i>Centaurea nigra</i>	Common Knapweed	Sown
<i>Centaurium erythraea</i>	Common Centaury	
<i>Cerastium fontanum</i>	Common Mouse-ear	
<i>Chaerophyllum temulum</i>	Rough Chervil	
<i>Chamerion angustifolium</i>	Rosebay Willowherb	
<i>Chenopodium album</i>	Fat Hen	
<i>Chrysosplenium oppositifolium</i>	Opposite-leaved Golden-saxifrage	AWI
<i>Cichorium intybus</i>	Chicory	Sown
<i>Circaea lutetiana</i>	Enchanter's-nightshade	
<i>Cirsium arvense</i>	Creeping Thistle	
<i>Cirsium palustre</i>	Marsh Thistle	
<i>Cirsium vulgare</i>	Spear Thistle	
<i>Conium maculatum</i>	Hemlock	
<i>Convolvulus arvensis</i>	Field Bindweed	
<i>Coronopus squamatus</i>	Swine Cress	by buildings
<i>Crepis capillaris</i>	Smooth Hawk's-beard	
<i>Dactylorhiza fuchsii</i>	Common Spotted-orchid	
<i>Daucus carota</i>	Wild Carrot	Sown
<i>Digitalis purpurea</i>	Foxglove	
<i>Dipsacus fullonum</i>	Wild Teasel	Sown
<i>Epilobium parviflorum</i>	Hoary Willowherb	
<i>Epilobium hirsutum</i>	Great Willowherb	
<i>Epilobium montanum</i>	Broad-leaved Willowherb	
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	
<i>Euphorbia peplus</i>	Petty Spurge	by buildings
<i>Euphorbia amygdaloides</i>	Wood Spurge	AWI
<i>Fagopyrum esculentum</i>	Buckwheat	Sown
<i>Filago sp.</i>	Cudweed	
<i>Filipendula ulmaria</i>	Meadowsweet	

Ledbury Naturalists Field Survey 2012 Hill Farm

Latin Name	Common Name	Notes
<i>Galiopsis tetrahit</i>	Common Hemp-nettle	White and pink forms
<i>Galium aparine</i>	Cleavers	
<i>Galium mollugo</i>	Hedge Bedstraw	Sown
<i>Galium odoratum</i>	Woodruff	AWI
<i>Geranium dissectum</i>	Cut-leaved Crane's-bill	
<i>Geranium molle</i>	Dove's-foot Crane's-bill	
<i>Geranium robertianum</i>	Herb Robert	
<i>Geum urbanum</i>	Wood Avens	AWI
<i>Glechoma hederacea</i>	Ground Ivy	
<i>Glyceria fluitans</i>	Floating Sweet-grass	Fish ponds and marshy areas
<i>Gnaphalium uliginosum</i>	Marsh Cudweed	
<i>Hedera helix</i>	Ivy	
<i>Heracleum sphondylium</i>	Hogweed	
<i>Humulus lupulus</i>	Hop	
<i>Hyacinthoides non-scripta</i>	Bluebell	AWI
<i>Hypericum hirsutum</i>	Hairy St John's-wort	
<i>Hypericum maculatum</i>	Imperforate St John's-wort	
<i>Hypericum pulchrum</i>	Slender St John's-wort	AWI
<i>Hypericum tetrapterum</i>	Square-stalked St. John's Wort	
<i>Hypochaeris radicata</i>	Cat's-ear	
<i>Knautia arvensis</i>	Field Scabious	Sown
<i>Lamiasstrum galeobdolon</i>	Yellow Archangel	
<i>Lamiasstrum sp.</i>	Variegated leaf version.	
<i>Lamium album</i>	White Dead-nettle	
<i>Lamium purpureum</i>	Red Dead-nettle	
<i>Lapsana communis</i>	Nipplewort	
<i>Lathyrus pratensis</i>	Meadow Vetchling	
<i>Latuca serriola</i>	Prickly Lettuce	
<i>Lemna minor</i>	Duckweed	Fish ponds
<i>Leontodon autumnalis</i>	Autumn Hawkbit	
<i>Leucanthemum vulgare</i>	Oxeye Daisy	Sown
<i>Lonicera periclymenum</i>	Honeysuckle	
<i>Lotus corniculatus</i>	Bird's-foot-trefoil	
<i>Lotus pedunculatus</i>	Greater Birdsfoot Trefoil	
<i>Lysimachia nemorum</i>	Yellow Pimpernel	AWI
<i>Lysimachia nummularia</i>	Creeping Jenny	
<i>Malva neglecta</i>	Dwarf Mallow	
<i>Malva sylvestris</i>	Common Mallow	
<i>Matricaria discoidea</i>	Pineappleweed	
<i>Matricaria recutita</i>	Scented Mayweed	
<i>Melilotus albus</i>	White Melilot	
<i>Melilotus altissima</i>	Golden Melilot	
<i>Mercurialis perennis</i>	Dog's Mercury	
<i>Myosotis arvensis</i>	Field Forget-me-not	
<i>Myosotis sylvatica</i>	Wood Forget-me-not	AWI
<i>Odontites verna</i>	Red Bartsia	
<i>Onobrychis viciifolia</i>	Sainfoin	Sown
<i>Orchis mascula</i>	Early Purple Orchid	
<i>Oxalis acetosella</i>	Wood Sorrel	AWI
<i>Persicaria maculosa</i>	Redleg	
<i>Picris echioides</i>	Bristly Oxtongue	
<i>Plantago lanceolata</i>	Ribwort Plantain	
<i>Plantago major</i>	Greater Plantain	

Ledbury Naturalists Field Survey 2012 Hill Farm

Latin Name	Common Name	Notes
<i>Polygonum aviculare</i>	Knotgrass	
<i>Potentilla anserina</i>	Silverweed	
<i>Potentilla Sterilis</i>	Barren Strawberry	AWI
<i>Primula vulgaris</i>	Primrose	AWI
<i>Prunella vulgaris</i>	Selfheal	
<i>Ranunculus acris</i>	Meadow Buttercup	
<i>Ranunculus ficaria</i>	Lesser Celandine	
<i>Ranunculus repens</i>	Creeping Buttercup	
<i>Rhinanthus minor</i>	Yellow Rattle	
<i>Rumex crispus</i>	Curled Dock	
<i>Rumex obtusifolia</i>	Broad-leaved Dock	
<i>Rumex sanguineus</i>	Wood Dock	
<i>Sanicula europeae</i>	Sanicle	AWI
<i>Scrophularia nodosa</i>	Common Figwort	
<i>Senecio jacobaea</i>	Ragwort	
<i>Senecio viscosus</i>	Sticky Groundsel	
<i>Senecio vulgaris</i>	Groundsel	
<i>Silene album</i>	White Champion	Sown
<i>Silene dioica</i>	Red Champion	
<i>Sison amomum</i>	Stone Parsley	
<i>Sisymbrium officinale</i>	Hedge Mustard	
<i>Solanum dulcamara</i>	Bittersweet	
<i>Sonchus arvensis</i>	Perennial Sow-thistle	
<i>Sonchus oleraceus</i>	Smooth Sowthistle	
<i>Stachys sylvatica</i>	Hedge Woundwort	
<i>Stellaria graminea</i>	Lesser Stitchwort	
<i>Stellaria holostea</i>	Greater Stitchwort	
<i>Stellaria media</i>	Common Chickweed	
<i>Tamus communis</i>	Black Briony	
<i>Taraxacum officinale</i>	Dandelion	
<i>Torilis japonica</i>	Upright Hedge-parsley	
<i>Tragopogon pratensis</i>	Goat's-beard	
<i>Trifolium campestre</i>	Hop Trefoil	
<i>Trifolium pratense</i>	Red Clover	
<i>Trifolium repens</i>	White Clover	
<i>Tripleurospermum inodorum</i>	Scentless Mayweed	
<i>Tussilago farfara</i>	Colt's-foot	
<i>Urtica dioica</i>	Stinging Nettle	
<i>Valerian officinalis</i>	Common Valerian	
<i>Veronica arvensis</i>	Wall Speedwell	
<i>Veronica beccabunga</i>	Brooklime	
<i>Veronica chamaedrys</i>	Germander Speedwell	
<i>Veronica montana</i>	Wood Speedwell	AWI
<i>Veronica officinalis</i>	Heath Speedwell	
<i>Veronica persica</i>	Field Speedwell	
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell	
<i>Vicia sativa ssp.segetalis</i>	Common Vetch	
<i>Vicia sepium</i>	Bush Vetch	
<i>Vicia sylvatica</i>	Wood Vetch	AWI
<i>Vicia tetrasperma</i>	SmoothTare	
<i>Viola arvensis</i>	Field Pansy	Edge of arable field
<i>Viola reichenbachiana</i>	Early Dog-violet	AWI
<i>Viola riviniana</i>	Common Dog-violet	

## Grasses, Sedges and Rushes

Group	Latin Name	Common Name	Notes
Grasses	<i>Agrostis stolonifera</i>	Creeping Bent	
	<i>Alopecurus myosuroides</i>	Black Grass	in crops
	<i>Alopecurus pratensis</i>	Meadow Foxtail	
	<i>Arrhenatherum elatius</i>	False Oat-grass	
	<i>Avena fatua</i>	Wild-oat	
	<i>Bromus hordaceus</i>	Soft Brome	AWI
	<i>Bromus ramosus</i>	Hairy Brome	
	<i>Cynosurus cristatus</i>	Crested Dog's-tail	
	<i>Dactylis glomerata</i>	Cocksfoot	
	<i>Deschampsia cespitosa</i>	Tufted Hair-grass	
	<i>Festuca gigantea</i>	Giant fescue	AWI
	<i>Festuca rubra</i>	Red Fescue	
	<i>Holcus lanatus</i>	Yorkshire Fog	
	<i>Holcus mollis</i>	Creeping Softgrass	AWI
	<i>Lolium perenne</i>	Perennial Ryegrass	
	<i>Phleum pratense</i>	Timothy	
	<i>Poa annua</i>	Annual Meadow-grass	
	<i>Poa pratensis</i>	Smooth Meadow-grass	
Rushes	<i>Juncus bufonius</i>	Toad Rush	
	<i>Juncus effusus</i>	Soft Rush	
	<i>Juncus inflexus</i>	Hard Rush	
Woodrushes	<i>Luzula campestris</i>	Wood-rush	
	<i>Luzula pilosa</i>	Hairy Wood-rush	AWI
Sedges	<i>Carex flacca</i>	Glaucous Sedge	Damp flushes
	<i>Carex pendula</i>	Pendulous Sedge	AWI
	<i>Carex strigosa</i>	Thin-spiked Wood Sedge	AWI
	<i>Carex sylvatica</i>	Wood Sedge	AWI

## Trees and Shrubs

Latin Name	Common Name	Notes
<i>Acer campestre</i>	Field Maple	AWI
<i>Alnus cordata</i>	Italian Alder	
<i>Alnus glutinosa</i>	Alder	
<i>Betula pendula</i>	Silver birch	
<i>Carpinus betulus</i>	Hornbeam	AWI
<i>Clematis vitalba</i>	Traveller's-joy	
<i>Cornus sanguinea</i>	Dogwood	
<i>Corylus avellana</i>	Hazel	
<i>Crataegus monogyna</i>	Hawthorn	
<i>Cytisus scoparius</i>	Broom	
<i>Euonymus europaeus</i>	Spindle	AWI
<i>Fraxinus excelsior</i>	Ash	
<i>Ilex aquifolium</i>	Holly	AWI
<i>Picea abies</i>	Norway Spruce	Planted
<i>Pinus nigra</i>	Corsican Pine	Planted
<i>Pinus sylvestris</i>	Scots Pine	Planted
<i>Populus alba</i>	White Poplar	Planted
<i>Prunus avium</i>	Wild Cherry	AWI
<i>Prunus spinosa</i>	Blackthorn	
<i>Pyrus communis</i>	Pear	Planted
<i>Quercus petraea</i>	Sessile Oak	AWI
<i>Quercus robur</i>	Pedunculate Oak	
<i>Ribes nigrum</i>	Black Currant	Escape from cultivation
<i>Ribes sanguineum</i>	Flowering Currant	Escape from cultivation
<i>Ribes uva-crispa</i>	Gooseberry	Escape from cultivation
<i>Rosa arvensis</i>	Field Rose	AWI
<i>Rosa canina</i>	Dog Rose	
<i>Rubus fruticosus</i>	Bramble	
<i>Rubus fruticosus</i>	Raspberry	Escape from cultivation
<i>Salix alba</i>	White Willow	
<i>Salix caprea</i>	Goat Willow	
<i>Sambucus nigra</i>	Elder	
<i>Sorbus aucuparia</i>	Rowan	AWI
<i>Symphoricarpos album</i>	Snowberry	Planted - alien
<i>Tilia cordata</i>	Small-leaved Lime	AWI
<i>Tilia europaea</i>	Lime	
<i>Ulmus glabra</i>	Wych Elm	
<i>Viburnum opulus</i>	Guelder Rose	
<i>Viscum album</i>	Mistletoe	On hawthorn in hedge

## Fungi and other non flowering Plants

Group	Latin Name	Common Name	Notes
Fungi	<i>Armillaria mellea</i>	Honey Fungus	
	<i>Ascocoryne sarcoides</i>	Purple jellydisc	
	<i>Auricularia auricula-judae</i>	Jelly Ear	
	<i>Bisporella citrina</i>	Lemon disc	
	<i>Boletus chrysenteron</i>	Red-cracked bolete	
	<i>Calocera viscosa</i>	Yellow Stagshorn	
	<i>Clavulina rugosa</i>		
	<i>Clitocybe gibba</i>	Common Funnel cap	
	<i>Clitocybe nebularis</i>	Clouded Agaric	
	<i>Clytocybe phaeophthalma</i>		
	<i>Daldinia concentrica</i>	King Alfred's Cakes	
	<i>Epichloe baconii</i>	Choke	on <i>Agrostis stolonifera</i>
	<i>Hebeloma crustuliniforme</i>	Poison Pie	
	<i>Hyphodontia sambuci</i>		
	<i>Hypholoma fasciculare</i>	Sulphur Tuft	
	<i>Inocybe geophylla</i>		
	<i>Inocybe geophylla var. lilacina</i>		
	<i>Laccaria laccata</i>	The Deceiver	
	<i>Lacrymaria lacrymabunda</i>	Weeping Widow	
	<i>Lactarius glyciosmus</i>	Coconut smelling Milkcap	
	<i>Lactarius rufus</i>		
	<i>Lycogala epidendrum</i>		
	<i>Lycoperdon pyriforme</i>	Stump Puff-ball	
	<i>Macrolepiota rhacodes</i>	Shaggy Parasol	
	<i>Marasmiellus ramealis</i>		
	<i>Melanoleuca polioleuca</i>		
	<i>Microsphaera alphitoides</i>	Oak Mildew	
	<i>Mycena archangeliana</i>		
	<i>Mycena galericulata</i>	Bonnet cap	
	<i>Mycena polygramma</i>		
	<i>Mycena pura</i>		
	<i>Mycena rosea</i>		
	<i>Phallus impudicus</i>	Stinkhorn	
	<i>Pitoporus betulinus</i>	Birch bracket	
	<i>Pluteus cervinus</i>	Fawn Pluteus	
	<i>Psathyrella piluliformis</i>		
	<i>Ramularia rubella</i>		
	<i>Russula ochroleuca</i>	Common yellow Russula	
	<i>Sarcoscypha coccinea</i>	Scarlet Elf-cup	
	<i>Schizopora paradoxa</i>		
	<i>Scleroderma verrucosum</i>	Earth ball	
	<i>Stereum hirsutum</i>	Hairy Stereum	
	<i>Taphrina tosquinetii</i>	Gall on Italian Alder	
	<i>Trametes gibbosa</i>		
	<i>Trametes versicolor</i>	Many-zoned Polypore	
	<i>Xylaria hypoxylon</i>	Candle-snuff Fungus	
Algae	<i>Trentepohlia aurea</i>		
	<i>Nostoc</i>		
Phytoplasma	<i>Clover phyllody</i>		

Ledbury Naturalists Field Survey 2012 Hill Farm

Group	Latin Name	Common Name	Notes
Mosses			
Pleurocarps	<i>Amblystegium serpens</i>		
	<i>Brachythecium rutabulum</i>		
	<i>Eurhynchium praelongum</i>		
	<i>Homalothecium sericeum</i>		
	<i>Hypnum lacunosum</i>		
	<i>Plagiothecium succulentum</i>		
	<i>Rhyncostegium confertum</i>		
Acrocarps	<i>Atrichium undulatum</i>		
	<i>Bryum capillare</i>		
	<i>Grimmia pulvinata</i>		
	<i>Mnium hornum</i>		
	<i>Plagiomnium undulatum</i>		
	<i>Synyrichia intermedia</i>		
	<i>Tortula muralis</i>		
Liverworts	<i>Porella platyphylla</i>		
Lichens	<i>Lecanora chlarotera</i>	on ash	
	<i>Physia tenella</i>	on ash	
	<i>Xanthoria parietina</i>	on ash	
	<i>Xanthoria polycarpa</i>	on ash	
Ferns	<i>Phyllitis scolopendrium</i>	Hart's-tongue	
	<i>Dryopteris affinis</i>	Scaly Male-fern	
	<i>Dryopteris dilatata</i>	Broad Buckler-fern	
	<i>Dryopteris filix-mas</i>	Male-fern	
	<i>Polystichum aculeatum</i>	Hard Shield-fern	

**Birds**

<b>Latin Name</b>	<b>Common Name</b>	<b>Notes</b>
<i>Accipiter nisus</i>	Sparrowhawk	
<i>Aegithalos caudatus</i>	Long Tailed Tit	
<i>Alauda arvensis</i>	Skylark	
<i>Anas platyrhynchos</i>	Mallard	
<i>Athene noctua</i>	Little Owl	
<i>Buteo buteo</i>	Buzzard	
<i>Carduelis carduelis</i>	Goldfinch	
<i>Columba oenas</i>	Stock Dove	
<i>Columba palumbus</i>	Wood Pigeon	
<i>Corvus corax</i>	Raven	
<i>Corvus corone</i>	Carrion Crow	
<i>Corvus frugilegus</i>	Rook	
<i>Corvus monedula</i>	Jackdaw	Atlas record
<i>Cuculus canorus</i>	Cuckoo	Atlas record
<i>Delichon urbica</i>	House Martin	Nesting on house
<i>Dendrocopos major</i>	Great Spotted Woodpecker	
<i>Emberiza citrinella</i>	Yellow Hammer	
<i>Emberiza schoeniclus</i>	Reed Bunting	recorded winter 2012
<i>Erithacus rubecula</i>	Robin	
<i>Falco peregrinus</i>	Peregrine Falcon	
<i>Falco tinnunculus</i>	Kestrel	
<i>Fringilla coelebs</i>	Chaffinch	
<i>Gallinula chloropus</i>	Moorhen	
<i>Garrulus glandarius</i>	Jay	
<i>Hirundo rustica</i>	Swallow	
<i>Larus fuscus</i>	Lesser Black-backed Gull	
<i>Motacilla alba yarrellii</i>	Pied Wagtail	
<i>Parus caeruleus</i>	Blue Tit	
<i>Parus major</i>	Great Tit	
<i>Phasianus colchicus</i>	Pheasant	
<i>Phoenicurus phoenicurus</i>	Redstart	Atlas record
<i>Phylloscopus collybita</i>	Chiff Chaff	
<i>Pica pica</i>	Magpie	
<i>Picus viridis</i>	Green Woodpecker	
<i>Prunella modularis</i>	Dunnock	
<i>Pyrrhula pyrrhula</i>	Bullfinch	
<i>Regulus regulus</i>	Goldcrest	
<i>Sitta europaea</i>	Nuthatch	
<i>Streptopelia turtur</i>	Collared Dove	
<i>Strix aluco</i>	Tawny Owl	
<i>Sylvia atricapilla</i>	Blackcap	
<i>Sylvia communis</i>	Whitethroat	
<i>Troglodytes troglodytes</i>	Wren	
<i>Turdus iliacus</i>	Redwing	recorded winter 2012
<i>Turdus merula</i>	Blackbird	
<i>Turdus philomelos</i>	Song Thrush	
<i>Turdus pilaris</i>	Fieldfare	
<i>Turdus viscivorus</i>	Mistle Thrush	



**Insects, other Invertebrates and Vertebrates**

Group	Latin Name	Common Name	Notes
Lepidoptera	<i>Acleris emargana</i>		
	<i>Acleris laterana</i>	Tortrix	
	<i>Acronicta rumicis</i>	Knotgrass	Imago
	<i>Adela reamurella</i>		Imago
	<i>Agapeta hamana</i>		Imago
	<i>Aglais urticae</i>	Small Tortoiseshell	Imago
	<i>Agonopterix arenella</i>		Imago
	<i>Agriphila straminella</i>	Pyralid	Imago
	<i>Agriphila tristella</i>	Pyralid	Imago
	<i>Amblyptilia punctidactyla</i>	Brindled Plume Moth	Imago – Nationally “local” (Hedge Woundwort)
	<i>Amphipyra pyramidea</i>	Copper Underwing agg.	Imago
	<i>Anthocharis cardamines</i>	Orange Tip	Imago
	<i>Anthophila fabriciana</i>	Nettle-tap	Imago - Larval spinning on Common nettle
	<i>Aphantopus hyperantus</i>	Ringlet	Imago
	<i>Autographa gamma</i>	Silver Y	Imago
	<i>Bactra lancealana</i>		
	<i>Blastobasis adustella</i>		
	<i>Cabera exanthemata</i>	Common Wave	Imago
	<i>Camptogramma bilineata</i>	Yellow Shell	Imago
	<i>Cauchas rufimitrella</i>		Imago – Larva feeds on Cuckoo flower
	<i>Celastrina argiolus</i>	Holly Blue	Imago
	<i>Celypha lacunana</i>	Micro moth	Imago - Larva on Rose-bay Willow-herb
	<i>Chrystoteuchia culmella</i>	Garden Grass-veneer	Imago
	<i>Coleophora binderella</i>		Larval mining and a case on Alder – Nationally “local”
	<i>Coleophora gryphipennella</i>	Micro moth	Larval case on rose
	<i>Coleophora limosipennella</i>		Larva on English Elm – Nationally “local”
	<i>Coleophora serratella</i>		Larva
	<i>Colostygia pectinataria</i>	Green Carpet	Imago
	<i>Colotois pennaria</i>	Feathered Thorn	Imago
	<i>Coptotriche marginea</i>		Larval mines in Bramble
	<i>Cosmia trapezina</i>	The Dun-bar	Larva on Sallow
	<i>Cydia splendana</i>		
	<i>Deilephila elpenor</i>	Elephant Hawkmoth	Larva
	<i>Dichrorampha aeratana</i>		Imago
	<i>Dichrorampha alpinana</i>		Imago
	<i>Dichrorampha sequana</i>		
	<i>Dipleurina lacustrata</i>	Pyralid Moth	
	<i>Drepana falcataria</i>	Pebble Hook-tip	Imago - Nationally “local” (Oxeye Daisy)
	<i>Ecliptopera silaceata</i>	Small Phoenix	Imago - Nationally “local” (Oxeye Daisy)
	<i>Eilema deplana</i>	Buff Footman	Imago - Nationally “local” (Yarrow)
	<i>Eilema griseola</i>	Dingy Footman	Imago
	<i>Epinotia abbreviana</i>		Larval spinning on Wyche Elm
	<i>Epirrhoe alternata</i>	Common Carpet	Imago
	<i>Eudonia mercurella</i>		Imago
	<i>Euproctis similis</i>	Yellow-tail	Imago
	<i>Euthrix potatoria</i>	The Drinker	Larva
	<i>Glyphipterix simplicella</i>	Cocksfoot Moth	Imago

Ledbury Naturalists Field Survey 2012 Hill Farm

Group	Latin Name	Common Name	Notes
	<i>Hepialus sylvina</i>	Orange swift	Imago
	<i>Herminia grisealis</i>	Small Fan-foot	Imago
	<i>Hypena proboscidalis</i>	The Snout	Imago
	<i>Hysterophora maculosana</i>		Imago – Nationally “local” (Bluebell)
	<i>Idaea aversata</i>	Riband Wave	Imago
	<i>Idaea dimidiata</i>	Single-dotted Wave	Imago
	<i>Inachis io</i>	Peacock	Imago
	<i>Lathronympha strigana</i>		Imago – Larvae in spinings on Hypericum
	<i>Lobesia abscisana</i>		
	<i>Lymantria monacha</i>	Black Arches	Imago
	<i>Lyonetia clerkella</i>	Leaf mine	Larval mines on Cherry
	<i>Maniola jurtina</i>	Meadow Brown	Imago
	<i>Mesapamea secalis</i>	Common Rustic agg.	Imago
	<i>Nematopogon schwarziellus</i>		Imago
	<i>Noctua comes</i>	Lesser Yellow Underwing	Imago
	<i>Noctua janthe</i>	Lesser Broad Bordered Yellow Underwing	Imago
	<i>Noctua pronuba</i>	Large Yellow-underwing	Imago
	<i>Notocelia uddmanniana</i>	Bramble Shoot Moth	Larval spinings in Bramble
	<i>Ochlodes sylvanus</i>	Large Skipper	Imago
	<i>Ochropleura plecta</i>	Flame Shoulder	Imago
	<i>Operophtera brumata</i>	Winter Moth	1 larva on Sallow
	<i>Opisthograptis luteolata</i>	Brimstone Moth	Imago
	<i>Pammene aurana</i>		Imago
	<i>Pammene rhediella</i>	Fruitlet Mining Tortrix	Imago - Nationally “local” (Rosaceous trees)
	<i>Pararge aegeria</i>	Speckled Wood	Imago
	<i>Peribatodes rhomboidaria</i>	Willow Beauty	Imago
	<i>Perizoma affinitata</i>	Rivulet	Imago
	<i>Phragmatobia fuliginosa</i>	Ruby Tiger	Imago
	<i>Phyllonorycter coryli</i>		Larval mine on Hazel
	<i>Phyllonorycter harrisella</i>		Larval mine on Oak
	<i>Phyllonorycter ulmifoliella</i>		Larval mine on Birch
	<i>Pieris brassicae</i>	Large White	Imago
	<i>Pieris napi</i>	Green-veined White	Imago
	<i>Pleuoptya ruralis</i>	Mother-of-Pearl	Imago
	<i>Polygonia c-album</i>	Comma	Imago
	<i>Polyommatus icarus</i>	Common Blue	Imago
	<i>Pyronia tithonus</i>	Gatekeeper	Imago
	<i>Rivula sericealis</i>	Straw Dot	Imago
	<i>Scoparia subfusca</i>		Imago
	<i>Spilosoma lubricipeda</i>	White Ermine	Larva
	<i>Stigmella aceris</i>		Larval mine on Field Maple
	<i>Stigmella aurella</i>		Larval mine on Bramble
	<i>Stigmella floslactella</i>		Larval mine on Hornbeam
	<i>Syndemis musculana</i>		
	<i>Thymelicus sylvestris</i>	Small Skipper	Imago
	<i>Tyria jacobaeae</i>	The Cinnabar	Imago
	<i>Xanthorhoe designata</i>	Flame Carpet	Imago
	<i>Xanthorhoe montanata</i>	Silver-ground Carpet	Imago
	<i>Xanthorhoe spadicearia</i>	Red Twin-spot Carpet	Imago
	<i>Xestia c-nigrum</i>	Setaceous Hebrew Character	Imago
	<i>Xestia sexstrigata</i>	Six-striped Rustic	Imago
	<i>Xestia xanthographa</i>	Square-spot Rustic	Imago
	<i>Yponomeuta cagnagella</i>	Spindle Ermine	Imago

Ledbury Naturalists Field Survey 2012 Hill Farm

Group	Latin Name	Common Name	Notes
	<i>Yponomeuta malinellus</i>	Apple Ermine	Imago
	<i>Zygaena filipendulae</i>	Six-spot Burnet	Larva
Diptera	<i>Bibio marci</i>	St. Mark's fly	
	<i>Dasineura urticae</i>	Gall on Common Nettle	
	<i>Eristalis interruptus</i>	Hoverfly	
	<i>Helophilus pendulus</i>	Hoverfly	
Coleoptera	<i>Acupalpus meridianus</i>	Ground Beetle	
	<i>Adalia 10-punctata</i>	10-spot Ladybird	
	<i>Agriotes pallidulus</i>	Click Beetle	
	<i>Amara plebeja</i>	Ground Beetle	
	<i>Amara similata</i>	Ground Beetle	
	<i>Apion haematodes</i>	Orthocerus Weevil	
	<i>Athous haemorrhoidalis</i>	Click Beetle	
	<i>Bruchus atomarius</i>	Seed Beetle	
	<i>Byturus tomentosus</i>	Raspberry Beetle	
	<i>Cantharis decipiens</i>	Soldier Beetle	
	<i>Cartodera nodifer</i>	Small brown Beetle	
	<i>Cassida flaveola</i>	Pale Tortoise Beetle	
	<i>Coccinella 7-punctata</i>	7-spot Ladybird	
	<i>Dasytes aeratus</i>	Flower Beetle	
	<i>Enicmus transversus</i>	Small fungus beetle	
	<i>Grammoptera ruficornis</i>	Small Longhorn Beetle	
	<i>Longitarsus luridus</i>	Flea Beetle	
	<i>Malachius bipustulatus</i>	Malachite Beetle	
	<i>Micraspis 16-punctata</i>	16-spot Ladybird	
	<i>Nedyus quadrimaculatus</i>	Small Nettle Weevil	
	<i>Orchestes rusci</i>		On Silver Birch
	<i>Phyllobius glaucus</i>	Weevil	
	<i>Phyllobius virideaeris</i>	Bright Green Nettle Weevil	
	<i>Phyllotreta undulata</i>	Flea Beetle	
	<i>Pocadius ferrugineus</i>	Fungus Beetle	
	<i>Propylea 14-punctata</i>	14-spot Ladybird	
	<i>Pyrochroa serraticornis</i>	Cardinal Beetle	
	<i>Quedius brevis</i>	Rove Beetle	
	<i>Rhagium mordax</i>	Longhorn Beetle	
	<i>Sinodendron cylindricum</i>	Rhinoceros Beetle	
	<i>Subcoccinella 24-punctata</i>	24-spot Ladybird	
	<i>Tachyporus obtusus</i>	Small Rove Beetle	
	<i>Tachyporus pallidus</i>	Small Rove Beetle	
	<i>Xantholinus longiventris</i>	Shiny black Rovebeetle	
Hemiptera	<i>Acanthosoma haemorrhoidale</i>	Hawthorn Shieldbug	
	<i>Anthocoris nemorum</i>	Common flower Bug	
	<i>Coreus marginatus</i>	Squash Bug	
	<i>Dolycoris baccarum</i>	Hairy Shieldbug	
	<i>Eysarcoris venustissimus</i>	Woundwort Shieldbug	
	<i>Nabis rugosus</i>	Common Damselbug	
	<i>Notostira elongata</i>	Capsid Bug	
	<i>Palomena prasina</i>	Green Shieldbug	
	<i>Stenodema laevigatum</i>	Grass Bug	
Homoptera	<i>Cicadella viridus</i>	Leafhopper	
Hymenoptera	<i>Apis mellifera</i>	Honey Bee	

Ledbury Naturalists Field Survey 2012 Hill Farm

Group	Latin Name	Common Name	Notes
	<i>Bombus lapidarius</i>	Red Tailed Bumble bee	nest
	<i>Bombus pascuorum</i>	Common Carder Bee	
	<i>Formica rufa</i>	Wood Ant	
	<i>Neuroterus albipes</i>	Smooth Spangle Gall on Oak	
	<i>Neuroterus quercusbaccarum</i>	Common Spangle Gall on Oak	
Mecoptera	<i>Panorpa sp.</i>	Scorpion Fly	
Neuroptera	<i>Chrysopa perla</i>	Common Green Lacewing	
Odonata	<i>Aeshna cyanea</i>	Southern Hawker	
	<i>Aeshna grandis</i>	Brown Hawker	
	<i>Calopteryx splendens</i>	Banded Demoiselle	
	<i>Coenagrion puella</i>	Azure Damselfly	
	<i>Enallagma cyathigerum</i>	Common Blue Damselfly	
	<i>Orthetrum coerulescens</i>	Keeled Skimmer	
	<i>Sympetrum striolatum</i>	Common Darter	
Acari	<i>Aceria acericanpestris</i>	Gall on Field Maple leaf	
Mollusca	<i>Aegopinella pura</i>	Common ground litter Snail	
	<i>Trichia striolata</i>	Snail	
	<i>Trichia hispida</i>	Hairy Snail	
Amphibia	<i>Rana temporaria</i>	Frog	
Mammalia	<i>Meles meles</i>	Badger	latrine
	<i>Muntiacus reevesi</i>	Chinese Muntjac	slots
	<i>Oryctolagus cuniculus</i>	Rabbit	droppings and bodies
	<i>Sciurus carolinensis</i>	Grey Squirrel	eaten pine cone
	<i>Talpa europaea</i>	Mole	mole hills
	<i>Vulpes vulpes</i>	Fox	droppings